

# Home Health

## Quality Reporting Program Provider Training

### Home Health QRP Case Study

**Presenter:** Ann Olson, R.N.,  
B.S.N., ACHC

**Date:** November 17, 2016



# Case Study Instructions

Please work in groups at your table to code select OASIS-C2 items for Mr. W's SOC/ROC and Discharge Assessments.

# SOC/ROC Assessment: Select OASIS-C2 Items

- **M1028.** Active Diagnoses
- **M1060.** Height & Weight
- **M1311.** Current Number of Unhealed Pressure Ulcers at Each Stage
- **M1620.** Bowel Incontinence
- **GG0170C.** Lying to Sitting on Side of Bed
- **M2001.** Drug Regimen Review
- **M2003.** Medication Follow-up

# Discharge Assessment: Select OASIS-C2 Items

- **M1311.** Current Number of Unhealed Pressure Ulcers at Each Stage
- **M1313.** Worsening in Pressure Ulcer Status Since SOC/ROC
- **M1620.** Bowel Incontinence
- **M2005.** Medication Intervention

# Case Study Instructions

- Use the following documents in your folder:
  - Home Health QRP Training Case Study.
  - OASIS-C2 Case Study Coding Sheet.
- We will debrief in 25–30 minutes.
- **Reminder:** The terms “**Code**” or “**Coding**” used during this activity refer to responding or scoring the OASIS assessment items.

# Meet Mr. W

- 66 years old.
- Lives independently with his wife.
- Emergently treated at local acute care hospital following a fall.
- Was discharged from acute care with the following diagnoses:
  - Epidural abscess.
  - *MSSA* bacteremia.
  - Hepatic encephalopathy.
  - Alcohol withdrawal.
  - Hypertension.
  - Lower extremity weakness.
  - Neuropathy.



# Meet Mr. W

The Home Care Agency received a referral for nursing, physical and occupational therapies, and home health aide services for Mr. W, who is returning home following a 4-week acute care hospital stay.



# SOC/ROC Assessment

## For Select OASIS-C2 Items



# SOC/ROC Assessment: Select OASIS-C2 Items

- **M1028.** Active Diagnoses
- **M1060.** Height & Weight
- **M1311.** Current Number of Unhealed Pressure Ulcers at Each Stage
- **M1620.** Bowel Incontinence
- **GG0170C.** Lying to Sitting on Side of Bed
- **M2001.** Drug Regimen Review
- **M2003.** Medication Follow-up

# SOC/ROC Assessment: Select OASIS-C2 Items

- **M1028.** Active Diagnoses
- **M1060.** Height & Weight
- **M1311.** Current Number of Unhealed Pressure Ulcers at Each Stage
- **M1620.** Bowel Incontinence
- **GG0170C.** Lying to Sitting on Side of Bed
- **M2001.** Drug Regimen Review
- **M2003.** Medication Follow-up

# SOC/ROC Assessment: Select OASIS-C2 Items

- **M1028.** Active Diagnoses
- **M1060.** Height & Weight
- **M1311.** Current Number of Unhealed Pressure Ulcers at Each Stage
- **M1620.** Bowel Incontinence
- **GG0170C.** Lying to Sitting on Side of Bed
- **M2001.** Drug Regimen Review
- **M2003.** Medication Follow-up

# M1311. Current Number of Unhealed Pressure Ulcers at Each Stage

## Response:

A1. Stage 2:

B1. Stage 3:

C1. Stage 4:

D1. Unstageable: Non-removable dressing:

E1. Unstageable: Slough and/or eschar:

F1. Unstageable: Deep tissue injury:

*A2, B2, C2, D2, E2, and F2 are omitted on SOC/ROC.*

# SOC/ROC Assessment: Select OASIS-C2 Items

- **M1028.** Active Diagnoses
- **M1060.** Height & Weight
- **M1311.** Current Number of Unhealed Pressure Ulcers at Each Stage
- **M1620.** Bowel Incontinence
- **GG0170C.** Lying to Sitting on Side of Bed
- **M2001.** Drug Regimen Review
- **M2003.** Medication Follow-up

# SOC/ROC Assessment: Select OASIS-C2 Items

- **M1028.** Active Diagnoses
- **M1060.** Height & Weight
- **M1311.** Current Number of Unhealed Pressure Ulcers at Each Stage
- **M1620.** Bowel Incontinence
- **GG0170C.** Lying to Sitting on Side of Bed
- **M2001.** Drug Regimen Review
- **M2003.** Medication Follow-up

# SOC/ROC Assessment: Select OASIS-C2 Items

- **M1028.** Active Diagnoses
- **M1060.** Height & Weight
- **M1311.** Current Number of Unhealed Pressure Ulcers at Each Stage
- **M1620.** Bowel Incontinence
- **GG0170C.** Lying to Sitting on Side of Bed
- **M2001.** Drug Regimen Review
- **M2003.** Medication Follow-up

# SOC/ROC Assessment: Select OASIS-C2 Items

- **M1028.** Active Diagnoses
- **M1060.** Height & Weight
- **M1311.** Current Number of Unhealed Pressure Ulcers at Each Stage
- **M1620.** Bowel Incontinence
- **GG0170C.** Lying to Sitting on Side of Bed
- **M2001.** Drug Regimen Review
- **M2003.** Medication Follow-up



# Discharge Assessment

## For Select OASIS-C2 Items

# Discharge Assessment: Select OASIS-C2 Items

- **M1311.** Current Number of Unhealed Pressure Ulcers at Each Stage
- **M1313.** Worsening in Pressure Ulcer Status Since SOC/ROC
- **M1620.** Bowel Incontinence
- **M2005.** Medication Intervention

# M1311. Current Number of Unhealed Pressure Ulcers at Each Stage

A1. Stage 2:

A2. Number of these Stage 2 pressure ulcers that were present at most recent SOC/ROC:

B1. Stage 3:

B2. Number of these Stage 3 pressure ulcers that were present at most recent SOC/ROC:

C1. Stage 4:

C2. Number of these Stage 4 pressure ulcers that were present at most recent SOC/ROC:

# M1311. Current Number of Unhealed Pressure Ulcers at Each Stage

D1. Unstageable: Non-removable dressing:

D2. Number of unstageable pressure ulcers that were present at most recent SOC/ROC:

E1. Unstageable: Slough and/or eschar:

E2. Number of unstageable pressure ulcers that were present at most recent SOC/ROC:

F1. Unstageable: Deep tissue injury:

F2. Number of unstageable pressure ulcers that were present at most recent SOC/ROC:

# Discharge Assessment: Select OASIS-C2 Items

- **M1311.** Current Number of Unhealed Pressure Ulcers at Each Stage
- **M1313.** Worsening in Pressure Ulcer Status Since SOC/ROC
- **M1620.** Bowel Incontinence
- **M2005.** Medication Intervention

# M1313. Worsening in Pressure Ulcer Status Since SOC/ROC

- a. Stage 2:
- b. Stage 3:
- c. Stage 4:
- d. Unstageable Non-Removable Dressing:
- e. Unstageable Slough and/or Eschar:
- f. Unstageable Deep Tissue Injury:

# Discharge Assessment: Select OASIS-C2 Items

- **M1311.** Current Number of Unhealed Pressure Ulcers at Each Stage
- **M1313.** Worsening in Pressure Ulcer Status Since SOC/ROC
- **M1620.** Bowel Incontinence
- **M2005.** Medication Intervention

# Discharge Assessment: Select OASIS-C2 Items

- **M1311.** Current Number of Unhealed Pressure Ulcers at Each Stage
- **M1313.** Worsening in Pressure Ulcer Status Since SOC/ROC
- **M1620.** Bowel Incontinence
- **M2005.** Medication Intervention