

**Data Submission Specifications for the OASIS Item Set(V2.31.0)**  
**Unduplicated Edits Report by Edit ID**

-3010	Format Fatal .....	12
-3020	Format Fatal .....	12
-3030	Format Fatal .....	12
-3060	Format Fatal .....	12
-3070	Format Fatal .....	25
-3080	Format Fatal .....	26
-3090	Format Fatal .....	26
-3100	Format Fatal .....	27
-3110	Format Fatal .....	28
-3120	Format Fatal .....	29
-3130	Format Fatal .....	30
-3140	Format Fatal .....	31
-3150	Format Fatal .....	31
-3160	Consistency Fatal.....	32
-3162	Consistency Fatal.....	32
-3170	Consistency Warning.....	32
-3180	Format Fatal .....	32
-3190	Consistency Fatal.....	33
-3200	Consistency Fatal.....	34
-3210	Format Fatal .....	34

**Data Submission Specifications for the OASIS Item Set(V2.31.0)**  
**Unduplicated Edits Report by Edit ID**

-3220	Consistency Fatal.....	35
-3230	Consistency Fatal.....	35
-3240	Consistency Fatal.....	35
-3250	Format Fatal .....	36
-3261	Consistency Fatal.....	37
-3271	Consistency Fatal.....	38
-3280	Consistency Warning.....	38
-3290	Consistency Warning.....	39
-3300	Consistency Warning.....	39
-3310	Consistency Warning.....	39
-3320	Consistency Warning.....	39
-3330	Consistency Warning.....	40
-3340	Consistency Fatal.....	40
-3341	Consistency Fatal.....	40
-3390	Consistency Fatal.....	41
-3410	Consistency Fatal.....	41
-3420	Consistency Fatal.....	42
-3430	Format Fatal .....	42
-3450	Consistency Fatal.....	42
-3460	Consistency Fatal.....	42

**Data Submission Specifications for the OASIS Item Set(V2.31.0)**  
**Unduplicated Edits Report by Edit ID**

-3470	Consistency Fatal.....	42
-3480	Consistency Fatal.....	42
-3490	Consistency Fatal.....	43
-3500	Consistency Fatal.....	43
-3510	Consistency Fatal.....	43
-3520	Consistency Fatal.....	43
-3530	Consistency Fatal.....	43
-3540	Consistency Fatal.....	43
-3550	Consistency Fatal.....	44
-3560	Consistency Fatal.....	44
-3570	Consistency Fatal.....	44
-3580	Consistency Fatal.....	44
-3590	Consistency Fatal.....	44
-3600	Consistency Fatal.....	45
-3610	Consistency Fatal.....	45
-3620	Consistency Fatal.....	45
-3630	Consistency Fatal.....	45
-3640	Consistency Fatal.....	46
-3650	Consistency Fatal.....	46
-3660	Consistency Fatal.....	46

**Data Submission Specifications for the OASIS Item Set(V2.31.0)**  
**Unduplicated Edits Report by Edit ID**

-3880	Consistency Fatal.....	47
-3881	Consistency Fatal.....	47
-3890	Consistency Fatal.....	47
-3891	Consistency Fatal.....	48
-4030	Skip pattern Fatal .....	48
-4040	Skip pattern Fatal .....	48
-4170	Consistency Fatal.....	48
-4171	Consistency Fatal.....	49
-4181	Consistency Fatal.....	49
-4182	Consistency Fatal.....	49
-4191	Consistency Fatal.....	49
-4192	Consistency Fatal.....	49
-4201	Consistency Fatal.....	49
-4202	Consistency Fatal.....	50
-4220	Skip pattern Fatal .....	50
-4221	Skip pattern Fatal .....	50
-4230	Skip pattern Fatal .....	50
-4231	Skip pattern Fatal .....	51
-4240	Skip pattern Fatal .....	51
-4241	Skip pattern Fatal .....	51

**Data Submission Specifications for the OASIS Item Set(V2.31.0)**  
**Unduplicated Edits Report by Edit ID**

-4250	Skip pattern Fatal .....	51
-4251	Skip pattern Fatal .....	51
-4320	Consistency Fatal.....	52
-4350	Consistency Fatal.....	52
-4351	Consistency Fatal.....	52
-4360	Consistency Fatal.....	52
-4361	Consistency Fatal.....	52
-4370	Consistency Fatal.....	52
-4371	Consistency Fatal.....	53
-4380	Skip pattern Fatal .....	53
-4390	Skip pattern Fatal .....	53
-4400	Consistency Fatal.....	53
-4410	Consistency Fatal.....	54
-4421	Skip pattern Fatal .....	54
-4431	Skip pattern Fatal .....	54
-4441	Skip pattern Fatal .....	55
-4480	Consistency Fatal.....	55
-4490	Consistency Fatal.....	55
-4510	Skip pattern Fatal .....	55
-4511	Skip pattern Fatal .....	56

**Data Submission Specifications for the OASIS Item Set(V2.31.0)**  
**Unduplicated Edits Report by Edit ID**

-4520	Skip pattern Fatal .....	56
-4521	Skip pattern Fatal .....	56
-4531	Skip pattern Fatal .....	56
-4541	Skip pattern Fatal .....	56
-4550	Consistency Fatal.....	57
-4560	Consistency Fatal.....	57
-4570	Consistency Fatal.....	57
-4580	Consistency Fatal.....	58
-4690	Consistency Fatal.....	58
-4700	Consistency Fatal.....	58
-4710	Consistency Fatal.....	58
-4730	Consistency Fatal.....	58
-4740	Consistency Fatal.....	58
-4810	Consistency Fatal.....	59
-4820	Consistency Warning.....	59
-4850	Consistency Fatal.....	59
-4860	Consistency Fatal.....	59
-4870	Consistency Fatal.....	59
-4880	Consistency Fatal.....	60
-4885	Format Fatal .....	60

**Data Submission Specifications for the OASIS Item Set(V2.31.0)**  
**Unduplicated Edits Report by Edit ID**

-4900	Format Fatal .....	61
-4921	Skip pattern Fatal .....	61
-4990	Consistency Warning.....	61
-4991	Consistency Warning.....	61
-5000	Consistency Fatal.....	61
-5001	Consistency Fatal.....	62
-5050	Consistency Fatal.....	62
-5060	Consistency Fatal.....	63
-5070	Skip pattern Fatal .....	63
-5080	Skip pattern Fatal .....	63
-5090	Skip pattern Fatal .....	64
-5100	Skip pattern Fatal .....	64
-5111	Skip pattern Fatal .....	64
-5112	Skip pattern Fatal .....	65
-5122	Skip pattern Fatal .....	66
-5123	Skip pattern Fatal .....	66
-5131	Consistency Fatal.....	67
-5132	Consistency Fatal.....	67
-5200	Consistency Fatal.....	68
-5201	Consistency Fatal.....	68

**Data Submission Specifications for the OASIS Item Set(V2.31.0)**  
**Unduplicated Edits Report by Edit ID**

-5210	Consistency Fatal.....	69
-5211	Consistency Fatal.....	70
-5220	Consistency Fatal.....	70
-5221	Consistency Fatal.....	71
-5280	Format Fatal .....	72
-5290	Consistency Fatal.....	72
-5300	Consistency Fatal.....	72
-5320	Consistency Fatal.....	72
-5340	Consistency Fatal.....	72
-5350	Consistency Fatal.....	73
-5360	Format Warning .....	73
-5371	Skip pattern Fatal .....	73
-5372	Consistency Fatal.....	74
-5373	Consistency Fatal.....	74
-5381	Skip pattern Fatal .....	74
-5382	Consistency Fatal.....	74
-5383	Consistency Fatal.....	75
-5391	Skip pattern Fatal .....	75
-5392	Consistency Fatal.....	75
-5393	Consistency Fatal.....	75



**Data Submission Specifications for the OASIS Item Set(V2.31.0)**  
**Unduplicated Edits Report by Edit ID**

-5401	Skip pattern Fatal .....	76
-5402	Consistency Fatal.....	76
-5403	Consistency Fatal.....	76
-5411	Skip pattern Fatal .....	76
-5412	Consistency Fatal.....	77
-5413	Consistency Fatal.....	77
-5421	Skip pattern Fatal .....	77
-5422	Consistency Fatal.....	77
-5423	Consistency Fatal.....	77
-5460	Consistency Fatal.....	78
-5470	Consistency Fatal.....	78
-5480	Format Fatal .....	78
-5490	Skip pattern Fatal .....	78
-5500	Consistency Fatal.....	79
-5510	Consistency Fatal.....	79
-5520	Skip pattern Fatal .....	80
-5530	Skip pattern Fatal .....	80
-5540	Skip pattern Fatal .....	81
-5550	Skip pattern Fatal .....	81
-5560	Skip pattern Fatal .....	81

**Data Submission Specifications for the OASIS Item Set(V2.31.0)**  
**Unduplicated Edits Report by Edit ID**

-5570	Skip pattern Fatal .....	82
-5580	Skip pattern Fatal .....	82
-5590	Skip pattern Fatal .....	82
-5600	Skip pattern Fatal .....	83
-5610	Skip pattern Fatal .....	83
-5620	Skip pattern Fatal .....	84
-5630	Skip pattern Fatal .....	84
-5660	Consistency Fatal.....	84
-5661	Consistency Fatal.....	85
-5670	Consistency Fatal.....	85
-5680	Consistency Fatal.....	86
-5681	Consistency Fatal.....	86
-5690	Format Fatal .....	87
-5700	Format Fatal .....	88
-5710	Format Fatal .....	89
-9010	Information None .....	89
-9020	Information None .....	89
-9030	Information None .....	89
-9040	Information None .....	89
-9050	Information None .....	89

**Data Submission Specifications for the OASIS Item Set(V2.31.0)**  
**Unduplicated Edits Report by Edit ID**

-9060	Information None .....	90
-9080	Information None .....	91
-9090	Information None .....	92
-9100	Information None .....	92
-9110	Information None .....	92
-9130	Information None .....	93
-9140	Information None .....	93
-9150	Information None .....	93
-9160	Information None .....	94
-9170	Information None .....	95
-9180	Information None .....	95
-9190	Information None .....	96

**Data Submission Specifications for the OASIS Item Set(V2.31.0)**  
**Unduplicated Edits Report by Edit ID**

<b>ID</b>	<b>Type</b>	<b>Severity</b>	<b>Text/Items</b>
<b>-3010</b>	<b>Format</b>	<b>Fatal</b>	<p>If this item is not equal to one of the special values (if any) that are listed in the Item Values table of the Detailed Data Specifications Report, then the length of the submitted value must match exactly the maximum length that is listed for the item.</p> <p><b>Items:</b> NATL_PRVDR_ID                      Agency National Provider ID (NPI)  SFW_ID    Software vendor federal employer tax ID  M0018_PHYSICIAN_ID                      Attending physician National Provider ID (NPI)  M0064_SSN    Patient's Social Security number</p>
<b>-3020</b>	<b>Format</b>	<b>Fatal</b>	<p>If the value is not equal to [^], the first three characters must not be equal to [000].</p> <p><b>Items:</b> M0064_SSN                                      Patient's Social Security number</p>
<b>-3030</b>	<b>Format</b>	<b>Fatal</b>	<p>The value must not be equal to any of the following: [111111111, 333333333, 12356789, 999999999].</p> <p><b>Items:</b> M0063_MEDICARE_NUM                      Medicare number, including suffix  M0064_SSN    Patient's Social Security number</p>
<b>-3060</b>	<b>Format</b>	<b>Fatal</b>	<p>VALUES OF CODE AND CHECKLIST ITEMS  Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.</p> <p><b>Items:</b> ASMT_SYS_CD                                      Assessment system code  TRANS_TYPE_CD                                      Transaction type code  ITM_SBST_CD    Item subset code  STATE_CD    Agency's state postal code  M0014_BRANCH_STATE                                      Branch state</p>

**Data Submission Specifications for the OASIS Item Set(V2.31.0)**  
**Unduplicated Edits Report by Edit ID**

<b>ID</b>	<b>Type</b>	<b>Severity</b>	<b>Text/Items</b>
		<b>Items:</b>	
		M0018_PHYSICIAN_UK	Attending physician NPI: Unknown
		M0032_ROC_DT_NA	No resumption of care date
		M0050_PAT_ST	Patient state of residence
		M0063_MEDICARE_NA	No Medicare number
		M0064_SSN_UK	No Social Security number
		M0065_MEDICAID_NA	No Medicaid number
		M0069_PAT_GENDER	Gender
		M0140_ETHNIC_AI_AN	Ethnicity: American Indian or Alaska Native
		M0140_ETHNIC_ASIAN	Ethnicity: Asian
		M0140_ETHNIC_BLACK	Ethnicity: Black or African American
		M0140_ETHNIC_HISP	Ethnicity: Hispanic or Latino
		M0140_ETHNIC_NH_PI	Ethnicity: Native Hawaiian/Pacific Islander
		M0140_ETHNIC_WHITE	Ethnicity: White
		M0150_CPAY_NONE	Payment sources: no charge for current services
		M0150_CPAY_MCARE_FFS	Payment sources: Medicare fee-for-service
		M0150_CPAY_MCARE_HMO	Payment sources: Medicare HMO/managed care
		M0150_CPAY_MCAID_FFS	Payment sources: Medicaid fee-for-service
		M0150_CPAY_MCAID_HMO	Payment sources: Medicaid HMO/managed care
		M0150_CPAY_WRKCOMP	Payment sources: worker's compensation
		M0150_CPAY_TITLEPGMS	Payment sources: title programs

**Data Submission Specifications for the OASIS Item Set(V2.31.0)**  
**Unduplicated Edits Report by Edit ID**

ID	Type	Severity	Text/Items
		Items:	<div>M0150_CPAY_OTH_GOVT</div> <div>M0150_CPAY_PRIV_INS</div> <div>M0150_CPAY_PRIV_HMO</div> <div>M0150_CPAY_SELFPAY</div> <div>M0150_CPAY_OTHER</div> <div>M0150_CPAY_UK</div> <div>M0080_ASSESSOR_DISCIPLINE</div> <div>M0100_ASSMT_REASON</div> <div>M0102_PHYSN_ORDRD_SOCROC_DT_NA</div> <div>M0110_EPISODE_TIMING</div> <div>M1000_DC_LTC_14_DA</div> <div>M1000_DC_SNF_14_DA</div> <div>M1000_DC_IPPS_14_DA</div> <div>M1000_DC_LTCH_14_DA</div> <div>M1000_DC_IRF_14_DA</div> <div>M1000_DC_PSYCH_14_DA</div> <div>M1000_DC_OTH_14_DA</div> <div>M1000_DC_NONE_14_DA</div> <div>M1005_INP_DSCHG_UNKNOWN</div> <div>M1021_PRIMARY_DIAG_SEVERITY</div>
			<div>Payment sources: other government</div> <div>Payment sources: private insurance</div> <div>Payment sources: private HMO/managed care</div> <div>Payment sources: self-pay</div> <div>Payment sources: other</div> <div>Payment sources: unknown</div> <div>Discipline of person completing assessment</div> <div>Reason for assessment</div> <div>Physician ordered SOC/ROC date - NA</div> <div>Episode timing</div> <div>Past 14 days: disch from LTC NH</div> <div>Past 14 days: disch from skilled nursing facility</div> <div>Past 14 days: disch from short stay acute hospital</div> <div>Past 14 days: disch from long term care hospital</div> <div>Past 14 days: disch from inpatient rehab facility</div> <div>Past 14 days: disch from psych hospital or unit</div> <div>Past 14 days: disch from other</div> <div>Past 14 days: not disch from inpatient facility</div> <div>Inpatient discharge date unknown</div> <div>Primary diagnosis severity rating</div>

**Data Submission Specifications for the OASIS Item Set(V2.31.0)**  
**Unduplicated Edits Report by Edit ID**

ID	Type	Severity	Text/Items
		Items:	<div>M1023_OTH_DIAG1_SEVERITY</div> <div>M1023_OTH_DIAG2_SEVERITY</div> <div>M1023_OTH_DIAG3_SEVERITY</div> <div>M1023_OTH_DIAG4_SEVERITY</div> <div>M1023_OTH_DIAG5_SEVERITY</div> <div>M1028_ACTV_DIAG_PVD_PAD</div> <div>M1028_ACTV_DIAG_DM</div> <div>M1028_ACTV_DIAG_NOA</div> <div>M1030_THH_IV_INFUSION</div> <div>M1030_THH_PAR_NUTRITION</div> <div>M1030_THH_ENT_NUTRITION</div> <div>M1030_THH_NONE_ABOVE</div> <div>M1033_HOSP_RISK_HSTRY_FALLS</div> <div>M1033_HOSP_RISK_WEIGHT_LOSS</div> <div>M1033_HOSP_RISK_MLTPL_HOSPZTN</div> <div>M1033_HOSP_RISK_MLTPL_ED_VISIT</div> <div>M1033_HOSP_RISK_MNTL_BHV_DCLN</div> <div>M1033_HOSP_RISK_COMPLIANCE</div> <div>M1033_HOSP_RISK_5PLUS_MDCTN</div> <div>M1033_HOSP_RISK_CRNT_EXHSTN</div>
			<div>Other diagnosis 1: severity rating</div> <div>Other diagnosis 2: severity rating</div> <div>Other diagnosis 3: severity rating</div> <div>Other diagnosis 4: severity rating</div> <div>Other diagnosis 5: severity rating</div> <div>Active Diagnoses - PVD or PAD</div> <div>Active Diagnoses - Diabetes Mellitus</div> <div>Active Diagnoses - None of the above</div> <div>Therapies received at home: intravenous, infusion</div> <div>Therapies received at home: parenteral nutrition</div> <div>Therapies received at home: enteral nutrition</div> <div>Therapies received at home: none of the above</div> <div>Hosp risk: 2+ falls or injury fall in past year</div> <div>Hosp risk: unintentional weight loss</div> <div>Hosp risk: 2+ hospitalizations in past 6 months</div> <div>Hosp risk: 2+ emergcy dept visits in past 6 months</div> <div>Hosp risk: decline mental/emotional/behav status</div> <div>Hosp risk: difficulty with medical instructions</div> <div>Hosp risk: taking five or more medications</div> <div>Hosp risk: current exhaustion</div>

**Data Submission Specifications for the OASIS Item Set(V2.31.0)**  
**Unduplicated Edits Report by Edit ID**

<b>ID</b>	<b>Type</b>	<b>Severity</b>	<b>Text/Items</b>
		<b>Items:</b>	
		M1033_HOSP_RISK_OTHR_RISK	Hosp risk: other risk(s) not listed
		M1033_HOSP_RISK_NONE_ABOVE	Hosp risk: none of the above
		M1041_IN_INFLNZ_SEASON	Does episode include Oct 1 thru Mar 31
		M1046_INFLNZ_RECD_CRNT_SEASON	Did patient receive influenza vaccine
		M1051_PVX_RCVD_AGENCY	Was pneumococcal vaccine received
		M1056_PVX_RSN_NOT_RCVD_AGENCY	If pneumococcal vacc not received, state reason
		M1100_PTNT_LVG_STUTN	Patient living situation
		M1200_VISION	Sensory status: vision
		M1242_PAIN_FREQ_ACTVTY_MVMT	Freq of pain interfering with pt activity/movement
		M1306_UNHLD_STG2_PRSR_ULCR	Patient has 1+ unhealed PU/injury at stage 2+
		M1307_OLDST_STG2_AT_DSCHRG	Status of oldest stage 2 pressure ulcer at disch
		M1322_NBR_PRSULC_STG1	Number of stage 1 pressure injuries
		M1324_STG_PRBLM_ULCER	Stage of most problematic pressure ulcer/injury
		M1330_STAS_ULCR_PRSNT	Does this patient have a stasis ulcer
		M1332_NBR_STAS_ULCR	Number of stasis ulcers
		M1334_STUS_PRBLM_STAS_ULCR	Status of most problematic stasis ulcer
		M1340_SRGCL_WND_PRSNT	Does this patient have a surgical wound
		M1342_STUS_PRBLM_SRGCL_WND	Status of most problematic surgical wound
		M1400_WHEN_DYSPNEIC	When dyspneic
		M1600_UTI	Treated for urinary tract infection past 14 days



**Data Submission Specifications for the OASIS Item Set(V2.31.0)**  
**Unduplicated Edits Report by Edit ID**

ID	Type	Severity	Text/Items
		Items:	M1610_UR_INCONT                      Urinary incontinence or urinary catheter present M1620_BWL_INCONT                    Bowel incontinence frequency M1630_OSTOMY                        Ostomy for bowel elimination M1700_COG_FUNCTION                Cognitive functioning M1710_WHEN_CONFUSED              When confused (reported or observed) M1720_WHEN_ANXIOUS                When anxious (reported or observed) M1730_STDZ_DPRSN_SCRNG           Screened for depression using validated tool M1730_PHQ2_LACK_INTRST            PHQ2: little interest or pleasure in doing things M1730_PHQ2_DPRSN                  PHQ2: feeling down, depressed or hopeless M1740_BD_MEM_DEFICIT               Behavior demonstrated: memory deficit M1740_BD_IMP_DECISN                Behavior demonstrated: impaired decision-making M1740_BD_VERBAL                    Behavior demonstrated: verbal disruption M1740_BD_PHYSICAL                  Behavior demonstrated: physical aggression M1740_BD_SOC_INAPPRO               Behavior demonstrated: socially inappropriate M1740_BD_DELUSIONS                Behavior demonstrated: delusions M1740_BD_NONE                       Behavior demonstrated: none of the above M1745_BEH_PROB_FREQ                Frequency of behavior problems M1800_CRNT_GROOMING                Current: grooming M1810_CRNT_DRESS_UPPER            Current: dress upper body M1820_CRNT_DRESS_LOWER            Current: dress lower body

**Data Submission Specifications for the OASIS Item Set(V2.31.0)**  
**Unduplicated Edits Report by Edit ID**

ID	Type	Severity	Text/Items
		Items:	<div> <div>M1830_CRNT_BATHG</div> <div>Current: bathing</div> </div> <div> <div>M1840_CRNT_TOILTG</div> <div>Current: toileting</div> </div> <div> <div>M1845_CRNT_TOILTG_HYGN</div> <div>Current: toileting hygiene</div> </div> <div> <div>M1850_CRNT_TRNSFRNG</div> <div>Current: transferring</div> </div> <div> <div>M1860_CRNT_AMBLTN</div> <div>Current: ambulation</div> </div> <div> <div>M1870_CRNT_FEEDING</div> <div>Current: feeding</div> </div> <div> <div>M1910_MLT_FCTR_FALL_RISK_ASMT</div> <div>Has patient had a multi-factor fall risk asmt</div> </div> <div> <div>M2001_DRUG_RGMN_RVW</div> <div>Drug regimen review</div> </div> <div> <div>M2003_MDCTN_FLWP</div> <div>Medication follow-up</div> </div> <div> <div>M2005_MDCTN_INTRVTN</div> <div>Medication intervention</div> </div> <div> <div>M2010_HIGH_RISK_DRUG_EDCTN</div> <div>Patient/caregiver high risk drug education</div> </div> <div> <div>M2016_DRUG_EDCTN_INTRVTN</div> <div>Patient/caregiver drug education intervention</div> </div> <div> <div>M2020_CRNT_MGMT_ORAL_MDCTN</div> <div>Current: management of oral medications</div> </div> <div> <div>M2030_CRNT_MGMT_INJCTN_MDCTN</div> <div>Current: management of injectable medications</div> </div> <div> <div>M2102_CARE_TYPE_SRC_ADL</div> <div>Care mgmt, types/sources: ADL</div> </div> <div> <div>M2102_CARE_TYPE_SRC_MDCTN</div> <div>Care mgmt, types/sources: med admin</div> </div> <div> <div>M2102_CARE_TYPE_SRC_PRCDR</div> <div>Care mgmt, types/sources: med procs tx</div> </div> <div> <div>M2102_CARE_TYPE_SRC_SPRVSN</div> <div>Care mgmt, types/sources: supervision and safety</div> </div> <div> <div>M2200_THER_NEED_NA</div> <div>Therapy need: not applicable</div> </div> <div> <div>M2301_EMER_USE_AFTR_LAST_ASMT</div> <div>Emergent care: use since most recent SOC/ROC</div> </div>

**Data Submission Specifications for the OASIS Item Set(V2.31.0)**  
**Unduplicated Edits Report by Edit ID**

<b>ID</b>	<b>Type</b>	<b>Severity</b>	<b>Text/Items</b>
		<b>Items:</b>	
		M2310_ECR_MEDICATION	Emergent care reason: medication
		M2310_ECR_HYPOGLYC	Emergent care reason: hypoglycemia/hyperglycemia
		M2310_ECR_OTHER	Emergent care reason: other than above
		M2310_ECR_UNKNOWN	Emergent care reason: unknown
		M2401_INTRVTN_SMRY_DBTS_FT	Intervention synopsis: diabetic foot care
		M2401_INTRVTN_SMRY_FALL_PRVNT	Intervention synopsis: falls prevention
		M2401_INTRVTN_SMRY_DPRSN	Intervention synopsis: depression intervention
		M2401_INTRVTN_SMRY_PAIN_MNTR	Intervention synopsis: monitor and mitigate pain
		M2401_INTRVTN_SMRY_PRSULC_PRVN	Intervention synopsis: prevent pressure ulcers
		M2401_INTRVTN_SMRY_PRSULC_WET	Intervention synopsis: PU moist wound treatment
		M2410_INPAT_FACILITY	Inpatient facility
		M2420_DSCHRG_DISP	Discharge disposition
		GG0100A	Prior Function - Self Care
		GG0100B	Prior Function - Indoor Mobility (Ambulation)
		GG0100C	Prior Function - Stairs
		GG0100D	Prior Function - Functional Cognition
		GG0110A	Prior Device - Manual wheelchair
		GG0110B	Prior Device - Motorized wheelchair and/or scooter
		GG0110C	Prior Device - Mechanical lift
		GG0110D	Prior Device – Walker

**Data Submission Specifications for the OASIS Item Set(V2.31.0)**  
**Unduplicated Edits Report by Edit ID**

ID	Type	Severity	Text/Items
			Items:
			GG0110E Prior Device - Orthotics/Prosthetics
			GG0110Z Prior Device - None of the above
			GG0130A1 Eating (SOC/ROC Perf)
			GG0130A2 Eating (Dschg Goal)
			GG0130A3 Eating (Dischg Perf)
			GG0130A4 Eating (Follow-Up Perf)
			GG0130B1 Oral Hygiene (SOC/ROC Perf)
			GG0130B2 Oral Hygiene (DschrG Goal)
			GG0130B3 Oral Hygiene (DschrG Perf)
			GG0130B4 Oral Hygiene (Follow-Up Perf)
			GG0130C1 Toileting hygiene (SOC/ROC Perf)
			GG0130C2 Toileting hygiene (DschrG Goal)
			GG0130C3 Toileting hygiene (DschrG Perf)
			GG0130C4 Toileting hygiene (Follow-Up Perf)
			GG0130E1 Shower/bathe self (SOC/ROC Perf)
			GG0130E2 Shower/bathe self (DschrG Goal)
			GG0130E3 Shower/bathe self (DschrG Perf)
			GG0130F1 Upper body dressing (SOC/ROC Perf)
			GG0130F2 Upper body dressing (DschrG Goal)
			GG0130F3 Upper body dressing (DschrG Perf)

**Data Submission Specifications for the OASIS Item Set(V2.31.0)**  
**Unduplicated Edits Report by Edit ID**

<b>ID</b>	<b>Type</b>	<b>Severity</b>	<b>Text/Items</b>
			<b>Items:</b>
			GG0130G1 Lower body dressing (SOC/ROC Perf)
			GG0130G2 Lower body dressing (DschrG Goal)
			GG0130G3 Lower body dressing (DschrG Perf)
			GG0130H1 Put on/take off footwear (SOC/ROC Perf)
			GG0130H2 Put on/take off footwear (DschrG Goal)
			GG0130H3 Put on/take off footwear (DschrG Perf)
			GG0170A1 Roll left and right (SOC/ROC Perf)
			GG0170A2 Roll left and right (DschrG Goal)
			GG0170A3 Roll left and right (DschrG Perf)
			GG0170A4 Roll left and right (Follow-Up Perf)
			GG0170B1 Sit to lying (SOC/ROC Perf)
			GG0170B2 Sit to lying (DschrG Goal)
			GG0170B3 Sit to lying (DschrG Perf)
			GG0170B4 Sit to lying (Follow-Up Perf)
			GG0170C_MOBILITY_SOCROC_PERF Lying to sitting on bed side (SOC/ROC Perf)
			GG0170C_MOBILITY_DSCHG_GOAL Lying to sitting on bed side (DschrG Goal)
			GG0170C3 Lying to sitting on bed side (DschrG Perf)
			GG0170C4 Lying to sitting on bed side (Follow-Up Perf)
			GG0170D1 Sit to stand (SOC/ROC Perf)
			GG0170D2 Sit to stand (DschrG Goal)

**Data Submission Specifications for the OASIS Item Set(V2.31.0)**  
**Unduplicated Edits Report by Edit ID**

<b>ID</b>	<b>Type</b>	<b>Severity</b>	<b>Text/Items</b>
		<b>Items:</b>	
		GG0170D3	Sit to stand (Dschrng Perf)
		GG0170D4	Sit to stand (Follow-Up Perf)
		GG0170E1	Chair/bed-to-chair transfer (SOC/ROC Perf)
		GG0170E2	Chair/bed-to-chair transfer (Dschrng Goal)
		GG0170E3	Chair/bed-to-chair transfer (Dschrng Perf)
		GG0170E4	Chair/bed-to-chair transfer (Follow-Up Perf)
		GG0170F1	Toilet transfer (SOC/ROC Perf)
		GG0170F2	Toilet transfer (Dschrng Goal)
		GG0170F3	Toilet transfer (Dschrng Perf)
		GG0170F4	Toilet transfer (Follow-Up Perf)
		GG0170G1	Car transfer (SOC/ROC Perf)
		GG0170G2	Car transfer (Dschrng Goal)
		GG0170G3	Car transfer (Dschrng Perf)
		GG0170I1	Walk 10 feet (SOC/ROC Perf)
		GG0170I2	Walk 10 feet (Dschrng Goal)
		GG0170I3	Walk 10 feet (Dschrng Perf)
		GG0170I4	Walk 10 feet (Follow-Up Perf)
		GG0170J1	Walk 50 feet with two turns (SOC/ROC Perf)
		GG0170J2	Walk 50 feet with two turns (Dschrng Goal)
		GG0170J3	Walk 50 feet with two turns (Dschrng Perf)

**Data Submission Specifications for the OASIS Item Set(V2.31.0)**  
**Unduplicated Edits Report by Edit ID**

ID	Type	Severity	Text/Items
		Items:	GG0170J4 Walk 50 feet with two turns (Follow-Up Perf)
			GG0170K1 Walk 150 feet (SOC/ROC Perf)
			GG0170K2 Walk 150 feet (DschrG Goal)
			GG0170K3 Walk 150 feet (DschrG Perf)
			GG0170L1 Walking 10 feet uneven surf (SOC/ROC Perf)
			GG0170L2 Walking 10 feet uneven surf (DschrG Goal)
			GG0170L3 Walking 10 feet uneven surf (DschrG Perf)
			GG0170L4 Walking 10 feet uneven surf (Follow-Up Perf)
			GG0170M1 1 step (curb) (SOC/ROC Perf)
			GG0170M2 1 step (curb) (DschrG Goal)
			GG0170M3 1 step (curb) (DschrG Perf)
			GG0170M4 1 step (curb) (Follow-Up Perf)
			GG0170N1 4 steps (SOC/ROC Perf)
			GG0170N2 4 steps (DschrG Goal)
			GG0170N3 4 steps (DschrG Perf)
			GG0170N4 4 steps (Follow-Up Perf)
			GG0170O1 12 steps (SOC/ROC Perf)
			GG0170O2 12 steps (DschrG Goal)
			GG0170O3 12 steps (DschrG Perf)
			GG0170P1 Picking up object (SOC/ROC Perf)

**Data Submission Specifications for the OASIS Item Set(V2.31.0)**  
**Unduplicated Edits Report by Edit ID**

<b>ID</b>	<b>Type</b>	<b>Severity</b>	<b>Text/Items</b>
		<b>Items:</b>	
		GG0170P2	Picking up object (DschrG Goal)
		GG0170P3	Picking up object (DschrG Perf)
		GG0170Q1	Use wheelchair and/or scooter (SOC/ROC Perf)
		GG0170Q3	Use wheelchair and/or scooter (DschrG Perf)
		GG0170Q4	Use wheelchair and/or scooter (Follow-Up Perf)
		GG0170R1	Wheel 50 feet with two turns (SOC/ROC Perf)
		GG0170R2	Wheel 50 feet with two turns (DschrG Goal)
		GG0170R3	Wheel 50 feet with two turns (DschrG Perf)
		GG0170R4	Wheel 50 feet with two turns (Follow-Up Perf)
		GG0170RR1	Type of wheelchair or scooter (SOC/ROC Perf)
		GG0170RR3	Type of wheelchair or scooter (DschrG Perf)
		GG0170S1	Wheel 150 feet (SOC/ROC Perf)
		GG0170S2	Wheel 150 feet (DschrG Goal)
		GG0170S3	Wheel 150 feet (DschrG Perf)
		GG0170SS1	Type of wheelchair or scooter (SOC/ROC Perf)
		GG0170SS3	Type of wheelchair or scooter (DschrG Perf)
		J1800	Falls since SOC/ROC: any falls
		J1900A	Num falls since SOC/ROC: no injury
		J1900B	Num falls since SOC/ROC: injury (except major)
		J1900C	Num falls since SOC/ROC: major injury



## Data Submission Specifications for the OASIS Item Set(V2.31.0)

### Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items																
-3070	Format	Fatal	<p>VALUES OF DATE ITEMS</p> <p>This item must contain either (a) a valid date in YYYYMMDD format, or (b) one of the special values (if any) that are listed in the "Item Values" table of the Detailed Data Specifications Report.</p> <p>Note that if a date in YYYYMMDD format is submitted, it must be 8 characters in length and each of the 8 characters must contain the digits 0 (zero) through 9. YYYY, MM, and DD must be zero filled, where necessary. For example, January 1, 2014 must be submitted as "20140101".</p> <p><b>Items:</b></p> <table><tr><td>M0030_START_CARE_DT</td><td>Start of care date</td></tr><tr><td>M0032_ROC_DT</td><td>Resumption of care date</td></tr><tr><td>M0090_INFO_COMPLETED_DT</td><td>Date assessment completed</td></tr><tr><td>M0102_PHYSN_ORDRD_SOCROC_DT</td><td>Physician ordered SOC/ROC date</td></tr><tr><td>M0104_PHYSN_RFRL_DT</td><td>Physician date of referral</td></tr><tr><td>M1005_INP_DISCHARGE_DT</td><td>Most recent inpatient discharge date</td></tr><tr><td>M1307_OLDST_STG2_ONST_DT</td><td>Date of onset of oldest stage 2 pressure ulcer</td></tr><tr><td>M0906_DC_TRAN_DTH_DT</td><td>Discharge, transfer, death date</td></tr></table>	M0030_START_CARE_DT	Start of care date	M0032_ROC_DT	Resumption of care date	M0090_INFO_COMPLETED_DT	Date assessment completed	M0102_PHYSN_ORDRD_SOCROC_DT	Physician ordered SOC/ROC date	M0104_PHYSN_RFRL_DT	Physician date of referral	M1005_INP_DISCHARGE_DT	Most recent inpatient discharge date	M1307_OLDST_STG2_ONST_DT	Date of onset of oldest stage 2 pressure ulcer	M0906_DC_TRAN_DTH_DT	Discharge, transfer, death date
M0030_START_CARE_DT	Start of care date																		
M0032_ROC_DT	Resumption of care date																		
M0090_INFO_COMPLETED_DT	Date assessment completed																		
M0102_PHYSN_ORDRD_SOCROC_DT	Physician ordered SOC/ROC date																		
M0104_PHYSN_RFRL_DT	Physician date of referral																		
M1005_INP_DISCHARGE_DT	Most recent inpatient discharge date																		
M1307_OLDST_STG2_ONST_DT	Date of onset of oldest stage 2 pressure ulcer																		
M0906_DC_TRAN_DTH_DT	Discharge, transfer, death date																		

## Data Submission Specifications for the OASIS Item Set(V2.31.0)

### Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
-3080	Format	Fatal	<p>FORMATTING OF BIRTHDATE</p> <p>This item must contain either (a) a valid date in YYYYMMDD, YYYYMM, or YYYY format, or (b) one of the special values (if any) that are listed in the "Item Values" table of the Detailed Data Specifications Report.</p> <p>Note that if a date in YYYYMMDD format is submitted, it must be 8 characters in length and each of the 8 characters must contain the digits 0 (zero) through 9. YYYY, MM, and DD must be zero filled, where necessary. For example, January 1, 1909 must be submitted as "19090101".</p> <p>If a date is submitted in YYYYMM format, it must be 6 characters in length and each of the 6 characters must contain the digits 0 (zero) through 9. YYYY and MM must be zero filled, where necessary. For example, January, 1909 must be submitted as "190901".</p> <p>If a date is submitted in YYYY format, it must be 4 characters in length and each of the 4 characters must contain the digits 0 (zero) through 9. YYYY must be zero filled, where necessary. For example,</p>
-3090	Format	Fatal	<p><b>Items:</b> M0066_PAT_BIRTH_DT                      Date of birth</p> <p>VALUES OF NUMERIC ITEMS</p> <p>Only the values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item. The submitted value must be greater than or equal to the minimum value listed in the table and less than or equal to the maximum value listed in the table, or it must match one of the remaining special values (if any) that are listed in the table. The length of the submitted value must not exceed the allowed maximum length for the item. Signed numbers (with a leading plus or minus sign) will not be accepted.</p> <p><b>Items:</b> CORRECTION_NUM                      Correction number</p> <p>          M1060_HEIGHT_A                      Height (in inches)</p> <p>          M1060_WEIGHT_B                      Weight (in pounds)</p> <p>          M1311_NBR_PRSULC_STG2_A1                      Number of Stage 2 Pressure Ulcers</p>

**Data Submission Specifications for the OASIS Item Set(V2.31.0)**  
**Unduplicated Edits Report by Edit ID**

<b>ID</b>	<b>Type</b>	<b>Severity</b>	<b>Text/Items</b>
			<b>Items:</b> M1311_NBR_ULC_SOCROC_STG2_A2      Number of Stage 2 pressure ulcers at SOC/ROC M1311_NBR_PRSULC_STG3_B1      Number of Stage 3 Pressure Ulcers M1311_NBR_ULC_SOCROC_STG3_B2      Number of Stage 3 pressure ulcers at SOC/ROC M1311_NBR_PRSULC_STG4_C1      Number of Stage 4 Pressure Ulcers M1311_NBR_ULC_SOCROC_STG4_C2      Number of Stage 4 pressure ulcers at SOC/ROC M1311_NSTG_DRSG_D1      Num unstage pressure ulcer non-remov dress M1311_NSTG_DRSG_SOCROC_D2      Num unstage pressure ulcer non-remov dress M1311_NSTG_CVRG_E1      Unstageable: coverage by slough or eschar M1311_NSTG_CVRG_SOCROC_E2      Unstageable: coverage by slough or eschar SOC/ROC M1311_NSTG_DEEP_TSUE_F1      Unstageable: deep tissue injury M1311_NSTG_DEEP_TSUE_SOCROC_F2      Unstageable: deep tissue injury SOC/ROC M2200_THER_NEED_NBR      Therapy need: number of visits indicated
<b>-3100</b>	<b>Format</b>	<b>Fatal</b>	<p><b>FORMATTING OF POSITIVE INTEGER NUMERIC ITEMS</b></p> <p>Only positive integer values and the special values (if any) that are listed in the "Item Values" table of the Detailed Data Specifications Report will be accepted for this item. Leading zeroes may be included or omitted from the submitted value as long as the resulting length of the string does not exceed the allowed maximum length for the item. A decimal point and decimal values are not allowed. A sign will not be accepted.</p> <p>The following examples are allowable if the value to be submitted is equal to [1] and the maximum length is equal to 2: [1], [01]. The following values are NOT allowed and will lead to a fatal error: [1.], [1.0], [01.], [01.0], [1.1], [01.1], [1.01], [+1], [-2], [+1.3], [-4.5].</p> <p><b>Items:</b> CORRECTION_NUM      Correction number</p>

**Data Submission Specifications for the OASIS Item Set(V2.31.0)**  
**Unduplicated Edits Report by Edit ID**

ID	Type	Severity	Text/Items
			<div> <div>Items:</div> <div> <div>M1060_HEIGHT_A</div> <div>Height (in inches)</div> </div> <div> <div>M1060_WEIGHT_B</div> <div>Weight (in pounds)</div> </div> <div> <div>M1311_NBR_PRSULC_STG2_A1</div> <div>Number of Stage 2 Pressure Ulcers</div> </div> <div> <div>M1311_NBR_ULC_SOCROC_STG2_A2</div> <div>Number of Stage 2 pressure ulcers at SOC/ROC</div> </div> <div> <div>M1311_NBR_PRSULC_STG3_B1</div> <div>Number of Stage 3 Pressure Ulcers</div> </div> <div> <div>M1311_NBR_ULC_SOCROC_STG3_B2</div> <div>Number of Stage 3 pressure ulcers at SOC/ROC</div> </div> <div> <div>M1311_NBR_PRSULC_STG4_C1</div> <div>Number of Stage 4 Pressure Ulcers</div> </div> <div> <div>M1311_NBR_ULC_SOCROC_STG4_C2</div> <div>Number of Stage 4 pressure ulcers at SOC/ROC</div> </div> <div> <div>M1311_NSTG_DRSG_D1</div> <div>Num unstage pressure ulcer non-remov dress</div> </div> <div> <div>M1311_NSTG_DRSG_SOCROC_D2</div> <div>Num unstage pressure ulcer non-remov dress</div> </div> <div> <div>M1311_NSTG_CVRG_E1</div> <div>Unstageable: coverage by slough or eschar</div> </div> <div> <div>M1311_NSTG_CVRG_SOCROC_E2</div> <div>Unstageable: coverage by slough or eschar SOC/ROC</div> </div> <div> <div>M1311_NSTG_DEEP_TSUE_F1</div> <div>Unstageable: deep tissue injury</div> </div> <div> <div>M1311_NSTG_DEEP_TSUE_SOCROC_F2</div> <div>Unstageable: deep tissue injury SOC/ROC</div> </div> <div> <div>M2200_THER_NEED_NBR</div> <div>Therapy need: number of visits indicated</div> </div> </div>
<b>-3110 Format</b>		<b>Fatal</b>	<div> <div>FORMATTING OF NUMERIC TEXT ITEMS</div> <div>If this item is not equal to one of the special values (if any) that are listed in the Item Values table of the Detailed Data Specifications Report, then it must contain a text string. This text string may contain only numeric characters: [0] through [9].</div> </div> <div> <div>Items:</div> <div> <div>NATL_PRVDR_ID</div> <div>Agency National Provider ID (NPI)</div> </div> <div> <div>SFW_ID</div> <div>Software vendor federal employer tax ID</div> </div> </div>

**Data Submission Specifications for the OASIS Item Set(V2.31.0)**  
**Unduplicated Edits Report by Edit ID**

ID	Type	Severity	Text/Items
			<div> <b>Items:</b> <div> M0018_PHYSICIAN_ID Attending physician National Provider ID (NPI) </div> <div> M0060_PAT_ZIP Patient zip code </div> <div> M0064_SSN Patient's Social Security number </div> </div>
<b>-3120</b>	<b>Format</b>	<b>Fatal</b>	<div> <p>FORMATTING OF ALPHANUMERIC TEXT ITEMS</p> <p>If this item is not equal to one of the special values (if any) that are listed in the Item Values table of the Detailed Data Specifications Report, then it must contain a text string. This text string may contain only the following characters:</p> <p>a) The numeric characters: [0] through [9].</p> <p>b) The letters [A] through [Z] and [a] through [z].</p> </div> <div> <b>Items:</b> <div> M0010_CCN Facility CMS certification number (CCN) </div> <div> M0063_MEDICARE_NUM Medicare number, including suffix </div> <div> M0065_MEDICAID_NUM Medicaid number </div> </div>

## Data Submission Specifications for the OASIS Item Set(V2.31.0)

### Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items												
-3130	Format	Fatal	<p>FORMATTING OF ALPHANUMERIC TEXT ITEMS THAT CAN CONTAIN DASHES, SPACES, AND SPECIAL CHARACTERS</p> <p>If this item is not equal to one of the special values (if any) that are listed in the Item Values table of the Detailed Data Specifications Report, then it must contain a text string. This text string may contain only the following characters:</p> <ul style="list-style-type: none"><li>a) The numeric characters: [0] through [9].</li><li>b) The letters [A] through [Z] and [a] through [z].</li><li>c) The character [-].</li><li>d) The following special characters:<ul style="list-style-type: none"><li>[@] (at sign)</li><li>['] (single quote)</li><li>[/] (forward slash)</li><li>[+] (plus sign)</li><li>[,] (comma)</li><li>[.] (period)</li><li>[_] (underscore)</li></ul></li><li>e) Embedded spaces (spaces surrounded by any of the characters listed above). For example, [LEGAL TEXT] would be allowed.</li></ul> <table><tr><td><b>Items:</b></td><td>SFW_PROD_VRSN_CD</td><td>Software product version code</td></tr><tr><td></td><td>M0040_PAT_FNAME</td><td>Patient's first name</td></tr><tr><td></td><td>M0040_PAT_LNAME</td><td>Patient's last name</td></tr><tr><td></td><td>M0040_PAT_SUFFIX</td><td>Patient's suffix</td></tr></table>	<b>Items:</b>	SFW_PROD_VRSN_CD	Software product version code		M0040_PAT_FNAME	Patient's first name		M0040_PAT_LNAME	Patient's last name		M0040_PAT_SUFFIX	Patient's suffix
<b>Items:</b>	SFW_PROD_VRSN_CD	Software product version code													
	M0040_PAT_FNAME	Patient's first name													
	M0040_PAT_LNAME	Patient's last name													
	M0040_PAT_SUFFIX	Patient's suffix													

## Data Submission Specifications for the OASIS Item Set(V2.31.0)

### Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
-3140	Format	Fatal	<p>FORMATTING OF ALPHANUMERIC TEXT ITEMS THAT CAN CONTAIN SPECIAL CHARACTERS</p> <p>If this item is not equal to one of the special values (if any) that are listed in the Item Values table of the Detailed Data Specifications Report, then it must contain a text string. This text string may contain only the following characters:</p> <p>a) The numeric characters: [0] through [9].</p> <p>b) The letters [A] through [Z] and [a] through [z].</p> <p>c) The following special characters:</p> <p style="padding-left: 40px;">[@] (at sign)</p> <p style="padding-left: 40px;">['] (single quote)</p> <p style="padding-left: 40px;">[/] (forward slash)</p> <p style="padding-left: 40px;">[+] (plus sign)</p> <p style="padding-left: 40px;">[,] (comma)</p> <p style="padding-left: 40px;">[.] (period)</p> <p style="padding-left: 40px;">[_] (underscore)</p> <p><b>Items:</b> M0040_PAT_MI Patient's middle initial</p>
-3150	Format	Fatal	<p>Formatting of email address.</p> <p>Any valid email address will be accepted. The text string may contain any printable characters except the following:</p> <p>' (single quote)</p> <p>" (double quote)</p> <p>,</p> <p>;</p> <p>:</p> <p>\ (back slash)</p> <p>( ) (right and left parentheses)</p> <p>[ ] (right and left brackets)</p> <p>{ } (right and left braces)</p> <p>&lt; (less than)</p> <p>&gt; (greater than)</p> <p>space (embedded space)</p>

**Data Submission Specifications for the OASIS Item Set(V2.31.0)**  
**Unduplicated Edits Report by Edit ID**

<b>ID</b>	<b>Type</b>	<b>Severity</b>	<b>Text/Items</b>
			<b>Items:</b> SFW_EMAIL_ADR                      Software vendor email address
<b>-3160</b>	<b>Consistency</b>	<b>Fatal</b>	HHA_AGENCY_ID is the provider's submission ID. The value submitted for HHA_AGENCY_ID must match the HHA_AGENCY_ID in the System for the provider.  <b>Items:</b> HHA_AGENCY_ID                      Assigned agency submission ID
<b>-3162</b>	<b>Consistency</b>	<b>Fatal</b>	A user submitting a file must be authorized to submit for the provider identified by the HHA_AGENCY_ID item in the file.  <b>Items:</b> HHA_AGENCY_ID                      Assigned agency submission ID
<b>-3170</b>	<b>Consistency</b>	<b>Warning</b>	The value submitted for M0010_CCN (provider's CMS Certification Number -- CCN) will be compared with the value that is currently in the national database. If the values do not match, a warning will be  <b>Items:</b> M0010_CCN                      Facility CMS certification number (CCN)
<b>-3180</b>	<b>Format</b>	<b>Fatal</b>	This is a required text item. A valid non-blank value must be submitted.  <b>Items:</b> HHA_AGENCY_ID                      Assigned agency submission ID



## Data Submission Specifications for the OASIS Item Set(V2.31.0)

### Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items																								
-3190	Consistency	Fatal	<p>In order to modify or inactivate a record that has previously been accepted by the system, the system must be able to locate the previous record. Appropriate values from the record to be corrected must therefore be submitted for the following locator items:</p> <p>M0030_START_CARE_DT M0032_ROC_DT M0032_ROC_DT_NA M0040_PAT_FNAME M0040_PAT_LNAME M0064_SSN M0064_SSN_UK M0066_PAT_BIRTH_DT M0069_PAT_GENDER M0090_INFO_COMPLETED_DT M0100_ASSMT_REASON M0906_DC_TRAN_DTH_DT</p> <p>If a matching previously accepted record cannot be located, a fatal error will result and the submitted record will be rejected.</p> <table><tr><td><b>Items:</b></td><td>M0030_START_CARE_DT</td><td>Start of care date</td></tr><tr><td></td><td>M0032_ROC_DT</td><td>Resumption of care date</td></tr><tr><td></td><td>M0032_ROC_DT_NA</td><td>No resumption of care date</td></tr><tr><td></td><td>M0040_PAT_FNAME</td><td>Patient's first name</td></tr><tr><td></td><td>M0040_PAT_LNAME</td><td>Patient's last name</td></tr><tr><td></td><td>M0064_SSN</td><td>Patient's Social Security number</td></tr><tr><td></td><td>M0064_SSN_UK</td><td>No Social Security number</td></tr><tr><td></td><td>M0066_PAT_BIRTH_DT</td><td>Date of birth</td></tr></table>	<b>Items:</b>	M0030_START_CARE_DT	Start of care date		M0032_ROC_DT	Resumption of care date		M0032_ROC_DT_NA	No resumption of care date		M0040_PAT_FNAME	Patient's first name		M0040_PAT_LNAME	Patient's last name		M0064_SSN	Patient's Social Security number		M0064_SSN_UK	No Social Security number		M0066_PAT_BIRTH_DT	Date of birth
<b>Items:</b>	M0030_START_CARE_DT	Start of care date																									
	M0032_ROC_DT	Resumption of care date																									
	M0032_ROC_DT_NA	No resumption of care date																									
	M0040_PAT_FNAME	Patient's first name																									
	M0040_PAT_LNAME	Patient's last name																									
	M0064_SSN	Patient's Social Security number																									
	M0064_SSN_UK	No Social Security number																									
	M0066_PAT_BIRTH_DT	Date of birth																									

**Data Submission Specifications for the OASIS Item Set(V2.31.0)**  
**Unduplicated Edits Report by Edit ID**

ID	Type	Severity	Text/Items
			<b>Items:</b> M0069_PAT_GENDER Gender M0090_INFO_COMPLETED_DT Date assessment completed M0100_ASSMT_REASON Reason for assessment M0906_DC_TRAN_DTH_DT Discharge, transfer, death date
-3200	Consistency	Fatal	<p>The first record that is submitted to correct or inactivate an existing record must have a value of "01" in CORRECTION_NUM (correction number). If that correction/inactivation is accepted and if a subsequent correction/inactivation is required, it must have a value of "02", and so on. In other words, the correction number in CORRECTION_NUM on the first correction/inactivation must be "01", and the value on each subsequent correction/inactivation must be incremented by 1. If the value submitted in CORRECTION_NUM is incorrect, a fatal error will result and the submitted record will be</p> <p><b>Items:</b> CORRECTION_NUM Correction number</p>
-3210	Format	Fatal	<p>The length of the text submitted for a free-form text item must not exceed the maximum length specified for that item.</p> <p><b>Items:</b> HHA_AGENCY_ID Assigned agency submission ID  SFW_NAME Software vendor company name  SFW_EMAIL_ADR Software vendor email address  SFW_PROD_NAME Software product name  SFW_PROD_VRSN_CD Software product version code  ACY_DOC_CD Document ID code (agency use)  M0016_BRANCH_ID Branch ID  M0020_PAT_ID Patient ID number  M0040_PAT_FNAME Patient's first name</p>

**Data Submission Specifications for the OASIS Item Set(V2.31.0)**  
**Unduplicated Edits Report by Edit ID**

ID	Type	Severity	Text/Items
			<b>Items:</b> M0040_PAT_MI Patient's middle initial M0040_PAT_LNAME Patient's last name M0040_PAT_SUFFIX Patient's suffix M0063_MEDICARE_NUM Medicare number, including suffix M0065_MEDICAID_NUM Medicaid number
-3220	Consistency	Fatal	If SFW_PROD_NAME is equal to [^], then SFW_PROD_VRSN_CD must be equal to [^].  <b>Items:</b> SFW_PROD_NAME Software product name SFW_PROD_VRSN_CD Software product version code
-3230	Consistency	Fatal	If SFW_PROD_NAME is not equal to [^], then SFW_PROD_VRSN_CD must not be equal to [^].  <b>Items:</b> SFW_PROD_NAME Software product name SFW_PROD_VRSN_CD Software product version code
-3240	Consistency	Fatal	The submission system will recalculate the ISC and compare the recalculated value with the value that is submitted in ITM_SBST_CD. If the recalculated value does not match the value submitted in ITM_SBST_CD, a fatal error will result.  <b>Items:</b> ITM_SBST_CD Item subset code

## Data Submission Specifications for the OASIS Item Set(V2.31.0)

### Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
-3250	Format	Fatal	<p>FORMATTING OF ALPHANUMERIC TEXT ITEMS THAT CAN CONTAIN DASHES, SPACES, AMPERSANDS, AND OTHER SPECIAL CHARACTERS</p> <p>If this item is not equal to one of the special values (if any) that are listed in the Item Values table of the Detailed Data Specifications Report, then it must contain a text string. This text string may contain only the following characters:</p> <ul style="list-style-type: none"> <li>a) The numeric characters: [0] through [9].</li> <li>b) The letters [A] through [Z] and [a] through [z].</li> <li>c) The character [-].</li> <li>d) The following special characters: <ul style="list-style-type: none"> <li>[&amp;] (ampersand)</li> <li>[@] (at sign)</li> <li>['] (single quote)</li> <li>[/] (forward slash)</li> <li>[+] (plus sign)</li> <li>[,] (comma)</li> <li>[.] (period)</li> <li>[_] (underscore)</li> </ul> </li> <li>e) Embedded spaces (spaces surrounded by any of the characters listed above). For example, [LEGAL TEXT] would be allowed.</li> </ul> <p><b>Items:</b> SFW_NAME Software vendor company name</p> <p>SFW_PROD_NAME Software product name</p>

**Data Submission Specifications for the OASIS Item Set(V2.31.0)**  
**Unduplicated Edits Report by Edit ID**

ID	Type	Severity	Text/Items																
-3261	Consistency	Fatal	<p>DATE ITEM CONSISTENCY: PATTERN 1</p> <p>Each active item in the list below that contains a valid date (not blank) must be in the specified order.</p> <p>If M0032_ROC_DT is equal to [^], then the following rules apply:</p> <p>M0066_PAT_BIRTH_DT &lt;</p> <p>M1005_INP_DISCHARGE_DT &lt;=</p> <p>M0102_PHYSN_ORDRD_SOCROC_DT &lt;=</p> <p>M0030_START_CARE_DT &lt;=</p> <p>M1307_OLDST_STG2_ONST_DT &lt;=</p> <p>M0906_DC_TRAN_DTH_DT &lt;=</p> <p>M0090_INFO_COMPLETED_DT &lt;=</p> <p>Current date</p> <p><b>Items:</b></p> <table><tr><td>M0030_START_CARE_DT</td><td>Start of care date</td></tr><tr><td>M0032_ROC_DT</td><td>Resumption of care date</td></tr><tr><td>M0066_PAT_BIRTH_DT</td><td>Date of birth</td></tr><tr><td>M0090_INFO_COMPLETED_DT</td><td>Date assessment completed</td></tr><tr><td>M0102_PHYSN_ORDRD_SOCROC_DT</td><td>Physician ordered SOC/ROC date</td></tr><tr><td>M1005_INP_DISCHARGE_DT</td><td>Most recent inpatient discharge date</td></tr><tr><td>M1307_OLDST_STG2_ONST_DT</td><td>Date of onset of oldest stage 2 pressure ulcer</td></tr><tr><td>M0906_DC_TRAN_DTH_DT</td><td>Discharge, transfer, death date</td></tr></table>	M0030_START_CARE_DT	Start of care date	M0032_ROC_DT	Resumption of care date	M0066_PAT_BIRTH_DT	Date of birth	M0090_INFO_COMPLETED_DT	Date assessment completed	M0102_PHYSN_ORDRD_SOCROC_DT	Physician ordered SOC/ROC date	M1005_INP_DISCHARGE_DT	Most recent inpatient discharge date	M1307_OLDST_STG2_ONST_DT	Date of onset of oldest stage 2 pressure ulcer	M0906_DC_TRAN_DTH_DT	Discharge, transfer, death date
M0030_START_CARE_DT	Start of care date																		
M0032_ROC_DT	Resumption of care date																		
M0066_PAT_BIRTH_DT	Date of birth																		
M0090_INFO_COMPLETED_DT	Date assessment completed																		
M0102_PHYSN_ORDRD_SOCROC_DT	Physician ordered SOC/ROC date																		
M1005_INP_DISCHARGE_DT	Most recent inpatient discharge date																		
M1307_OLDST_STG2_ONST_DT	Date of onset of oldest stage 2 pressure ulcer																		
M0906_DC_TRAN_DTH_DT	Discharge, transfer, death date																		

**Data Submission Specifications for the OASIS Item Set(V2.31.0)**  
**Unduplicated Edits Report by Edit ID**

ID	Type	Severity	Text/Items																
-3271	Consistency	Fatal	<p>DATE ITEM CONSISTENCY: PATTERN 2</p> <p>Each active item in the list below that contains a valid date (not blank) must be in the specified order.</p> <p>If M0032_ROC_DT is NOT equal to [^], then the following rules apply:</p> <p>M0066_PAT_BIRTH_DT &lt; M0030_START_CARE_DT &lt;= M1005_INP_DISCHARGE_DT &lt;= M0102_PHYSN_ORDRD_SOCROC_DT &lt;= M0032_ROC_DT &lt;= M1307_OLDST_STG2_ONST_DT &lt;= M0906_DC_TRAN_DTH_DT &lt;= M0090_INFO_COMPLETED_DT &lt;= Current date</p> <p><b>Items:</b></p> <table><tr><td>M0030_START_CARE_DT</td><td>Start of care date</td></tr><tr><td>M0032_ROC_DT</td><td>Resumption of care date</td></tr><tr><td>M0066_PAT_BIRTH_DT</td><td>Date of birth</td></tr><tr><td>M0090_INFO_COMPLETED_DT</td><td>Date assessment completed</td></tr><tr><td>M0102_PHYSN_ORDRD_SOCROC_DT</td><td>Physician ordered SOC/ROC date</td></tr><tr><td>M1005_INP_DISCHARGE_DT</td><td>Most recent inpatient discharge date</td></tr><tr><td>M1307_OLDST_STG2_ONST_DT</td><td>Date of onset of oldest stage 2 pressure ulcer</td></tr><tr><td>M0906_DC_TRAN_DTH_DT</td><td>Discharge, transfer, death date</td></tr></table>	M0030_START_CARE_DT	Start of care date	M0032_ROC_DT	Resumption of care date	M0066_PAT_BIRTH_DT	Date of birth	M0090_INFO_COMPLETED_DT	Date assessment completed	M0102_PHYSN_ORDRD_SOCROC_DT	Physician ordered SOC/ROC date	M1005_INP_DISCHARGE_DT	Most recent inpatient discharge date	M1307_OLDST_STG2_ONST_DT	Date of onset of oldest stage 2 pressure ulcer	M0906_DC_TRAN_DTH_DT	Discharge, transfer, death date
M0030_START_CARE_DT	Start of care date																		
M0032_ROC_DT	Resumption of care date																		
M0066_PAT_BIRTH_DT	Date of birth																		
M0090_INFO_COMPLETED_DT	Date assessment completed																		
M0102_PHYSN_ORDRD_SOCROC_DT	Physician ordered SOC/ROC date																		
M1005_INP_DISCHARGE_DT	Most recent inpatient discharge date																		
M1307_OLDST_STG2_ONST_DT	Date of onset of oldest stage 2 pressure ulcer																		
M0906_DC_TRAN_DTH_DT	Discharge, transfer, death date																		
-3280	Consistency	Warning	<p>If M0100_ASSMT_REASON=[01] and if M0030_START_CARE_DT and M1005_INP_DISCHARGE_DT are both active and contain valid dates (not [^]), then M0030_START_CARE_DT minus M1005_INP_DISCHARGE_DT should be greater than or equal to zero and less than or equal to 14 days.</p> <p><b>Items:</b></p> <table><tr><td>M0030_START_CARE_DT</td><td>Start of care date</td></tr><tr><td>M0100_ASSMT_REASON</td><td>Reason for assessment</td></tr></table>	M0030_START_CARE_DT	Start of care date	M0100_ASSMT_REASON	Reason for assessment												
M0030_START_CARE_DT	Start of care date																		
M0100_ASSMT_REASON	Reason for assessment																		

**Data Submission Specifications for the OASIS Item Set(V2.31.0)**  
**Unduplicated Edits Report by Edit ID**

ID	Type	Severity	Text/Items
			<b>Items:</b> M1005_INP_DISCHARGE_DT                      Most recent inpatient discharge date
-3290	Consistency	Warning	If M0100_ASSMT_REASON=[03] and if M0032_ROC_DT and M1005_INP_DISCHARGE_DT are both active and contain valid dates (not [^]), then M0032_ROC_DT minus M1005_INP_DISCHARGE_DT should be greater than or equal to zero and less than or equal to 14.  <b>Items:</b> M0032_ROC_DT                      Resumption of care date M0100_ASSMT_REASON                      Reason for assessment M1005_INP_DISCHARGE_DT                      Most recent inpatient discharge date
-3300	Consistency	Warning	If M0100_ASSMT_REASON=[01] and if M0090_INFO_COMPLETED_DT and M0030_START_CARE_DT are both active and contain valid dates (not [^]), then M0090_INFO_COMPLETED_DT minus M0030_START_CARE_DT should be greater than or equal to zero and less than or equal to 5.  <b>Items:</b> M0030_START_CARE_DT                      Start of care date M0090_INFO_COMPLETED_DT                      Date assessment completed M0100_ASSMT_REASON                      Reason for assessment
-3310	Consistency	Warning	If M0100_ASSMT_REASON=[03] and if M0090_INFO_COMPLETED_DT and M0032_ROC_DT are both active and contain valid dates (not [^]), then M0090_INFO_COMPLETED_DT minus M0032_ROC_DT should be greater than or equal to zero and less than or equal to 2.  <b>Items:</b> M0032_ROC_DT                      Resumption of care date M0090_INFO_COMPLETED_DT                      Date assessment completed M0100_ASSMT_REASON                      Reason for assessment
-3320	Consistency	Warning	If M0100_ASSMT_REASON=[09] and if M0090_INFO_COMPLETED_DT and M0906_DC_TRAN_DTH_DT are both active and contain valid dates (not [^]), then M0090_INFO_COMPLETED_DT minus M0906_DC_TRAN_DTH_DT should be greater than or equal to zero and less than or equal to 2.

**Data Submission Specifications for the OASIS Item Set(V2.31.0)**  
**Unduplicated Edits Report by Edit ID**

ID	Type	Severity	Text/Items
			<b>Items:</b> M0090_INFO_COMPLETED_DT      Date assessment completed M0100_ASSMT_REASON      Reason for assessment M0906_DC_TRAN_DTH_DT      Discharge, transfer, death date
<b>-3330</b>	<b>Consistency</b>	<b>Warning</b>	If TRANS_TYPE_CD=[1] (new record), then submission date SUBMSN_DT minus M0090_INFO_COMPLETED_DT should be less than or equal to 30 days.  <b>Items:</b> TRANS_TYPE_CD      Transaction type code M0090_INFO_COMPLETED_DT      Date assessment completed
<b>-3340</b>	<b>Consistency</b>	<b>Fatal</b>	If TRANS_TYPE_CD=[1], then CORRECTION_NUM must equal [00].  <b>Items:</b> TRANS_TYPE_CD      Transaction type code CORRECTION_NUM      Correction number
<b>-3341</b>	<b>Consistency</b>	<b>Fatal</b>	If TRANS_TYPE_CD=[2,3], then CORRECTION_NUM must not equal [00].  <b>Items:</b> TRANS_TYPE_CD      Transaction type code CORRECTION_NUM      Correction number



## Data Submission Specifications for the OASIS Item Set(V2.31.0)

### Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
-3390	Consistency	Fatal	<p>PATIENT AGE</p> <p>a) Patient age at the time the assessment was completed cannot be more than 140 years.</p> <p>b) Patient age at the time the assessment was completed cannot be less than 18 years.</p> <p>c) If M0066_PAT_BIRTH_DT is equal to [-----], then age cannot be computed and this edit does not apply.</p> <p>Patient age is computed as follows:</p> <p>1) If both the month and day in M0066_PAT_BIRTH_DT are unknown, replace the month with "07" and the day with "02" for the purpose of calculating age.</p> <p>2) If only the day in M0066_PAT_BIRTH_DT is unknown, replace the day with the "15" for the purpose of calculating age.</p> <p>3) Provisionally compute age (in years) by subtracting the year in M0066_PAT_BIRTH_DT from the year in M0090_INFO_COMPLETED_DT.</p> <p>4) If the month in M0090_INFO_COMPLETED_DT is less than the month in M0066_PAT_BIRTH_DT, then subtract 1 from the provisional age computed in (3) above.</p> <p>5) If the month in M0090_INFO_COMPLETED_DT is equal to the month in M0066_PAT_BIRTH_DT and if the day in M0090_INFO_COMPLETED_DT is less than the day in M0066_PAT_BIRTH_DT, then subtract 1 from the provisional age computed in (3) above.</p> <p><b>Items:</b> M0066_PAT_BIRTH_DT                      Date of birth</p> <p>             M0090_INFO_COMPLETED_DT              Date assessment completed</p>
-3410	Consistency	Fatal	<p>If M0016_BRANCH_ID contains a standard branch ID (i.e., is not equal to [N,P]), then M0014_BRANCH_STATE must not equal [^].</p> <p><b>Items:</b> M0014_BRANCH_STATE                      Branch state</p>

**Data Submission Specifications for the OASIS Item Set(V2.31.0)**  
**Unduplicated Edits Report by Edit ID**

<b>ID</b>	<b>Type</b>	<b>Severity</b>	<b>Text/Items</b>
			<b>Items:</b> M0016_BRANCH_ID Branch ID
<b>-3420</b>	<b>Consistency</b>	<b>Fatal</b>	If M0016_BRANCH_ID is equal to [N,P], then M0014_BRANCH_STATE must equal [^].  <b>Items:</b> M0014_BRANCH_STATE Branch state M0016_BRANCH_ID Branch ID
<b>-3430</b>	<b>Format</b>	<b>Fatal</b>	The patient ZIP code must be either 5 or 9 bytes in length. Do not include a dash if a ZIP+4 code is submitted.  <b>Items:</b> M0060_PAT_ZIP Patient zip code
<b>-3450</b>	<b>Consistency</b>	<b>Fatal</b>	If M1005_INP_DSCHG_UNKNOWN=[0], then if M1005_INP_DISCHARGE_DT is active it must not equal  <b>Items:</b> M1005_INP_DISCHARGE_DT Most recent inpatient discharge date M1005_INP_DSCHG_UNKNOWN Inpatient discharge date unknown
<b>-3460</b>	<b>Consistency</b>	<b>Fatal</b>	If M1005_INP_DSCHG_UNKNOWN=[1], then if M1005_INP_DISCHARGE_DT is active it must equal [^].  <b>Items:</b> M1005_INP_DISCHARGE_DT Most recent inpatient discharge date M1005_INP_DSCHG_UNKNOWN Inpatient discharge date unknown
<b>-3470</b>	<b>Consistency</b>	<b>Fatal</b>	If M0018_PHYSICIAN_UK=[0], then if M0018_PHYSICIAN_ID is active it cannot equal [^].  <b>Items:</b> M0018_PHYSICIAN_ID Attending physician National Provider ID (NPI) M0018_PHYSICIAN_UK Attending physician NPI: Unknown
<b>-3480</b>	<b>Consistency</b>	<b>Fatal</b>	If M0018_PHYSICIAN_UK=[1], then if M0018_PHYSICIAN_ID is active it must equal [^].  <b>Items:</b> M0018_PHYSICIAN_ID Attending physician National Provider ID (NPI)

**Data Submission Specifications for the OASIS Item Set(V2.31.0)**  
**Unduplicated Edits Report by Edit ID**

<b>ID</b>	<b>Type</b>	<b>Severity</b>	<b>Text/Items</b>
			<b>Items:</b> M0018_PHYSICIAN_UK                      Attending physician NPI: Unknown
<b>-3490</b>	<b>Consistency</b>	<b>Fatal</b>	If M0032_ROC_DT_NA=[0], then if M0032_ROC_DT is active it must not equal [^].  <b>Items:</b> M0032_ROC_DT                      Resumption of care date M0032_ROC_DT_NA                      No resumption of care date
<b>-3500</b>	<b>Consistency</b>	<b>Fatal</b>	If M0032_ROC_DT_NA=[1], then if M0032_ROC_DT is active it must equal [^].  <b>Items:</b> M0032_ROC_DT                      Resumption of care date M0032_ROC_DT_NA                      No resumption of care date
<b>-3510</b>	<b>Consistency</b>	<b>Fatal</b>	If M0063_MEDICARE_NA=[0], then if M0063_MEDICARE_NUM is active it must not equal [^].  <b>Items:</b> M0063_MEDICARE_NUM                      Medicare number, including suffix M0063_MEDICARE_NA                      No Medicare number
<b>-3520</b>	<b>Consistency</b>	<b>Fatal</b>	If M0063_MEDICARE_NA=[1], then if M0063_MEDICARE_NUM is active it must equal [^].  <b>Items:</b> M0063_MEDICARE_NUM                      Medicare number, including suffix M0063_MEDICARE_NA                      No Medicare number
<b>-3530</b>	<b>Consistency</b>	<b>Fatal</b>	If M0064_SSN_UK=[0], then if M0064_SSN is active it must not equal [^].  <b>Items:</b> M0064_SSN                      Patient's Social Security number M0064_SSN_UK                      No Social Security number
<b>-3540</b>	<b>Consistency</b>	<b>Fatal</b>	If M0064_SSN_UK=[1], then if M0064_SSN is active it must equal [^].

**Data Submission Specifications for the OASIS Item Set(V2.31.0)**  
**Unduplicated Edits Report by Edit ID**

ID	Type	Severity	Text/Items	
			Items:	
			M0064_SSN	Patient's Social Security number
			M0064_SSN_UK	No Social Security number
-3550	Consistency	Fatal	If M0065_MEDICAID_NA=[0], then if M0065_MEDICAID_NUM is active it must not equal [^].	
			M0065_MEDICAID_NUM	Medicaid number
			M0065_MEDICAID_NA	No Medicaid number
-3560	Consistency	Fatal	If M0065_MEDICAID_NA=[1], then if M0065_MEDICAID_NUM is active it must equal [^].	
			M0065_MEDICAID_NUM	Medicaid number
			M0065_MEDICAID_NA	No Medicaid number
-3570	Consistency	Fatal	If M0102_PHYSN_ORDRD_SOCROC_DT is not equal to [^] (contains a valid date), then if M0102_PHYSN_ORDRD_SOCROC_DT_NA is active it must equal [0,^].	
			M0102_PHYSN_ORDRD_SOCROC_DT	Physician ordered SOC/ROC date
			M0102_PHYSN_ORDRD_SOCROC_DT_NA	Physician ordered SOC/ROC date - NA
-3580	Consistency	Fatal	If M0102_PHYSN_ORDRD_SOCROC_DT=[^], then if M0102_PHYSN_ORDRD_SOCROC_DT_NA is active it must equal [1].	
			M0102_PHYSN_ORDRD_SOCROC_DT	Physician ordered SOC/ROC date
			M0102_PHYSN_ORDRD_SOCROC_DT_NA	Physician ordered SOC/ROC date - NA
-3590	Consistency	Fatal	If M0102_PHYSN_ORDRD_SOCROC_DT is not equal to [^] (contains a valid date), then if M0104_PHYSN_RFRL_DT is active it must equal [^].	
			M0102_PHYSN_ORDRD_SOCROC_DT	Physician ordered SOC/ROC date

**Data Submission Specifications for the OASIS Item Set(V2.31.0)**  
**Unduplicated Edits Report by Edit ID**

ID	Type	Severity	Text/Items
			<b>Items:</b> M0104_PHYSN_RFRL_DT                      Physician date of referral
-3600	Consistency	Fatal	<p>If M0102_PHYSN_ORDRD_SOCROC_DT=[^] then if M0104_PHYSN_RFRL_DT is active it must not equal</p> <p> <b>Items:</b> M0102_PHYSN_ORDRD_SOCROC_DT              Physician ordered SOC/ROC date  M0104_PHYSN_RFRL_DT                      Physician date of referral </p>
-3610	Consistency	Fatal	<p>***THIS EDIT WAS DELETED IN V.2.31.0***</p> <p> <b>Items:</b> M0110_EPISODE_TIMING                      Episode timing  ITEM_FILLER_233                      Filler: replaces SUBM_HIPPS_CODE </p>
-3620	Consistency	Fatal	<p>If all items from M0140_ETHNIC_AI_AN through M0140_ETHNIC_WHITE are active, then at least one of these items must equal [1].</p> <p> <b>Items:</b> M0140_ETHNIC_AI_AN                      Ethnicity: American Indian or Alaska Native  M0140_ETHNIC_ASIAN                      Ethnicity: Asian  M0140_ETHNIC_BLACK                      Ethnicity: Black or African American  M0140_ETHNIC_HISP                      Ethnicity: Hispanic or Latino  M0140_ETHNIC_NH_PI                      Ethnicity: Native Hawaiian/Pacific Islander  M0140_ETHNIC_WHITE                      Ethnicity: White </p>
-3630	Consistency	Fatal	<p>At least one of the following items must equal [1]: M0150_CPAY_MCARE_FFS, M0150_CPAY_MCARE_HMO, M0150_CPAY_MCAID_FFS, or M0150_CPAY_MCAID_HMO. If all of these items are equal to [0], then the patient's care is not paid by Medicare or Medicaid and the assessment will be rejected if it is submitted.</p> <p> <b>Items:</b> M0150_CPAY_MCARE_FFS                      Payment sources: Medicare fee-for-service </p>

**Data Submission Specifications for the OASIS Item Set(V2.31.0)**  
**Unduplicated Edits Report by Edit ID**

ID	Type	Severity	Text/Items	
			Items:	
			M0150_CPAY_MCARE_HMO	Payment sources: Medicare HMO/managed care
			M0150_CPAY_MCAID_FFS	Payment sources: Medicaid fee-for-service
			M0150_CPAY_MCAID_HMO	Payment sources: Medicaid HMO/managed care
-3640	Consistency	Fatal	Both M0150_CPAY_NONE and M0150_CPAY_UK must equal [0].	
			Items: M0150_CPAY_NONE	Payment sources: no charge for current services
			M0150_CPAY_UK	Payment sources: unknown
-3650	Consistency	Fatal	If M1000_DC_NONE_14_DA=[0], then at least one active item from M1000_DC_LTC_14_DA through M1000_DC_OTH_14_DA must equal [1].	
			Items: M1000_DC_LTC_14_DA	Past 14 days: disch from LTC NH
			M1000_DC_SNF_14_DA	Past 14 days: disch from skilled nursing facility
			M1000_DC_IPPS_14_DA	Past 14 days: disch from short stay acute hospital
			M1000_DC_LTCH_14_DA	Past 14 days: disch from long term care hospital
			M1000_DC_IRF_14_DA	Past 14 days: disch from inpatient rehab facility
			M1000_DC_PSYCH_14_DA	Past 14 days: disch from psych hospital or unit
			M1000_DC_OTH_14_DA	Past 14 days: disch from other
			M1000_DC_NONE_14_DA	Past 14 days: not disch from inpatient facility
-3660	Consistency	Fatal	If M1000_DC_NONE_14_DA=[1], then all active items from M1000_DC_LTC_14_DA through M1000_DC_OTH_14_DA must equal [0].	
			Items: M1000_DC_LTC_14_DA	Past 14 days: disch from LTC NH
			M1000_DC_SNF_14_DA	Past 14 days: disch from skilled nursing facility

**Data Submission Specifications for the OASIS Item Set(V2.31.0)**  
**Unduplicated Edits Report by Edit ID**

ID	Type	Severity	Text/Items
			<b>Items:</b> M1000_DC_IPPS_14_DA Past 14 days: disch from short stay acute hospital M1000_DC_LTCH_14_DA Past 14 days: disch from long term care hospital M1000_DC_IRF_14_DA Past 14 days: disch from inpatient rehab facility M1000_DC_PSYCH_14_DA Past 14 days: disch from psych hospital or unit M1000_DC_OTH_14_DA Past 14 days: disch from other M1000_DC_NONE_14_DA Past 14 days: not disch from inpatient facility
-3880	Consistency	Fatal	<p>***THIS EDIT WAS DELETED IN V2.31.0***</p> <b>Items:</b> M1030_THH_IV_INFUSION Therapies received at home: intravenous, infusion M1030_THH_PAR_NUTRITION Therapies received at home: parenteral nutrition M1030_THH_ENT_NUTRITION Therapies received at home: enteral nutrition M1030_THH_NONE_ABOVE Therapies received at home: none of the above
-3881	Consistency	Fatal	<p>If M0100_ASSMT_REASON=[01,03] AND M1030_THH_NONE_ABOVE = [0], then at least one active item from M1030_THH_IV_INFUSION through M1030_THH_ENT_NUTRITION must equal [1]</p> <b>Items:</b> M1030_THH_IV_INFUSION Therapies received at home: intravenous, infusion M1030_THH_PAR_NUTRITION Therapies received at home: parenteral nutrition M1030_THH_ENT_NUTRITION Therapies received at home: enteral nutrition M1030_THH_NONE_ABOVE Therapies received at home: none of the above
-3890	Consistency	Fatal	<p>***THIS EDIT DELETED IN V2.31.0***</p> <b>Items:</b> M1030_THH_IV_INFUSION Therapies received at home: intravenous, infusion

**Data Submission Specifications for the OASIS Item Set(V2.31.0)**  
**Unduplicated Edits Report by Edit ID**

<b>ID</b>	<b>Type</b>	<b>Severity</b>	<b>Text/Items</b>
			<b>Items:</b> M1030_THH_PAR_NUTRITION Therapies received at home: parenteral nutrition M1030_THH_ENT_NUTRITION Therapies received at home: enteral nutrition M1030_THH_NONE_ABOVE Therapies received at home: none of the above
<b>-3891</b>	<b>Consistency</b>	<b>Fatal</b>	If M0100_ASSMT_REASON=[01,03] AND M1030_THH_NONE_ABOVE=[1], then all active items from M1030_THH_IV_INFUSION through M1030_THH_ENT_NURITION must equal [0].  <b>Items:</b> M1030_THH_IV_INFUSION Therapies received at home: intravenous, infusion M1030_THH_PAR_NUTRITION Therapies received at home: parenteral nutrition M1030_THH_ENT_NUTRITION Therapies received at home: enteral nutrition M1030_THH_NONE_ABOVE Therapies received at home: none of the above
<b>-4030</b>	<b>Skip pattern</b>	<b>Fatal</b>	If M1307_OLDST_STG2_AT_DSCHRG=[01,NA], then if M1307_OLDST_STG2_ONST_DT is active it must equal [^].  <b>Items:</b> M1307_OLDST_STG2_AT_DSCHRG Status of oldest stage 2 pressure ulcer at disch M1307_OLDST_STG2_ONST_DT Date of onset of oldest stage 2 pressure ulcer
<b>-4040</b>	<b>Skip pattern</b>	<b>Fatal</b>	If M1307_OLDST_STG2_AT_DSCHRG=[02], then if M1307_OLDST_STG2_ONST_DT is active it must not equal [^].  <b>Items:</b> M1307_OLDST_STG2_AT_DSCHRG Status of oldest stage 2 pressure ulcer at disch M1307_OLDST_STG2_ONST_DT Date of onset of oldest stage 2 pressure ulcer
<b>-4170</b>	<b>Consistency</b>	<b>Fatal</b>	***THIS EDIT DELETED IN V2.31.0***  <b>Items:</b> M1322_NBR_PRSULC_STG1 Number of stage 1 pressure injuries M1324_STG_PRBLM_ULCER Stage of most problematic pressure ulcer/injury



**Data Submission Specifications for the OASIS Item Set(V2.31.0)**  
**Unduplicated Edits Report by Edit ID**

<b>ID</b>	<b>Type</b>	<b>Severity</b>	<b>Text/Items</b>
<b>-4171</b>	<b>Consistency</b>	<b>Fatal</b>	If M0100_ASSMT_REASON =[01,03], AND M1324_STG_PRBLM_ULCER=[01], then if M1322_NBR_PRSULC_STG1 is active it must be > [00].  <div> <div><b>Items:</b></div> <div> <div>M1322_NBR_PRSULC_STG1</div> <div>Number of stage 1 pressure injuries</div> </div> <div> <div>M1324_STG_PRBLM_ULCER</div> <div>Stage of most problematic pressure ulcer/injury</div> </div> </div>
<b>-4181</b>	<b>Consistency</b>	<b>Fatal</b>	***THIS EDIT DELETED IN V2.31.0***  <div> <div><b>Items:</b></div> <div> <div>M1311_NBR_PRSULC_STG2_A1</div> <div>Number of Stage 2 Pressure Ulcers</div> </div> <div> <div>M1324_STG_PRBLM_ULCER</div> <div>Stage of most problematic pressure ulcer/injury</div> </div> </div>
<b>-4182</b>	<b>Consistency</b>	<b>Fatal</b>	If M0100_ASSMT_REASON=[01,03,09] AND M1324_STG_PRBLM_ULCER=[02], then if M1311_NBR_PRSULC_STG2_A1 is active it must not equal [^] and it must be greater than [00].  <div> <div><b>Items:</b></div> <div> <div>M1311_NBR_PRSULC_STG2_A1</div> <div>Number of Stage 2 Pressure Ulcers</div> </div> <div> <div>M1324_STG_PRBLM_ULCER</div> <div>Stage of most problematic pressure ulcer/injury</div> </div> </div>
<b>-4191</b>	<b>Consistency</b>	<b>Fatal</b>	***THIS EDIT WAS DELETED IN V2.31.0***  <div> <div><b>Items:</b></div> <div> <div>M1311_NBR_PRSULC_STG3_B1</div> <div>Number of Stage 3 Pressure Ulcers</div> </div> <div> <div>M1324_STG_PRBLM_ULCER</div> <div>Stage of most problematic pressure ulcer/injury</div> </div> </div>
<b>-4192</b>	<b>Consistency</b>	<b>Fatal</b>	If M0100_ASSMT_REASON=[01,03,09] AND M1324_STG_PRBLM_ULCER=[03], then if M1311_NBR_PRSULC_STG3_B1 is active it must not equal [^] and it must be greater than [00].  <div> <div><b>Items:</b></div> <div> <div>M1311_NBR_PRSULC_STG3_B1</div> <div>Number of Stage 3 Pressure Ulcers</div> </div> <div> <div>M1324_STG_PRBLM_ULCER</div> <div>Stage of most problematic pressure ulcer/injury</div> </div> </div>
<b>-4201</b>	<b>Consistency</b>	<b>Fatal</b>	***THIS EDIT WAS DELETED IN V2.31.0***

**Data Submission Specifications for the OASIS Item Set(V2.31.0)**  
**Unduplicated Edits Report by Edit ID**

<b>ID</b>	<b>Type</b>	<b>Severity</b>	<b>Text/Items</b>
			<b>Items:</b> M1311_NBR_PRSULC_STG4_C1      Number of Stage 4 Pressure Ulcers M1324_STG_PRBLM_ULCER      Stage of most problematic pressure ulcer/injury
<b>-4202</b>	<b>Consistency</b>	<b>Fatal</b>	If M0100_ASSMT_REASON = [01,03,09], AND M1324_STG_PRBLM_ULCER=[04], then if M1311_NBR_PRSULC_STG4_C1 is active it must not equal [^] and it must be greater than [00].  <b>Items:</b> M1311_NBR_PRSULC_STG4_C1      Number of Stage 4 Pressure Ulcers M1324_STG_PRBLM_ULCER      Stage of most problematic pressure ulcer/injury
<b>-4220</b>	<b>Skip pattern</b>	<b>Fatal</b>	***THIS EDIT DELETED IN V2.31.0***  <b>Items:</b> M1330_STAS_ULCR_PRSNT      Does this patient have a stasis ulcer M1332_NBR_STAS_ULCR      Number of stasis ulcers M1334_STUS_PRBLM_STAS_ULCR      Status of most problematic stasis ulcer
<b>-4221</b>	<b>Skip pattern</b>	<b>Fatal</b>	If M0100_ASSMT_REASON = [01,03,09], and M1330_STAS_ULCR_PRSNT = [00,03], then all active items from M1332_NBR_STAS_ULCR through M1334_STUS_PRBLM_STAS_ULCR must equal [^].  <b>Items:</b> M1330_STAS_ULCR_PRSNT      Does this patient have a stasis ulcer M1332_NBR_STAS_ULCR      Number of stasis ulcers M1334_STUS_PRBLM_STAS_ULCR      Status of most problematic stasis ulcer
<b>-4230</b>	<b>Skip pattern</b>	<b>Fatal</b>	***THIS EDIT WAS DELETED IN V2.31.0***  <b>Items:</b> M1330_STAS_ULCR_PRSNT      Does this patient have a stasis ulcer M1332_NBR_STAS_ULCR      Number of stasis ulcers M1334_STUS_PRBLM_STAS_ULCR      Status of most problematic stasis ulcer

**Data Submission Specifications for the OASIS Item Set(V2.31.0)**  
**Unduplicated Edits Report by Edit ID**

<b>ID</b>	<b>Type</b>	<b>Severity</b>	<b>Text/Items</b>
<b>-4231</b>	<b>Skip pattern</b>	<b>Fatal</b>	<p>If M0100_ASSMT_REASON = [01,03,09] and M1330_STAS_ULCR_PRSNT = [01,02], then all active items from M1332_NBR_STAS_ULCR through M1334_STUS_PRBLM_STAS_ULCR must not equal [^].</p> <p><b>Items:</b> M1330_STAS_ULCR_PRSNT Does this patient have a stasis ulcer</p> <p>M1332_NBR_STAS_ULCR Number of stasis ulcers</p> <p>M1334_STUS_PRBLM_STAS_ULCR Status of most problematic stasis ulcer</p>
<b>-4240</b>	<b>Skip pattern</b>	<b>Fatal</b>	<p>***THIS EDIT WAS DELETED IN V2.31.0***</p> <p><b>Items:</b> M1340_SRGCL_WND_PRSNT Does this patient have a surgical wound</p> <p>M1342_STUS_PRBLM_SRGCL_WND Status of most problematic surgical wound</p>
<b>-4241</b>	<b>Skip pattern</b>	<b>Fatal</b>	<p>If M0100_ASSMT_REASON = [01,03,09] and M1340_SRGCL_WND_PRSNT = [00,02], then if M1342_STUS_PRBLM_SRGCL_WND is active it must equal [^].</p> <p><b>Items:</b> M1340_SRGCL_WND_PRSNT Does this patient have a surgical wound</p> <p>M1342_STUS_PRBLM_SRGCL_WND Status of most problematic surgical wound</p>
<b>-4250</b>	<b>Skip pattern</b>	<b>Fatal</b>	<p>***THIS EDIT WAS DELETED IN V2.31.0***</p> <p><b>Items:</b> M1340_SRGCL_WND_PRSNT Does this patient have a surgical wound</p> <p>M1342_STUS_PRBLM_SRGCL_WND Status of most problematic surgical wound</p>
<b>-4251</b>	<b>Skip pattern</b>	<b>Fatal</b>	<p>If M0100_ASSMT_REASON = [01,03,09], and M1340_SRGCL_WND_PRSNT = [01], then if M1342_STUS_PRBLM_SRGCL_WND is active it must not equal [^].</p> <p><b>Items:</b> M1340_SRGCL_WND_PRSNT Does this patient have a surgical wound</p> <p>M1342_STUS_PRBLM_SRGCL_WND Status of most problematic surgical wound</p>

**Data Submission Specifications for the OASIS Item Set(V2.31.0)**  
**Unduplicated Edits Report by Edit ID**

<b>ID</b>	<b>Type</b>	<b>Severity</b>	<b>Text/Items</b>
<b>-4320</b>	<b>Consistency</b>	<b>Fatal</b>	If M0100_ASSMT_REASON=[09], then if M1600_UTI is active it cannot equal [UK].  <b>Items:</b> M0100_ASSMT_REASON Reason for assessment M1600_UTI Treated for urinary tract infection past 14 days
<b>-4350</b>	<b>Consistency</b>	<b>Fatal</b>	***THIS EDIT WAS DELETED IN V2.31.0***  <b>Items:</b> M0100_ASSMT_REASON Reason for assessment M1620_BWL_INCONT Bowel incontinence frequency
<b>-4351</b>	<b>Consistency</b>	<b>Fatal</b>	If M0100_ASSMT_REASON=[09], then if M1620_BWL_INCONT is active it cannot equal [UK].  <b>Items:</b> M0100_ASSMT_REASON Reason for assessment M1620_BWL_INCONT Bowel incontinence frequency
<b>-4360</b>	<b>Consistency</b>	<b>Fatal</b>	***THIS EDIT WAS DELETED IN V2.31.0***  <b>Items:</b> M1620_BWL_INCONT Bowel incontinence frequency M1630_OSTOMY Ostomy for bowel elimination
<b>-4361</b>	<b>Consistency</b>	<b>Fatal</b>	If M0100_ASSMT_REASON = [01,03,09], and M1620_BWL_INCONT = [00,01,02,03,04,05,UK], then if M1630_OSTOMY is active it must equal [00].  <b>Items:</b> M1620_BWL_INCONT Bowel incontinence frequency M1630_OSTOMY Ostomy for bowel elimination
<b>-4370</b>	<b>Consistency</b>	<b>Fatal</b>	***THIS EDIT WAS DELETED IN V2.31.0***  <b>Items:</b> M1620_BWL_INCONT Bowel incontinence frequency

**Data Submission Specifications for the OASIS Item Set(V2.31.0)**  
**Unduplicated Edits Report by Edit ID**

<b>ID</b>	<b>Type</b>	<b>Severity</b>	<b>Text/Items</b>
			<b>Items:</b> M1630_OSTOMY                      Ostomy for bowel elimination
<b>-4371</b>	<b>Consistency</b>	<b>Fatal</b>	If M0100_ASSMT_REASON = [01,03,09], and M1620_BWL_INCONT = [NA], then if M1630_OSTOMY is active it must equal [01,02].  <b>Items:</b> M1620_BWL_INCONT                      Bowel incontinence frequency M1630_OSTOMY                      Ostomy for bowel elimination
<b>-4380</b>	<b>Skip pattern</b>	<b>Fatal</b>	If M1730_STDZ_DPRSN_SCRNG=[00,02,03], then all active items from M1730_PHQ2_LACK_INTRST through M1730_PHQ2_DPRSN must equal [^].  <b>Items:</b> M1730_STDZ_DPRSN_SCRNG                      Screened for depression using validated tool M1730_PHQ2_LACK_INTRST                      PHQ2: little interest or pleasure in doing things M1730_PHQ2_DPRSN                      PHQ2: feeling down, depressed or hopeless
<b>-4390</b>	<b>Skip pattern</b>	<b>Fatal</b>	If M1730_STDZ_DPRSN_SCRNG=[01], then all active items from M1730_PHQ2_LACK_INTRST through M1730_PHQ2_DPRSN must not equal [^].  <b>Items:</b> M1730_STDZ_DPRSN_SCRNG                      Screened for depression using validated tool M1730_PHQ2_LACK_INTRST                      PHQ2: little interest or pleasure in doing things M1730_PHQ2_DPRSN                      PHQ2: feeling down, depressed or hopeless
<b>-4400</b>	<b>Consistency</b>	<b>Fatal</b>	If M1740_BD_NONE=[0], then at least one active item from M1740_BD_MEM_DEFICIT through M1740_BD_DELUSIONS must equal [1].  <b>Items:</b> M1740_BD_MEM_DEFICIT                      Behavior demonstrated: memory deficit M1740_BD_IMP_DECISN                      Behavior demonstrated: impaired decision-making M1740_BD_VERBAL                      Behavior demonstrated: verbal disruption

**Data Submission Specifications for the OASIS Item Set(V2.31.0)**  
**Unduplicated Edits Report by Edit ID**

ID	Type	Severity	Text/Items
			<b>Items:</b> M1740_BD_PHYSICAL Behavior demonstrated: physical aggression M1740_BD_SOC_INAPPRO Behavior demonstrated: socially inappropriate M1740_BD_DELUSIONS Behavior demonstrated: delusions M1740_BD_NONE Behavior demonstrated: none of the above
-4410	Consistency	Fatal	<p>If M1740_BD_NONE=[1], then all active items from M1740_BD_MEM_DEFICIT through M1740_BD_DELUSIONS must equal [0].</p> <b>Items:</b> M1740_BD_MEM_DEFICIT Behavior demonstrated: memory deficit M1740_BD_IMP_DECISN Behavior demonstrated: impaired decision-making M1740_BD_VERBAL Behavior demonstrated: verbal disruption M1740_BD_PHYSICAL Behavior demonstrated: physical aggression M1740_BD_SOC_INAPPRO Behavior demonstrated: socially inappropriate M1740_BD_DELUSIONS Behavior demonstrated: delusions M1740_BD_NONE Behavior demonstrated: none of the above
-4421	Skip pattern	Fatal	<p>If M2001_DRUG_RGMN_RVW=[0], then M2003_MDCTN_FLWP must equal [^].</p> <b>Items:</b> M2001_DRUG_RGMN_RVW Drug regimen review M2003_MDCTN_FLWP Medication follow-up
-4431	Skip pattern	Fatal	<p>If M2001_DRUG_RGMN_RVW=[1], then all active items from M2003_MDCTN_FLWP through M2030_CRNT_MGMT_INJCTN_MDCTN must not equal [^].</p> <b>Items:</b> M2001_DRUG_RGMN_RVW Drug regimen review M2003_MDCTN_FLWP Medication follow-up

**Data Submission Specifications for the OASIS Item Set(V2.31.0)**  
**Unduplicated Edits Report by Edit ID**

ID	Type	Severity	Text/Items
			<b>Items:</b> M2010_HIGH_RISK_DRUG_EDCTN      Patient/caregiver high risk drug education M2020_CRNT_MGMT_ORAL_MDCTN      Current: management of oral medications M2030_CRNT_MGMT_INJCTN_MDCTN      Current: management of injectable medications
-4441	Skip pattern	Fatal	If M2001_DRUG_RGMN_RVW=[9], then all active items from M2003_MDCTN_FLWP through M2030_CRNT_MGMT_INJCTN_MDCTN must equal [^].  <b>Items:</b> M2001_DRUG_RGMN_RVW      Drug regimen review M2003_MDCTN_FLWP      Medication follow-up M2010_HIGH_RISK_DRUG_EDCTN      Patient/caregiver high risk drug education M2020_CRNT_MGMT_ORAL_MDCTN      Current: management of oral medications M2030_CRNT_MGMT_INJCTN_MDCTN      Current: management of injectable medications
-4480	Consistency	Fatal	If M0100_ASSMT_REASON=[09] then M2020_CRNT_MGMT_ORAL_MDCTN cannot equal [^].  <b>Items:</b> M0100_ASSMT_REASON      Reason for assessment M2020_CRNT_MGMT_ORAL_MDCTN      Current: management of oral medications
-4490	Consistency	Fatal	***THIS EDIT WAS DELETED IN V2.31.0***  <b>Items:</b> M0100_ASSMT_REASON      Reason for assessment M2030_CRNT_MGMT_INJCTN_MDCTN      Current: management of injectable medications
-4510	Skip pattern	Fatal	***THIS EDIT WAS DELETED IN V2.31.0***  <b>Items:</b> M2200_THER_NEED_NBR      Therapy need: number of visits indicated M2200_THER_NEED_NA      Therapy need: not applicable

**Data Submission Specifications for the OASIS Item Set(V2.31.0)**  
**Unduplicated Edits Report by Edit ID**

ID	Type	Severity	Text/Items
-4511	Skip pattern	Fatal	<p>If M0100_ASSMT_REASON = [01,03], and M2200_THER_NEED_NA = [0], then if M2200_THER_NEED_NBR is active it must not equal [^]</p> <p><b>Items:</b> M2200_THER_NEED_NBR                      Therapy need: number of visits indicated  M2200_THER_NEED_NA                      Therapy need: not applicable</p>
-4520	Skip pattern	Fatal	<p>***THIS EDIT WAS DELETED IN V2.31.0***</p> <p><b>Items:</b> M2200_THER_NEED_NBR                      Therapy need: number of visits indicated  M2200_THER_NEED_NA                      Therapy need: not applicable</p>
-4521	Skip pattern	Fatal	<p>If M0100_ASSMT_REASON = [01,03] and M2200_THER_NEED_NA = [1], then if M2200_THER_NEED_NBR is active it must equal [^].</p> <p><b>Items:</b> M2200_THER_NEED_NBR                      Therapy need: number of visits indicated  M2200_THER_NEED_NA                      Therapy need: not applicable</p>
-4531	Skip pattern	Fatal	<p>If M2301_EMER_USE_AFTR_LAST_ASMT=[00,UK], then all active items from M2310_ECR_MEDICATION through M2310_ECR_UNKNOWN must equal [^].</p> <p><b>Items:</b> M2301_EMER_USE_AFTR_LAST_ASMT                      Emergent care: use since most recent SOC/ROC  M2310_ECR_MEDICATION                      Emergent care reason: medication  M2310_ECR_HYPOGLYC                      Emergent care reason: hypoglycemia/hyperglycemia  M2310_ECR_OTHER                      Emergent care reason: other than above  M2310_ECR_UNKNOWN                      Emergent care reason: unknown</p>
-4541	Skip pattern	Fatal	<p>If M2301_EMER_USE_AFTR_LAST_ASMT=[01,02], then all active items from M2310_ECR_MEDICATION through M2310_ECR_UNKNOWN must not equal [^].</p>



**Data Submission Specifications for the OASIS Item Set(V2.31.0)**  
**Unduplicated Edits Report by Edit ID**

ID	Type	Severity	Text/Items
	<b>Items:</b> M2301 Emergent care: use since most recent SOC/ROC		M2310 ECR MEDICATION
			Emergent care reason: medication
			M2310 ECR HYPOGLYC
			Emergent care reason: hypoglycemia/hyperglycemia
			M2310 ECR OTHER
			M2310 ECR UNKNOWN
<b>-4550 Consistency</b>	<b>Fatal</b>	If M2310_ECR_UNKNOWN=[0], then at least one active item from M2310_ECR_MEDICATION through M2310_ECR_OTHER must equal [1].	
	<b>Items:</b> M2310 ECR MEDICATION		M2310 ECR HYPOGLYC
			Emergent care reason: hypoglycemia/hyperglycemia
			M2310 ECR OTHER
			Emergent care reason: other than above
			M2310 ECR UNKNOWN
<b>-4560 Consistency</b>	<b>Fatal</b>	If M2310_ECR_UNKNOWN=[1], then all active items from M2310_ECR_MEDICATION through M2310_ECR_OTHER must equal [0].	
	<b>Items:</b> M2310 ECR MEDICATION		M2310 ECR HYPOGLYC
			Emergent care reason: hypoglycemia/hyperglycemia
			M2310 ECR OTHER
			Emergent care reason: other than above
			M2310 ECR UNKNOWN
<b>-4570 Consistency</b>	<b>Fatal</b>	If M0100_ASSMT_REASON=[09], then if M2410_INPAT_FACILITY is active it must equal [NA].	
	<b>Items:</b> M0100_ASSMT_REASON		M2410_INPAT_FACILITY
			Inpatient facility

**Data Submission Specifications for the OASIS Item Set(V2.31.0)**  
**Unduplicated Edits Report by Edit ID**

<b>ID</b>	<b>Type</b>	<b>Severity</b>	<b>Text/Items</b>
<b>-4580</b>	<b>Consistency</b>	<b>Fatal</b>	<p>If M0100_ASSMT_REASON=[06,07], then if M2410_INPAT_FACILITY is active it must not equal [NA].</p> <p><b>Items:</b> M0100_ASSMT_REASON Reason for assessment  M2410_INPAT_FACILITY Inpatient facility</p>
<b>-4690</b>	<b>Consistency</b>	<b>Fatal</b>	<p>If the assessment was performed by an HHA which has no branches or by a subunit which has no branches, then M0016_BRANCH_ID must contain [N]. This indicates that the assessment was completed by an HHA or subunit which has no branches.</p> <p><b>Items:</b> M0016_BRANCH_ID Branch ID</p>
<b>-4700</b>	<b>Consistency</b>	<b>Fatal</b>	<p>If the assessment was performed by the home office of an HHA which has branches or by the home office of a subunit which has branches, then M0016_BRANCH_ID must contain [P]. This indicates that the assessment was completed by the home office (an HHA parent or subunit -- not a branch).</p> <p><b>Items:</b> M0016_BRANCH_ID Branch ID</p>
<b>-4710</b>	<b>Consistency</b>	<b>Fatal</b>	<p>If M0016_BRANCH_ID does not contain a standard branch ID, [N], or [P], a fatal error will result and the record will be rejected. If a standard branch ID (i.e., not [N,P]) is submitted, then it will be checked against the system table of the HHA's or subunit's current and past branch IDs. If the submitted branch ID does not match a current or past branch ID, then the assessment record will be rejected (i.e., it will result in a fatal error).</p> <p><b>Items:</b> M0016_BRANCH_ID Branch ID</p>
<b>-4730</b>	<b>Consistency</b>	<b>Fatal</b>	<p>If M0100_ASSMT_REASON=[01], then M0032_ROC_DT_NA must be [1].</p> <p><b>Items:</b> M0032_ROC_DT_NA No resumption of care date  M0100_ASSMT_REASON Reason for assessment</p>
<b>-4740</b>	<b>Consistency</b>	<b>Fatal</b>	<p>If M0100_ASSMT_REASON=[03], then M0032_ROC_DT_NA must be [0].</p>

**Data Submission Specifications for the OASIS Item Set(V2.31.0)**  
**Unduplicated Edits Report by Edit ID**

ID	Type	Severity	Text/Items
			<b>Items:</b> M0032_ROC_DT_NA No resumption of care date M0100_ASSMT_REASON Reason for assessment
-4810	Consistency	Fatal	<b>Text:</b> ***THIS EDIT WAS DELETED IN V.2.31.0*** <b>Items:</b> ITEM_FILLER_233 Filler: replaces SUBM_HIPPS_CODE ITEM_FILLER_234 Filler: replaces SUBM_HIPPS_VERSION
-4820	Consistency	Warning	<b>Text:</b> ***THIS EDIT WAS DELETED IN V2.31.0*** <b>Items:</b> M0100_ASSMT_REASON Reason for assessment ITEM_FILLER_233 Filler: replaces SUBM_HIPPS_CODE ITEM_FILLER_234 Filler: replaces SUBM_HIPPS_VERSION
-4850	Consistency	Fatal	<b>Text:</b> If M0150_CPAY_MCARE_FFS=[1], then M0063_MEDICARE_NUM must not equal [^]. <b>Items:</b> M0063_MEDICARE_NUM Medicare number, including suffix M0150_CPAY_MCARE_FFS Payment sources: Medicare fee-for-service
-4860	Consistency	Fatal	<b>Text:</b> If M0150_CPAY_MCAID_FFS=[1], then M0065_MEDICAID_NUM must not equal [^]. <b>Items:</b> M0065_MEDICAID_NUM Medicaid number M0150_CPAY_MCAID_FFS Payment sources: Medicaid fee-for-service
-4870	Consistency	Fatal	<b>Text:</b> If the SFW_ID is not equal to [^], then SFW_NAME and SFW_EMAIL_ADR must not equal [^]. <b>Items:</b> SFW_ID Software vendor federal employer tax ID SFW_NAME Software vendor company name

**Data Submission Specifications for the OASIS Item Set(V2.31.0)**  
**Unduplicated Edits Report by Edit ID**

ID	Type	Severity	Text/Items
			<b>Items:</b> SFW_EMAIL_ADR Software vendor email address
-4880	Consistency	Fatal	<p>If the SFW_ID is equal to [^], then SFW_NAME and SFW_EMAIL_ADR must equal [^].</p> <p> <b>Items:</b> SFW_ID Software vendor federal employer tax ID  SFW_NAME Software vendor company name  SFW_EMAIL_ADR Software vendor email address </p>
-4885	Format	Fatal	<p>FORMATTING OF ICD-10 DIAGNOSIS CODES</p> <p>ICD-10 diagnosis codes must conform with the following formatting rules:</p> <p>a) Character 1 must be alphabetic [A-Z,a-z].</p> <p>b) Character 2 must be numeric [0-9].</p> <p>c) Character 3 must be numeric [0-9] or alphabetic [A-Z,a-z].</p> <p>d) Character 4 must be a decimal point.</p> <p>e) Characters 5 through 8 must be numeric [0-9], alphabetic [A-Z,a-z], or caret [^].</p> <p>f) If any character 5 through 8 is equal to [^], all subsequent characters must equal [^].</p> <p>Note that additional formatting rules for particular items may further restrict the range of allowable values in character 1. Also note that an entirely blank ICD code must be submitted as a single caret:</p> <p> <b>Items:</b> M1021_PRIMARY_DIAG_ICD Primary diagnosis ICD code  M1023_OTH_DIAG1_ICD Other diagnosis 1: ICD code  M1023_OTH_DIAG2_ICD Other diagnosis 2: ICD code  M1023_OTH_DIAG3_ICD Other diagnosis 3: ICD code  M1023_OTH_DIAG4_ICD Other diagnosis 4: ICD code  M1023_OTH_DIAG5_ICD Other diagnosis 5: ICD code </p>

**Data Submission Specifications for the OASIS Item Set(V2.31.0)**  
**Unduplicated Edits Report by Edit ID**

<b>ID</b>	<b>Type</b>	<b>Severity</b>	<b>Text/Items</b>
<b>-4900</b>	<b>Format</b>	<b>Fatal</b>	<p>RESTRICTIONS ON ICD-10 DIAGNOSIS CODES  Character 1 of the ICD code must not equal [V,W,X,Y,v,w,x,y].</p> <p><b>Items:</b> M1021_PRIMARY_DIAG_ICD                      Primary diagnosis ICD code</p>
<b>-4921</b>	<b>Skip pattern</b>	<b>Fatal</b>	<p>If M1000_DC_NONE_14_DA=[1], then M1005_INP_DISCHARGE_DT and M1005_INP_DSCHG_UNKNOWN must equal [^].</p> <p><b>Items:</b> M1000_DC_NONE_14_DA                      Past 14 days: not disch from inpatient facility  M1005_INP_DISCHARGE_DT                      Most recent inpatient discharge date  M1005_INP_DSCHG_UNKNOWN                      Inpatient discharge date unknown</p>
<b>-4990</b>	<b>Consistency</b>	<b>Warning</b>	<p>***THIS EDIT WAS DELETED IN V2.31.0***</p> <p><b>Items:</b> M1021_PRIMARY_DIAG_SEVERITY                      Primary diagnosis severity rating</p>
<b>-4991</b>	<b>Consistency</b>	<b>Warning</b>	<p>If M0100_ASSMT_REASON=[01,03], then M1021_PRIMARY_DIAG_SEVERITY should equal</p> <p><b>Items:</b> M1021_PRIMARY_DIAG_SEVERITY                      Primary diagnosis severity rating</p>
<b>-5000</b>	<b>Consistency</b>	<b>Fatal</b>	<p>***THIS EDIT WAS DELETED IN V2.31.0***</p> <p><b>Items:</b> M1021_PRIMARY_DIAG_ICD                      Primary diagnosis ICD code  M1023_OTH_DIAG1_ICD                      Other diagnosis 1: ICD code  M1023_OTH_DIAG2_ICD                      Other diagnosis 2: ICD code  M1023_OTH_DIAG3_ICD                      Other diagnosis 3: ICD code  M1023_OTH_DIAG4_ICD                      Other diagnosis 4: ICD code  M1023_OTH_DIAG5_ICD                      Other diagnosis 5: ICD code</p>

**Data Submission Specifications for the OASIS Item Set(V2.31.0)**  
**Unduplicated Edits Report by Edit ID**

ID	Type	Severity	Text/Items																											
-5001	Consistency	Fatal	<p>If M0100_ASSMT_REASON=[01,03] and if a value submitted in items M1021_PRIMARY_DIAG_ICD, M1023_OTH_DIAG1_ICD, M1023_OTH_DIAG2_ICD, M1023_OTH_DIAG3_ICD, M1023_OTH_DIAG4_ICD, or M1023_OTH_DIAG5_ICD is not equal to [^], it must not equal (must not duplicate) any value submitted in the remaining items in this list.</p> <table><tr><td>Items:</td><td>M1021_PRIMARY_DIAG_ICD</td><td>Primary diagnosis ICD code</td></tr><tr><td></td><td>M1023_OTH_DIAG1_ICD</td><td>Other diagnosis 1: ICD code</td></tr><tr><td></td><td>M1023_OTH_DIAG2_ICD</td><td>Other diagnosis 2: ICD code</td></tr><tr><td></td><td>M1023_OTH_DIAG3_ICD</td><td>Other diagnosis 3: ICD code</td></tr><tr><td></td><td>M1023_OTH_DIAG4_ICD</td><td>Other diagnosis 4: ICD code</td></tr><tr><td></td><td>M1023_OTH_DIAG5_ICD</td><td>Other diagnosis 5: ICD code</td></tr></table>	Items:	M1021_PRIMARY_DIAG_ICD	Primary diagnosis ICD code		M1023_OTH_DIAG1_ICD	Other diagnosis 1: ICD code		M1023_OTH_DIAG2_ICD	Other diagnosis 2: ICD code		M1023_OTH_DIAG3_ICD	Other diagnosis 3: ICD code		M1023_OTH_DIAG4_ICD	Other diagnosis 4: ICD code		M1023_OTH_DIAG5_ICD	Other diagnosis 5: ICD code									
Items:	M1021_PRIMARY_DIAG_ICD	Primary diagnosis ICD code																												
	M1023_OTH_DIAG1_ICD	Other diagnosis 1: ICD code																												
	M1023_OTH_DIAG2_ICD	Other diagnosis 2: ICD code																												
	M1023_OTH_DIAG3_ICD	Other diagnosis 3: ICD code																												
	M1023_OTH_DIAG4_ICD	Other diagnosis 4: ICD code																												
	M1023_OTH_DIAG5_ICD	Other diagnosis 5: ICD code																												
-5050	Consistency	Fatal	<p>If M1033_HOSP_RISK_NONE_ABOVE is equal to [0], then at least one active item from M1033_HOSP_RISK_HSTRY_FALLS through M1033_HOSP_RISK_OTHR_RISK must equal [1].</p> <table><tr><td>Items:</td><td>M1033_HOSP_RISK_HSTRY_FALLS</td><td>Hosp risk: 2+ falls or injury fall in past year</td></tr><tr><td></td><td>M1033_HOSP_RISK_WEIGHT_LOSS</td><td>Hosp risk: unintentional weight loss</td></tr><tr><td></td><td>M1033_HOSP_RISK_MLTPL_HOSPZTN</td><td>Hosp risk: 2+ hospitalizations in past 6 months</td></tr><tr><td></td><td>M1033_HOSP_RISK_MLTPL_ED_VISIT</td><td>Hosp risk: 2+ emergcy dept visits in past 6 months</td></tr><tr><td></td><td>M1033_HOSP_RISK_MNTL_BHV_DCLN</td><td>Hosp risk: decline mental/emotional/behav status</td></tr><tr><td></td><td>M1033_HOSP_RISK_COMPLIANCE</td><td>Hosp risk: difficulty with medical instructions</td></tr><tr><td></td><td>M1033_HOSP_RISK_5PLUS_MDCTN</td><td>Hosp risk: taking five or more medications</td></tr><tr><td></td><td>M1033_HOSP_RISK_CRNT_EXHSTN</td><td>Hosp risk: current exhaustion</td></tr><tr><td></td><td>M1033_HOSP_RISK_OTHR_RISK</td><td>Hosp risk: other risk(s) not listed</td></tr></table>	Items:	M1033_HOSP_RISK_HSTRY_FALLS	Hosp risk: 2+ falls or injury fall in past year		M1033_HOSP_RISK_WEIGHT_LOSS	Hosp risk: unintentional weight loss		M1033_HOSP_RISK_MLTPL_HOSPZTN	Hosp risk: 2+ hospitalizations in past 6 months		M1033_HOSP_RISK_MLTPL_ED_VISIT	Hosp risk: 2+ emergcy dept visits in past 6 months		M1033_HOSP_RISK_MNTL_BHV_DCLN	Hosp risk: decline mental/emotional/behav status		M1033_HOSP_RISK_COMPLIANCE	Hosp risk: difficulty with medical instructions		M1033_HOSP_RISK_5PLUS_MDCTN	Hosp risk: taking five or more medications		M1033_HOSP_RISK_CRNT_EXHSTN	Hosp risk: current exhaustion		M1033_HOSP_RISK_OTHR_RISK	Hosp risk: other risk(s) not listed
Items:	M1033_HOSP_RISK_HSTRY_FALLS	Hosp risk: 2+ falls or injury fall in past year																												
	M1033_HOSP_RISK_WEIGHT_LOSS	Hosp risk: unintentional weight loss																												
	M1033_HOSP_RISK_MLTPL_HOSPZTN	Hosp risk: 2+ hospitalizations in past 6 months																												
	M1033_HOSP_RISK_MLTPL_ED_VISIT	Hosp risk: 2+ emergcy dept visits in past 6 months																												
	M1033_HOSP_RISK_MNTL_BHV_DCLN	Hosp risk: decline mental/emotional/behav status																												
	M1033_HOSP_RISK_COMPLIANCE	Hosp risk: difficulty with medical instructions																												
	M1033_HOSP_RISK_5PLUS_MDCTN	Hosp risk: taking five or more medications																												
	M1033_HOSP_RISK_CRNT_EXHSTN	Hosp risk: current exhaustion																												
	M1033_HOSP_RISK_OTHR_RISK	Hosp risk: other risk(s) not listed																												

**Data Submission Specifications for the OASIS Item Set(V2.31.0)**  
**Unduplicated Edits Report by Edit ID**

<b>ID</b>	<b>Type</b>	<b>Severity</b>	<b>Text/Items</b>
			<b>Items:</b> M1033_HOSP_RISK_NONE_ABOVE      Hosp risk: none of the above
<b>-5060</b>	<b>Consistency</b>	<b>Fatal</b>	If M1033_HOSP_RISK_NONE_ABOVE is equal to [1], then all active items from M1033_HOSP_RISK_HSTRY_FALLS through M1033_HOSP_RISK_OTHR_RISK must equal [0].  <b>Items:</b> M1033_HOSP_RISK_HSTRY_FALLS      Hosp risk: 2+ falls or injury fall in past year M1033_HOSP_RISK_WEIGHT_LOSS      Hosp risk: unintentional weight loss M1033_HOSP_RISK_MLTPL_HOSPZTN      Hosp risk: 2+ hospitalizations in past 6 months M1033_HOSP_RISK_MLTPL_ED_VISIT      Hosp risk: 2+ emergency dept visits in past 6 months M1033_HOSP_RISK_MNTL_BHV_DCLN      Hosp risk: decline mental/emotional/behav status M1033_HOSP_RISK_COMPLIANCE      Hosp risk: difficulty with medical instructions M1033_HOSP_RISK_5PLUS_MDCTN      Hosp risk: taking five or more medications M1033_HOSP_RISK_CRNT_EXHSTN      Hosp risk: current exhaustion M1033_HOSP_RISK_OTHR_RISK      Hosp risk: other risk(s) not listed M1033_HOSP_RISK_NONE_ABOVE      Hosp risk: none of the above
<b>-5070</b>	<b>Skip pattern</b>	<b>Fatal</b>	If M1041_IN_INFLNZ_SEASON=[1], then if M1046_INFLNZ_RECD_CRNT_SEASON is active it must not equal [^].  <b>Items:</b> M1041_IN_INFLNZ_SEASON      Does episode include Oct 1 thru Mar 31 M1046_INFLNZ_RECD_CRNT_SEASON      Did patient receive influenza vaccine
<b>-5080</b>	<b>Skip pattern</b>	<b>Fatal</b>	If M1041_IN_INFLNZ_SEASON=[0], then if M1046_INFLNZ_RECD_CRNT_SEASON is active it must equal [^].  <b>Items:</b> M1041_IN_INFLNZ_SEASON      Does episode include Oct 1 thru Mar 31

**Data Submission Specifications for the OASIS Item Set(V2.31.0)**  
**Unduplicated Edits Report by Edit ID**

ID	Type	Severity	Text/Items	
			<b>Items:</b> M1046_INFLNZ_REC'D_CRNT_SEASON	Did patient receive influenza vaccine
-5090	Skip pattern	Fatal	***THIS EDIT WAS DELETED IN V.2.31.0***	
			<b>Items:</b> M1051_PVX_RCVD_AGENCY	Was pneumococcal vaccine received
			M1056_PVX_RSN_NOT_RCVD_AGENCY	If pneumococcal vacc not received, state reason
-5100	Skip pattern	Fatal	***THIS EDIT WAS DELETED IN V2.31.0***	
			<b>Items:</b> M1051_PVX_RCVD_AGENCY	Was pneumococcal vaccine received
			M1056_PVX_RSN_NOT_RCVD_AGENCY	If pneumococcal vacc not received, state reason
-5111	Skip pattern	Fatal	***THIS EDIT WAS DELETED IN V2.31.0***	
			<b>Items:</b> M1306_UNHLD_STG2_PRSR_ULCR	Patient has 1+ unhealed PU/injury at stage 2+
			M1307_OLDST_STG2_AT_DSCHRG	Status of oldest stage 2 pressure ulcer at disch
			M1307_OLDST_STG2_ONST_DT	Date of onset of oldest stage 2 pressure ulcer
			M1311_NBR_PRSULC_STG2_A1	Number of Stage 2 Pressure Ulcers
			M1311_NBR_ULC_SOCROC_STG2_A2	Number of Stage 2 pressure ulcers at SOC/ROC
			M1311_NBR_PRSULC_STG3_B1	Number of Stage 3 Pressure Ulcers
			M1311_NBR_ULC_SOCROC_STG3_B2	Number of Stage 3 pressure ulcers at SOC/ROC
			M1311_NBR_PRSULC_STG4_C1	Number of Stage 4 Pressure Ulcers
			M1311_NBR_ULC_SOCROC_STG4_C2	Number of Stage 4 pressure ulcers at SOC/ROC
			M1311_NSTG_DRSG_D1	Num unstage pressure ulcer non-remov dress
			M1311_NSTG_DRSG_SOCROC_D2	Num unstage pressure ulcer non-remov dress



**Data Submission Specifications for the OASIS Item Set(V2.31.0)**  
**Unduplicated Edits Report by Edit ID**

ID	Type	Severity	Text/Items
<b>Items:</b>	M1311_NSTG_CVRG_E1 M1311_NSTG_CVRG_SOCROC_E2 M1311_NSTG_DEEP_TSUE_F1 M1311_NSTG_DEEP_TSUE_SOCROC_F2	Unstageable: coverage by slough or eschar Unstageable: coverage by slough or eschar SOC/ROC Unstageable: deep tissue injury Unstageable: deep tissue injury SOC/ROC	
<b>-5112</b>	<b>Skip pattern</b>	<b>Fatal</b>	If M0100_ASSMT_REASON = [01,03,09] and M1306_UNHLD_STG2_PRSR_ULCR = [0], then all active items from M1307_OLDST_STG2_AT_DSCHRG through M1311_NSTG_DEEP_TSUE_SOCROC_F2 must
<b>Items:</b>	M1306_UNHLD_STG2_PRSR_ULCR M1307_OLDST_STG2_AT_DSCHRG M1307_OLDST_STG2_ONST_DT M1311_NBR_PRSULC_STG2_A1 M1311_NBR_ULC_SOCROC_STG2_A2 M1311_NBR_PRSULC_STG3_B1 M1311_NBR_ULC_SOCROC_STG3_B2 M1311_NBR_PRSULC_STG4_C1 M1311_NBR_ULC_SOCROC_STG4_C2 M1311_NSTG_DRSG_D1 M1311_NSTG_DRSG_SOCROC_D2 M1311_NSTG_CVRG_E1 M1311_NSTG_CVRG_SOCROC_E2 M1311_NSTG_DEEP_TSUE_F1	Patient has 1+ unhealed PU/injury at stage 2+ Status of oldest stage 2 pressure ulcer at disch Date of onset of oldest stage 2 pressure ulcer Number of Stage 2 Pressure Ulcers Number of Stage 2 pressure ulcers at SOC/ROC Number of Stage 3 Pressure Ulcers Number of Stage 3 pressure ulcers at SOC/ROC Number of Stage 4 Pressure Ulcers Number of Stage 4 pressure ulcers at SOC/ROC Num unstage pressure ulcer non-remov dress Num unstage pressure ulcer non-remov dress Unstageable: coverage by slough or eschar Unstageable: coverage by slough or eschar SOC/ROC Unstageable: deep tissue injury	

**Data Submission Specifications for the OASIS Item Set(V2.31.0)**  
**Unduplicated Edits Report by Edit ID**

<b>ID</b>	<b>Type</b>	<b>Severity</b>	<b>Text/Items</b>
			<b>Items:</b> M1311_NSTG_DEEP_TSUE_SOCROC_F2      Unstageable: deep tissue injury SOC/ROC
<b>-5122</b>	<b>Skip pattern</b>	<b>Fatal</b>	<b>***THIS EDIT WAS DELETED IN V2.31.0***</b>  <b>Items:</b> M1306_UNHLD_STG2_PRSR_ULCR      Patient has 1+ unhealed PU/injury at stage 2+ M1307_OLDST_STG2_AT_DSCHRG      Status of oldest stage 2 pressure ulcer at disch M1311_NBR_PRSULC_STG2_A1      Number of Stage 2 Pressure Ulcers M1311_NBR_PRSULC_STG3_B1      Number of Stage 3 Pressure Ulcers M1311_NBR_PRSULC_STG4_C1      Number of Stage 4 Pressure Ulcers M1311_NSTG_DRSG_D1      Num unstage pressure ulcer non-remov dress M1311_NSTG_CVRG_E1      Unstageable: coverage by slough or eschar M1311_NSTG_DEEP_TSUE_F1      Unstageable: deep tissue injury
<b>-5123</b>	<b>Skip pattern</b>	<b>Fatal</b>	If M0100_ASSMT_REASON = [01,03,09] and M1306_UNHLD_STG2_PRSR_ULCER = [1], then the following items must not equal [^]: M1307_OLDST_STG2_AT_DSCHRG, M1311_NBR_PRSULC_STG2_A1, M1311_NBR_PRSULC_STG3_B1, M1311_NBR_PRSULC_STG4_C1, M1311_NSTG_DRSG_D1, M1311_NSTG_CVRG_E1, M1311_NSTG_DEEP_TSUE_F1.  <b>Items:</b> M1306_UNHLD_STG2_PRSR_ULCR      Patient has 1+ unhealed PU/injury at stage 2+ M1307_OLDST_STG2_AT_DSCHRG      Status of oldest stage 2 pressure ulcer at disch M1311_NBR_PRSULC_STG2_A1      Number of Stage 2 Pressure Ulcers M1311_NBR_PRSULC_STG3_B1      Number of Stage 3 Pressure Ulcers M1311_NBR_PRSULC_STG4_C1      Number of Stage 4 Pressure Ulcers M1311_NSTG_DRSG_D1      Num unstage pressure ulcer non-remov dress M1311_NSTG_CVRG_E1      Unstageable: coverage by slough or eschar

**Data Submission Specifications for the OASIS Item Set(V2.31.0)**  
**Unduplicated Edits Report by Edit ID**

ID	Type	Severity	Text/Items
			<b>Items:</b> M1311_NSTG_DEEP_TSUE_F1      Unstageable: deep tissue injury
-5131	Consistency	Fatal	<p>***THIS EDIT WAS DELETED IN V2.31.0***</p> <p> <b>Items:</b> M1306_UNHLD_STG2_PRSR_ULCR      Patient has 1+ unhealed PU/injury at stage 2+  M1311_NBR_PRSULC_STG2_A1      Number of Stage 2 Pressure Ulcers  M1311_NBR_PRSULC_STG3_B1      Number of Stage 3 Pressure Ulcers  M1311_NBR_PRSULC_STG4_C1      Number of Stage 4 Pressure Ulcers  M1311_NSTG_DRSG_D1      Num unstage pressure ulcer non-remov dress  M1311_NSTG_CVRG_E1      Unstageable: coverage by slough or eschar  M1311_NSTG_DEEP_TSUE_F1      Unstageable: deep tissue injury </p>
-5132	Consistency	Fatal	<p>If M0100_ASSMT_REASON = [01,03,09] and M1306_UNHLD_STG2_PRSR_ULCR = [1], then at least one of the following items must be greater than [00]: M1311_NBR_PRSULC_STG2_A1, M1311_NBR_PRSULC_STG3_B1, M1311_NBR_PRSULC_STG4_C1, M1311_NSTG_DRSG_D1, M1311_NSTG_CVRG_E1, and M1311_NSTG_DEEP_TSUE_F1.</p> <p> <b>Items:</b> M1306_UNHLD_STG2_PRSR_ULCR      Patient has 1+ unhealed PU/injury at stage 2+  M1311_NBR_PRSULC_STG2_A1      Number of Stage 2 Pressure Ulcers  M1311_NBR_PRSULC_STG3_B1      Number of Stage 3 Pressure Ulcers  M1311_NBR_PRSULC_STG4_C1      Number of Stage 4 Pressure Ulcers  M1311_NSTG_DRSG_D1      Num unstage pressure ulcer non-remov dress  M1311_NSTG_CVRG_E1      Unstageable: coverage by slough or eschar  M1311_NSTG_DEEP_TSUE_F1      Unstageable: deep tissue injury </p>

**Data Submission Specifications for the OASIS Item Set(V2.31.0)**  
**Unduplicated Edits Report by Edit ID**

ID	Type	Severity	Text/Items																								
-5200	Consistency	Fatal	***THIS EDIT WAS DELETED V2.31.0***  <div><b>Items:</b><table><tr><td>M1021_PRIMARY_DIAG_ICD</td><td>Primary diagnosis ICD code</td></tr><tr><td>M1021_PRIMARY_DIAG_SEVERITY</td><td>Primary diagnosis severity rating</td></tr><tr><td>M1023_OTH_DIAG1_ICD</td><td>Other diagnosis 1: ICD code</td></tr><tr><td>M1023_OTH_DIAG1_SEVERITY</td><td>Other diagnosis 1: severity rating</td></tr><tr><td>M1023_OTH_DIAG2_ICD</td><td>Other diagnosis 2: ICD code</td></tr><tr><td>M1023_OTH_DIAG2_SEVERITY</td><td>Other diagnosis 2: severity rating</td></tr><tr><td>M1023_OTH_DIAG3_ICD</td><td>Other diagnosis 3: ICD code</td></tr><tr><td>M1023_OTH_DIAG3_SEVERITY</td><td>Other diagnosis 3: severity rating</td></tr><tr><td>M1023_OTH_DIAG4_ICD</td><td>Other diagnosis 4: ICD code</td></tr><tr><td>M1023_OTH_DIAG4_SEVERITY</td><td>Other diagnosis 4: severity rating</td></tr><tr><td>M1023_OTH_DIAG5_ICD</td><td>Other diagnosis 5: ICD code</td></tr><tr><td>M1023_OTH_DIAG5_SEVERITY</td><td>Other diagnosis 5: severity rating</td></tr></table></div>	M1021_PRIMARY_DIAG_ICD	Primary diagnosis ICD code	M1021_PRIMARY_DIAG_SEVERITY	Primary diagnosis severity rating	M1023_OTH_DIAG1_ICD	Other diagnosis 1: ICD code	M1023_OTH_DIAG1_SEVERITY	Other diagnosis 1: severity rating	M1023_OTH_DIAG2_ICD	Other diagnosis 2: ICD code	M1023_OTH_DIAG2_SEVERITY	Other diagnosis 2: severity rating	M1023_OTH_DIAG3_ICD	Other diagnosis 3: ICD code	M1023_OTH_DIAG3_SEVERITY	Other diagnosis 3: severity rating	M1023_OTH_DIAG4_ICD	Other diagnosis 4: ICD code	M1023_OTH_DIAG4_SEVERITY	Other diagnosis 4: severity rating	M1023_OTH_DIAG5_ICD	Other diagnosis 5: ICD code	M1023_OTH_DIAG5_SEVERITY	Other diagnosis 5: severity rating
M1021_PRIMARY_DIAG_ICD	Primary diagnosis ICD code																										
M1021_PRIMARY_DIAG_SEVERITY	Primary diagnosis severity rating																										
M1023_OTH_DIAG1_ICD	Other diagnosis 1: ICD code																										
M1023_OTH_DIAG1_SEVERITY	Other diagnosis 1: severity rating																										
M1023_OTH_DIAG2_ICD	Other diagnosis 2: ICD code																										
M1023_OTH_DIAG2_SEVERITY	Other diagnosis 2: severity rating																										
M1023_OTH_DIAG3_ICD	Other diagnosis 3: ICD code																										
M1023_OTH_DIAG3_SEVERITY	Other diagnosis 3: severity rating																										
M1023_OTH_DIAG4_ICD	Other diagnosis 4: ICD code																										
M1023_OTH_DIAG4_SEVERITY	Other diagnosis 4: severity rating																										
M1023_OTH_DIAG5_ICD	Other diagnosis 5: ICD code																										
M1023_OTH_DIAG5_SEVERITY	Other diagnosis 5: severity rating																										
-5201	Consistency	Fatal	If M0100_ASSMT_REASON=[01,03] and if character 1 of the Primary/Other ICD code in Column 2 is equal to [V,W,X,Y,Z,v,w,x,y,z], then the corresponding severity code must equal [^].  <div><b>Items:</b><table><tr><td>M1021_PRIMARY_DIAG_ICD</td><td>Primary diagnosis ICD code</td></tr><tr><td>M1021_PRIMARY_DIAG_SEVERITY</td><td>Primary diagnosis severity rating</td></tr><tr><td>M1023_OTH_DIAG1_ICD</td><td>Other diagnosis 1: ICD code</td></tr><tr><td>M1023_OTH_DIAG1_SEVERITY</td><td>Other diagnosis 1: severity rating</td></tr><tr><td>M1023_OTH_DIAG2_ICD</td><td>Other diagnosis 2: ICD code</td></tr></table></div>	M1021_PRIMARY_DIAG_ICD	Primary diagnosis ICD code	M1021_PRIMARY_DIAG_SEVERITY	Primary diagnosis severity rating	M1023_OTH_DIAG1_ICD	Other diagnosis 1: ICD code	M1023_OTH_DIAG1_SEVERITY	Other diagnosis 1: severity rating	M1023_OTH_DIAG2_ICD	Other diagnosis 2: ICD code														
M1021_PRIMARY_DIAG_ICD	Primary diagnosis ICD code																										
M1021_PRIMARY_DIAG_SEVERITY	Primary diagnosis severity rating																										
M1023_OTH_DIAG1_ICD	Other diagnosis 1: ICD code																										
M1023_OTH_DIAG1_SEVERITY	Other diagnosis 1: severity rating																										
M1023_OTH_DIAG2_ICD	Other diagnosis 2: ICD code																										

**Data Submission Specifications for the OASIS Item Set(V2.31.0)**  
**Unduplicated Edits Report by Edit ID**

ID	Type	Severity	Text/Items	
			<b>Items:</b> M1023_OTH_DIAG2_SEVERITY	Other diagnosis 2: severity rating
			M1023_OTH_DIAG3_ICD	Other diagnosis 3: ICD code
			M1023_OTH_DIAG3_SEVERITY	Other diagnosis 3: severity rating
			M1023_OTH_DIAG4_ICD	Other diagnosis 4: ICD code
			M1023_OTH_DIAG4_SEVERITY	Other diagnosis 4: severity rating
			M1023_OTH_DIAG5_ICD	Other diagnosis 5: ICD code
			M1023_OTH_DIAG5_SEVERITY	Other diagnosis 5: severity rating
<b>-5210</b>	<b>Consistency</b>	<b>Fatal</b>	<b>***THIS EDIT WAS DELETED IN V2.31.0***</b>	
			<b>Items:</b> M1021_PRIMARY_DIAG_ICD	Primary diagnosis ICD code
			M1021_PRIMARY_DIAG_SEVERITY	Primary diagnosis severity rating
			M1023_OTH_DIAG1_ICD	Other diagnosis 1: ICD code
			M1023_OTH_DIAG1_SEVERITY	Other diagnosis 1: severity rating
			M1023_OTH_DIAG2_ICD	Other diagnosis 2: ICD code
			M1023_OTH_DIAG2_SEVERITY	Other diagnosis 2: severity rating
			M1023_OTH_DIAG3_ICD	Other diagnosis 3: ICD code
			M1023_OTH_DIAG3_SEVERITY	Other diagnosis 3: severity rating
			M1023_OTH_DIAG4_ICD	Other diagnosis 4: ICD code
			M1023_OTH_DIAG4_SEVERITY	Other diagnosis 4: severity rating
			M1023_OTH_DIAG5_ICD	Other diagnosis 5: ICD code
			M1023_OTH_DIAG5_SEVERITY	Other diagnosis 5: severity rating

**Data Submission Specifications for the OASIS Item Set(V2.31.0)**  
**Unduplicated Edits Report by Edit ID**

ID	Type	Severity	Text/Items																								
-5211	Consistency	Fatal	<p>If M0100_ASSMT_REASON=[01,03] and if the Primary/Other ICD code in Column 2 is NOT equal to [^] AND character 1 of the ICD code is NOT equal to [V,W,X,Y,Z,v,w,x,y,z], then the corresponding severity code must not equal [^].</p> <p><b>Items:</b></p> <table><tr><td>M1021_PRIMARY_DIAG_ICD</td><td>Primary diagnosis ICD code</td></tr><tr><td>M1021_PRIMARY_DIAG_SEVERITY</td><td>Primary diagnosis severity rating</td></tr><tr><td>M1023_OTH_DIAG1_ICD</td><td>Other diagnosis 1: ICD code</td></tr><tr><td>M1023_OTH_DIAG1_SEVERITY</td><td>Other diagnosis 1: severity rating</td></tr><tr><td>M1023_OTH_DIAG2_ICD</td><td>Other diagnosis 2: ICD code</td></tr><tr><td>M1023_OTH_DIAG2_SEVERITY</td><td>Other diagnosis 2: severity rating</td></tr><tr><td>M1023_OTH_DIAG3_ICD</td><td>Other diagnosis 3: ICD code</td></tr><tr><td>M1023_OTH_DIAG3_SEVERITY</td><td>Other diagnosis 3: severity rating</td></tr><tr><td>M1023_OTH_DIAG4_ICD</td><td>Other diagnosis 4: ICD code</td></tr><tr><td>M1023_OTH_DIAG4_SEVERITY</td><td>Other diagnosis 4: severity rating</td></tr><tr><td>M1023_OTH_DIAG5_ICD</td><td>Other diagnosis 5: ICD code</td></tr><tr><td>M1023_OTH_DIAG5_SEVERITY</td><td>Other diagnosis 5: severity rating</td></tr></table>	M1021_PRIMARY_DIAG_ICD	Primary diagnosis ICD code	M1021_PRIMARY_DIAG_SEVERITY	Primary diagnosis severity rating	M1023_OTH_DIAG1_ICD	Other diagnosis 1: ICD code	M1023_OTH_DIAG1_SEVERITY	Other diagnosis 1: severity rating	M1023_OTH_DIAG2_ICD	Other diagnosis 2: ICD code	M1023_OTH_DIAG2_SEVERITY	Other diagnosis 2: severity rating	M1023_OTH_DIAG3_ICD	Other diagnosis 3: ICD code	M1023_OTH_DIAG3_SEVERITY	Other diagnosis 3: severity rating	M1023_OTH_DIAG4_ICD	Other diagnosis 4: ICD code	M1023_OTH_DIAG4_SEVERITY	Other diagnosis 4: severity rating	M1023_OTH_DIAG5_ICD	Other diagnosis 5: ICD code	M1023_OTH_DIAG5_SEVERITY	Other diagnosis 5: severity rating
M1021_PRIMARY_DIAG_ICD	Primary diagnosis ICD code																										
M1021_PRIMARY_DIAG_SEVERITY	Primary diagnosis severity rating																										
M1023_OTH_DIAG1_ICD	Other diagnosis 1: ICD code																										
M1023_OTH_DIAG1_SEVERITY	Other diagnosis 1: severity rating																										
M1023_OTH_DIAG2_ICD	Other diagnosis 2: ICD code																										
M1023_OTH_DIAG2_SEVERITY	Other diagnosis 2: severity rating																										
M1023_OTH_DIAG3_ICD	Other diagnosis 3: ICD code																										
M1023_OTH_DIAG3_SEVERITY	Other diagnosis 3: severity rating																										
M1023_OTH_DIAG4_ICD	Other diagnosis 4: ICD code																										
M1023_OTH_DIAG4_SEVERITY	Other diagnosis 4: severity rating																										
M1023_OTH_DIAG5_ICD	Other diagnosis 5: ICD code																										
M1023_OTH_DIAG5_SEVERITY	Other diagnosis 5: severity rating																										
-5220	Consistency	Fatal	<p>***THIS EDIT WAS DELETED IN V2.31.0***</p> <p><b>Items:</b></p> <table><tr><td>M1021_PRIMARY_DIAG_ICD</td><td>Primary diagnosis ICD code</td></tr><tr><td>M1021_PRIMARY_DIAG_SEVERITY</td><td>Primary diagnosis severity rating</td></tr><tr><td>M1023_OTH_DIAG1_ICD</td><td>Other diagnosis 1: ICD code</td></tr><tr><td>M1023_OTH_DIAG1_SEVERITY</td><td>Other diagnosis 1: severity rating</td></tr></table>	M1021_PRIMARY_DIAG_ICD	Primary diagnosis ICD code	M1021_PRIMARY_DIAG_SEVERITY	Primary diagnosis severity rating	M1023_OTH_DIAG1_ICD	Other diagnosis 1: ICD code	M1023_OTH_DIAG1_SEVERITY	Other diagnosis 1: severity rating																
M1021_PRIMARY_DIAG_ICD	Primary diagnosis ICD code																										
M1021_PRIMARY_DIAG_SEVERITY	Primary diagnosis severity rating																										
M1023_OTH_DIAG1_ICD	Other diagnosis 1: ICD code																										
M1023_OTH_DIAG1_SEVERITY	Other diagnosis 1: severity rating																										

**Data Submission Specifications for the OASIS Item Set(V2.31.0)**  
**Unduplicated Edits Report by Edit ID**

ID	Type	Severity	Text/Items
			<div><div>Items:</div><div><div>M1023_OTH_DIAG2_ICD</div><div>Other diagnosis 2: ICD code</div></div><div><div>M1023_OTH_DIAG2_SEVERITY</div><div>Other diagnosis 2: severity rating</div></div><div><div>M1023_OTH_DIAG3_ICD</div><div>Other diagnosis 3: ICD code</div></div><div><div>M1023_OTH_DIAG3_SEVERITY</div><div>Other diagnosis 3: severity rating</div></div><div><div>M1023_OTH_DIAG4_ICD</div><div>Other diagnosis 4: ICD code</div></div><div><div>M1023_OTH_DIAG4_SEVERITY</div><div>Other diagnosis 4: severity rating</div></div><div><div>M1023_OTH_DIAG5_ICD</div><div>Other diagnosis 5: ICD code</div></div><div><div>M1023_OTH_DIAG5_SEVERITY</div><div>Other diagnosis 5: severity rating</div></div></div>
-5221	Consistency	Fatal	<div><div>If M0100_ASMT_REASON =[01,03], and if the Primary/Other ICD code in Column 2 is equal to [^], then the corresponding severity code must equal [^].</div><div><div>Items:</div><div><div>M1021_PRIMARY_DIAG_ICD</div><div>Primary diagnosis ICD code</div></div><div><div>M1021_PRIMARY_DIAG_SEVERITY</div><div>Primary diagnosis severity rating</div></div><div><div>M1023_OTH_DIAG1_ICD</div><div>Other diagnosis 1: ICD code</div></div><div><div>M1023_OTH_DIAG1_SEVERITY</div><div>Other diagnosis 1: severity rating</div></div><div><div>M1023_OTH_DIAG2_ICD</div><div>Other diagnosis 2: ICD code</div></div><div><div>M1023_OTH_DIAG2_SEVERITY</div><div>Other diagnosis 2: severity rating</div></div><div><div>M1023_OTH_DIAG3_ICD</div><div>Other diagnosis 3: ICD code</div></div><div><div>M1023_OTH_DIAG3_SEVERITY</div><div>Other diagnosis 3: severity rating</div></div><div><div>M1023_OTH_DIAG4_ICD</div><div>Other diagnosis 4: ICD code</div></div><div><div>M1023_OTH_DIAG4_SEVERITY</div><div>Other diagnosis 4: severity rating</div></div></div></div>

**Data Submission Specifications for the OASIS Item Set(V2.31.0)**  
**Unduplicated Edits Report by Edit ID**

<b>ID</b>	<b>Type</b>	<b>Severity</b>	<b>Text/Items</b>
			<b>Items:</b> M1023_OTH_DIAG5_ICD                      Other diagnosis 5: ICD code M1023_OTH_DIAG5_SEVERITY                      Other diagnosis 5: severity rating
<b>-5280</b>	<b>Format</b>	<b>Fatal</b>	The value submitted in M0010_CCN must either be equal to [^] or it must be exactly 6 characters in length.
			<b>Items:</b> M0010_CCN                                      Facility CMS certification number (CCN)
<b>-5290</b>	<b>Consistency</b>	<b>Fatal</b>	If M0100_ASSMT_REASON=[06,07,08,09], then M0906_DC_TRAN_DTH_DT must not equal [^].
			<b>Items:</b> M0100_ASSMT_REASON                      Reason for assessment M0906_DC_TRAN_DTH_DT                      Discharge, transfer, death date
<b>-5300</b>	<b>Consistency</b>	<b>Fatal</b>	If TRANS_TYPE_CD=[3] (inactivate existing record) and M0100_ASSMT_REASON=[01,03,04,05], then M0906_DC_TRAN_DTH_DT must equal [^].
			<b>Items:</b> TRANS_TYPE_CD                                      Transaction type code M0100_ASSMT_REASON                                      Reason for assessment M0906_DC_TRAN_DTH_DT                                      Discharge, transfer, death date
<b>-5320</b>	<b>Consistency</b>	<b>Fatal</b>	If M1000_DC_NONE_14_DA=[0], then if M1005_INP_DSCHG_UNKNOWN is active it must not equal [^].
			<b>Items:</b> M1000_DC_NONE_14_DA                      Past 14 days: not disch from inpatient facility M1005_INP_DSCHG_UNKNOWN                      Inpatient discharge date unknown
<b>-5340</b>	<b>Consistency</b>	<b>Fatal</b>	If M0104_PHYSN_RFRL_DT is not equal to [^] and if M0100_ASSMT_REASON=[01], then M0104_PHYSN_RFRL_DT must be less than or equal to M0030_START_CARE_DT and must be greater than M0066_PAT_BIRTH_DT.
			<b>Items:</b> M0030_START_CARE_DT                                      Start of care date



**Data Submission Specifications for the OASIS Item Set(V2.31.0)**  
**Unduplicated Edits Report by Edit ID**

ID	Type	Severity	Text/Items
			<b>Items:</b> M0066_PAT_BIRTH_DT                      Date of birth M0100_ASSMT_REASON                      Reason for assessment M0104_PHYSN_RFRL_DT                      Physician date of referral
-5350	Consistency	Fatal	<p>If M0104_PHYSN_RFRL_DT is not equal to [^] and if M0100_ASSMT_REASON=[03], then M0104_PHYSN_RFRL_DT must be less than or equal to M0032_ROC_DT and must be greater than M0066_PAT_BIRTH_DT.</p> <p><b>Items:</b> M0032_ROC_DT                      Resumption of care date  M0066_PAT_BIRTH_DT                      Date of birth  M0100_ASSMT_REASON                      Reason for assessment  M0104_PHYSN_RFRL_DT                      Physician date of referral</p>
-5360	Format	Warning	<p>Version Code Values: The version code submitted should match one of the values listed in the "Item Values" table of the Detailed Data Specifications Report.</p> <p><b>Items:</b> ITM_SET_VRSN_CD                      Item set version code</p>
-5371	Skip pattern	Fatal	<p>(a) If M1311_NBR_PRSULC_STG2_A1=[0], then if M1311_NBR_ULC_SOCROC_STG2_A2 is active, it must be equal to [^].</p> <p>(b) If M1311_NBR_PRSULC_STG2_A1&gt;0, then if M1311_NBR_ULC_SOCROC_STG2_A2 is active, it must not be equal to [^].</p> <p><b>Items:</b> M1311_NBR_PRSULC_STG2_A1                      Number of Stage 2 Pressure Ulcers  M1311_NBR_ULC_SOCROC_STG2_A2                      Number of Stage 2 pressure ulcers at SOC/ROC</p>

## Data Submission Specifications for the OASIS Item Set(V2.31.0)

### Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
-5372	Consistency	Fatal	If M1311_NBR_PRSULC_STG2_A1 is greater than 0, and M1311_NBR_ULC_SOCROC_STG2_A2 is active, then M1311_NBR_ULC_SOCROC_STG2_A2 must be (a) less than or equal to M1311_NBR_PRSULC_STG2_A1, or (b) equal to dash [-].  <div> <b>Items:</b>   M1311_NBR_PRSULC_STG2_A1                 Number of Stage 2 Pressure Ulcers                            M1311_NBR_ULC_SOCROC_STG2_A2             Number of Stage 2 pressure ulcers at SOC/ROC         </div>
-5373	Consistency	Fatal	If M1311_NBR_PRSULC_STG2_A1=[-], then if M1311_NBR_ULC_SOCROC_STG2_A2 is active, it must be equal to [-].  <div> <b>Items:</b>   M1311_NBR_PRSULC_STG2_A1                 Number of Stage 2 Pressure Ulcers                            M1311_NBR_ULC_SOCROC_STG2_A2             Number of Stage 2 pressure ulcers at SOC/ROC         </div>
-5381	Skip pattern	Fatal	(a) If M1311_NBR_PRSULC_STG3_B1=[0], then if M1311_NBR_ULC_SOCROC_STG3_B2 is active, it must be equal to [^].  (b)             If M1311_NBR_PRSULC_STG3_B1>0, then if M1311_NBR_ULC_SOCROC_STG3_B2 is active, it must not be equal to [^].  <div> <b>Items:</b>   M1311_NBR_PRSULC_STG3_B1                 Number of Stage 3 Pressure Ulcers                            M1311_NBR_ULC_SOCROC_STG3_B2             Number of Stage 3 pressure ulcers at SOC/ROC         </div>
-5382	Consistency	Fatal	If M1311_NBR_PRSULC_STG3_B1 is greater than 0, and M1311_NBR_ULC_SOCROC_STG3_B2 is active, then M1311_NBR_ULC_SOCROC_STG3_B2 must be (a) less than or equal to M1311_NBR_PRSULC_STG3_B1, or (b) equal to dash [-].  <div> <b>Items:</b>   M1311_NBR_PRSULC_STG3_B1                 Number of Stage 3 Pressure Ulcers                            M1311 NBR ULC SOCROC STG3 B2             Number of Stage 3 pressure ulcers at SOC/ROC         </div>

**Data Submission Specifications for the OASIS Item Set(V2.31.0)**  
**Unduplicated Edits Report by Edit ID**

<b>ID</b>	<b>Type</b>	<b>Severity</b>	<b>Text/Items</b>
<b>-5383</b>	<b>Consistency</b>	<b>Fatal</b>	<p>If M1311_NBR_PRSULC_STG3_B1=[-], then if M1311_NBR_ULC_SOCROC_STG3_B2 is active, it must be equal to [-].</p> <p><b>Items:</b> M1311_NBR_PRSULC_STG3_B1                      Number of Stage 3 Pressure Ulcers  M1311_NBR_ULC_SOCROC_STG3_B2                      Number of Stage 3 pressure ulcers at SOC/ROC</p>
<b>-5391</b>	<b>Skip pattern</b>	<b>Fatal</b>	<p>(a) If M1311_NBR_PRSULC_STG4_C1=[0], then if M1311_NBR_ULC_SOCROC_STG4_C2 is active, it must be equal to [^].</p> <p>(b)                      If M1311_NBR_PRSULC_STG4_C1&gt;0, then if M1311_NBR_ULC_SOCROC_STG4_C2 is active, it must not be equal to [^].</p> <p><b>Items:</b> M1311_NBR_PRSULC_STG4_C1                      Number of Stage 4 Pressure Ulcers  M1311_NBR_ULC_SOCROC_STG4_C2                      Number of Stage 4 pressure ulcers at SOC/ROC</p>
<b>-5392</b>	<b>Consistency</b>	<b>Fatal</b>	<p>If M1311_NBR_PRSULC_STG4_C1 is greater than 0, and M1311_NBR_ULC_SOCROC_STG4_C2 is active, then M1311_NBR_ULC_SOCROC_STG4_C2 must be (a) less than or equal to M1311_NBR_PRSULC_STG4_C1, or (b) equal to dash [-].</p> <p><b>Items:</b> M1311_NBR_PRSULC_STG4_C1                      Number of Stage 4 Pressure Ulcers  M1311_NBR_ULC_SOCROC_STG4_C2                      Number of Stage 4 pressure ulcers at SOC/ROC</p>
<b>-5393</b>	<b>Consistency</b>	<b>Fatal</b>	<p>If M1311_NBR_PRSULC_STG4_C1=[-], then if M1311_NBR_ULC_SOCROC_STG4_C2 is active, it must be equal to [-].</p> <p><b>Items:</b> M1311_NBR_PRSULC_STG4_C1                      Number of Stage 4 Pressure Ulcers  M1311_NBR_ULC_SOCROC_STG4_C2                      Number of Stage 4 pressure ulcers at SOC/ROC</p>

**Data Submission Specifications for the OASIS Item Set(V2.31.0)**  
**Unduplicated Edits Report by Edit ID**

<b>ID</b>	<b>Type</b>	<b>Severity</b>	<b>Text/Items</b>
<b>-5401</b>	<b>Skip pattern</b>	<b>Fatal</b>	<p>(a) If M1311_NSTG_DRSG_D1=[0], then if M1311_NSTG_DRSG_SOCROC_D2 is active, it must be equal to [^].</p> <p>(b) If M1311_NSTG_DRSG_D1&gt;0, then if M1311_NSTG_DRSG_SOCROC_D2 is active, it must not be equal to [^].</p> <p><b>Items:</b> M1311_NSTG_DRSG_D1 Num unstage pressure ulcer non-remov dress  M1311_NSTG_DRSG_SOCROC_D2 Num unstage pressure ulcer non-remov dress</p>
<b>-5402</b>	<b>Consistency</b>	<b>Fatal</b>	<p>If M1311_NSTG_DRSG_D1 is greater than 0, and M1311_NSTG_DRSG_SOCROC_D2 is active, then M1311_NSTG_DRSG_SOCROC_D2 must be (a) less than or equal to M1311_NSTG_DRSG_D1, or (b) equal to dash [-].</p> <p><b>Items:</b> M1311_NSTG_DRSG_D1 Num unstage pressure ulcer non-remov dress  M1311_NSTG_DRSG_SOCROC_D2 Num unstage pressure ulcer non-remov dress</p>
<b>-5403</b>	<b>Consistency</b>	<b>Fatal</b>	<p>If M1311_NSTG_DRSG_D1=[-], then if M1311_NSTG_DRSG_SOCROC_D2 is active, it must be equal to [-]</p> <p><b>Items:</b> M1311_NSTG_DRSG_D1 Num unstage pressure ulcer non-remov dress  M1311_NSTG_DRSG_SOCROC_D2 Num unstage pressure ulcer non-remov dress</p>
<b>-5411</b>	<b>Skip pattern</b>	<b>Fatal</b>	<p>(a) If M1311_NSTG_CVRG_E1=[0], then if M1311_NSTG_CVRG_SOCROC_E2 is active, it must be equal to [^].</p> <p>(b) If M1311_NSTG_CVRG_E1 &gt;0, then if M1311_NSTG_CVRG_SOCROC_E2 is active, it must not be equal to [^].</p> <p><b>Items:</b> M1311_NSTG_CVRG_E1 Unstageable: coverage by slough or eschar  M1311_NSTG_CVRG_SOCROC_E2 Unstageable: coverage by slough or eschar SOC/ROC</p>

**Data Submission Specifications for the OASIS Item Set(V2.31.0)**  
**Unduplicated Edits Report by Edit ID**

<b>ID</b>	<b>Type</b>	<b>Severity</b>	<b>Text/Items</b>
<b>-5412</b>	<b>Consistency</b>	<b>Fatal</b>	<p>If M1311_NSTG_CVRG_E1 is greater than 0, and M1311_NSTG_CVRG_SOCROC_E2 is active, then M1311_NSTG_CVRG_SOCROC_E2 must be (a) less than or equal to M1311_NSTG_CVRG_E1, or (b) equal to dash [-].</p> <p><b>Items:</b> M1311_NSTG_CVRG_E1                      Unstageable: coverage by slough or eschar  M1311_NSTG_CVRG_SOCROC_E2                      Unstageable: coverage by slough or eschar SOC/ROC</p>
<b>-5413</b>	<b>Consistency</b>	<b>Fatal</b>	<p>If M1311_NSTG_CVRG_E1=[-], then if M1311_NSTG_CVRG_SOCROC_E2 is active, it must be equal to [-].</p> <p><b>Items:</b> M1311_NSTG_CVRG_E1                      Unstageable: coverage by slough or eschar  M1311_NSTG_CVRG_SOCROC_E2                      Unstageable: coverage by slough or eschar SOC/ROC</p>
<b>-5421</b>	<b>Skip pattern</b>	<b>Fatal</b>	<p>(a) If M1311_NSTG_DEEP_TSUE_F=[0], then if M1311_NSTG_DEEP_TSUE_SOCROC_F2 is active, it must be equal to [^].</p> <p>(b)                      If M1311_NSTG_DEEP_TSUE_F1 &gt;0, then if M1311_NSTG_DEEP_TSUE_SOCROC_F2 is active, it must not be equal to [^].</p> <p><b>Items:</b> M1311_NSTG_DEEP_TSUE_F1                      Unstageable: deep tissue injury  M1311_NSTG_DEEP_TSUE_SOCROC_F2                      Unstageable: deep tissue injury SOC/ROC</p>
<b>-5422</b>	<b>Consistency</b>	<b>Fatal</b>	<p>If M1311_NSTG_DEEP_TSUE_F1 is greater than 0, and M1311_NSTG_DEEP_TSUE_SOCROC_F2 is active, then M1311_NSTG_DEEP_TSUE_SOCROC_F2 must be (a) less than or equal to M1311_NSTG_DEEP_TSUE_F1, or (b) equal to dash [-].</p> <p><b>Items:</b> M1311_NSTG_DEEP_TSUE_F1                      Unstageable: deep tissue injury  M1311_NSTG_DEEP_TSUE_SOCROC_F2                      Unstageable: deep tissue injury SOC/ROC</p>
<b>-5423</b>	<b>Consistency</b>	<b>Fatal</b>	<p>If M1311_NSTG_DEEP_TSUE_F1=[-], then if M1311_NSTG_DEEP_TSUE_SOCROC_F2 is active, it must be equal to [-].</p>

**Data Submission Specifications for the OASIS Item Set(V2.31.0)**  
**Unduplicated Edits Report by Edit ID**

ID	Type	Severity	Text/Items
			<b>Items:</b> M1311_NSTG_DEEP_TSUE_F1                      Unstageable: deep tissue injury M1311_NSTG_DEEP_TSUE_SOCROC_F2                      Unstageable: deep tissue injury SOC/ROC
-5460	Consistency	Fatal	<p>The value for M0090_INFO_COMPLETED_DT must be within the allowable date range specified by the value for SPEC_VRSN_CD. The list of SPEC_VRSN_CD values and their corresponding date ranges are provided in the Overview document for the OASIS Data Specifications.</p> <p><b>Items:</b> SPEC_VRSN_CD                                      Specifications version code  M0090_INFO_COMPLETED_DT                                      Date assessment completed</p>
-5470	Consistency	Fatal	<p>If M2001_DRUG_RGMN_RVW=[-], then M2003_MDCTN_FLWP must equal [-].</p> <p><b>Items:</b> M2001_DRUG_RGMN_RVW                                      Drug regimen review  M2003_MDCTN_FLWP                                      Medication follow-up</p>
-5480	Format	Fatal	<p>***THIS EDIT WAS DELETED IN V2.31.0***</p> <p><b>Items:</b> M0063_MEDICARE_NUM                                      Medicare number, including suffix</p>
-5490	Skip pattern	Fatal	<p>If M2001_DRUG_RGMN_RVW=[0], then M2010_HIGH_RISK_DRUG_EDCTN must not equal [^].</p> <p><b>Items:</b> M2001_DRUG_RGMN_RVW                                      Drug regimen review  M2010_HIGH_RISK_DRUG_EDCTN                                      Patient/caregiver high risk drug education</p>

**Data Submission Specifications for the OASIS Item Set(V2.31.0)**  
**Unduplicated Edits Report by Edit ID**

ID	Type	Severity	Text/Items																		
-5500	Consistency	Fatal	<p>GG0110 Consistency:</p> <p>a) If GG0110Z=[1], then all items from GG0110A through GG0110E must be equal to [0].</p> <p>b) If GG0110Z=[0], then at least one of the items GG0110A through GG0110E must be equal to [1].</p> <p>c) If GG0110Z=[-], then at least one item from GG0110A through GG0110E must equal [-], and all remaining items must equal [0,-].</p> <table><tr><td>Items:</td><td>GG0110A</td><td>Prior Device - Manual wheelchair</td></tr><tr><td></td><td>GG0110B</td><td>Prior Device - Motorized wheelchair and/or scooter</td></tr><tr><td></td><td>GG0110C</td><td>Prior Device - Mechanical lift</td></tr><tr><td></td><td>GG0110D</td><td>Prior Device - Walker</td></tr><tr><td></td><td>GG0110E</td><td>Prior Device - Orthotics/Prosthetics</td></tr><tr><td></td><td>GG0110Z</td><td>Prior Device - None of the above</td></tr></table>	Items:	GG0110A	Prior Device - Manual wheelchair		GG0110B	Prior Device - Motorized wheelchair and/or scooter		GG0110C	Prior Device - Mechanical lift		GG0110D	Prior Device - Walker		GG0110E	Prior Device - Orthotics/Prosthetics		GG0110Z	Prior Device - None of the above
Items:	GG0110A	Prior Device - Manual wheelchair																			
	GG0110B	Prior Device - Motorized wheelchair and/or scooter																			
	GG0110C	Prior Device - Mechanical lift																			
	GG0110D	Prior Device - Walker																			
	GG0110E	Prior Device - Orthotics/Prosthetics																			
	GG0110Z	Prior Device - None of the above																			
-5510	Consistency	Fatal	<p>Self-Care and Mobility Discharge Goals: At least one of the following Discharge Goal items (GG0130A2, GG0130B2, GG0130C2, GG0170B2, GG0170C_MOBILITY_DSCHG_GOAL, GG0170D2, GG0170E2, GG0170F2, GG0170J2, GG0170K2, GG0170R2, GG0170S2) should be equal to [01,02,03,04,05,06,07,09,10,88].</p> <table><tr><td>Items:</td><td>GG0130A2</td><td>Eating (DschrG Goal)</td></tr><tr><td></td><td>GG0130B2</td><td>Oral Hygiene (DschrG Goal)</td></tr><tr><td></td><td>GG0130C2</td><td>Toileting hygiene (DschrG Goal)</td></tr><tr><td></td><td>GG0170B2</td><td>Sit to lying (DschrG Goal)</td></tr><tr><td></td><td>GG0170C_MOBILITY_DSCHG_GOAL</td><td>Lying to sitting on bed side (DschrG Goal)</td></tr></table>	Items:	GG0130A2	Eating (DschrG Goal)		GG0130B2	Oral Hygiene (DschrG Goal)		GG0130C2	Toileting hygiene (DschrG Goal)		GG0170B2	Sit to lying (DschrG Goal)		GG0170C_MOBILITY_DSCHG_GOAL	Lying to sitting on bed side (DschrG Goal)			
Items:	GG0130A2	Eating (DschrG Goal)																			
	GG0130B2	Oral Hygiene (DschrG Goal)																			
	GG0130C2	Toileting hygiene (DschrG Goal)																			
	GG0170B2	Sit to lying (DschrG Goal)																			
	GG0170C_MOBILITY_DSCHG_GOAL	Lying to sitting on bed side (DschrG Goal)																			

**Data Submission Specifications for the OASIS Item Set(V2.31.0)**  
**Unduplicated Edits Report by Edit ID**

ID	Type	Severity	Text/Items
			<b>Items:</b> GG0170D2 Sit to stand (DschrG Goal) GG0170E2 Chair/bed-to-chair transfer (DschrG Goal) GG0170F2 Toilet transfer (DschrG Goal) GG0170J2 Walk 50 feet with two turns (DschrG Goal) GG0170K2 Walk 150 feet (DschrG Goal) GG0170R2 Wheel 50 feet with two turns (DschrG Goal) GG0170S2 Wheel 150 feet (DschrG Goal)
<b>-5520</b>	<b>Skip pattern</b>	<b>Fatal</b>	(a) If GG0170I1=[07,09,10,88], then GG0170J1, GG0170K1, and GG0170L1 must equal [^].  (b) If GG0170I1=[06,05,04,03,02,01], then GG0170J1, GG0170K1, and GG0170L1 must not equal [^].  (c) If GG0170I1=[-], then GG0170J1, GG0170K1, and GG0170L1 must equal [-].  <b>Items:</b> GG0170I1 Walk 10 feet (SOC/ROC Perf) GG0170J1 Walk 50 feet with two turns (SOC/ROC Perf) GG0170K1 Walk 150 feet (SOC/ROC Perf) GG0170L1 Walking 10 feet uneven surf (SOC/ROC Perf)
<b>-5530</b>	<b>Skip pattern</b>	<b>Fatal</b>	(a) If GG0170I3=[07,09,10,88], then GG0170J3, GG0170K3, and GG0170L3 must equal [^].  (b) If GG0170I3=[06,05,04,03,02,01], then GG0170J3, GG0170K3, and GG0170L3 must not equal [^].  (c) If GG0170I3=[-], then GG0170J3, GG0170K3, and GG0170L3 must equal [-].  <b>Items:</b> GG0170I3 Walk 10 feet (DschrG Perf) GG0170J3 Walk 50 feet with two turns (DschrG Perf)



**Data Submission Specifications for the OASIS Item Set(V2.31.0)**  
**Unduplicated Edits Report by Edit ID**

<b>ID</b>	<b>Type</b>	<b>Severity</b>	<b>Text/Items</b>
			<b>Items:</b> GG0170K3 Walk 150 feet (Dschr Perf) GG0170L3 Walking 10 feet uneven surf (Dschr Perf)
<b>-5540</b>	<b>Skip pattern</b>	<b>Fatal</b>	(a) If GG0170I4=[07,09,10,88], then GG0170J4 and GG0170L4 must equal [^].  (b) If GG0170I4=[06,05,04,03,02,01], then GG0170J4 and GG0170L4 must not equal [^].  (c) If GG0170I4=[-], then GG0170J4 and GG0170L4 must equal [-].  <b>Items:</b> GG0170I4 Walk 10 feet (Follow-Up Perf) GG0170J4 Walk 50 feet with two turns (Follow-Up Perf) GG0170L4 Walking 10 feet uneven surf (Follow-Up Perf)
<b>-5550</b>	<b>Skip pattern</b>	<b>Fatal</b>	(a) If GG0170M1=[07,09,10,88], then GG0170N1 must equal [^].  (b) If GG0170M1=[06,05,04,03,02,01], then GG0170N1 must not equal [^].  (c) If GG0170M1=[-], then GG0170N1 must equal [-].  <b>Items:</b> GG0170M1 1 step (curb) (SOC/ROC Perf) GG0170N1 4 steps (SOC/ROC Perf)
<b>-5560</b>	<b>Skip pattern</b>	<b>Fatal</b>	(a) If GG0170M3=[07,09,10,88], then GG0170N3 must equal [^].  (b) If GG0170M3=[06,05,04,03,02,01], then GG0170N3 must not equal [^].  (c) If GG0170M3=[-], then GG0170N3 must equal [-].  <b>Items:</b> GG0170M3 1 step (curb) (Dschr Perf) GG0170N3 4 steps (Dschr Perf)

**Data Submission Specifications for the OASIS Item Set(V2.31.0)**  
**Unduplicated Edits Report by Edit ID**

<b>ID</b>	<b>Type</b>	<b>Severity</b>	<b>Text/Items</b>
<b>-5570</b>	<b>Skip pattern</b>	<b>Fatal</b>	(a) If GG0170M4=[07,09,10,88], then GG0170N4 must equal [^].
			(b) If GG0170M4=[06,05,04,03,02,01], then GG0170N4 must not equal [^].
			(c) If GG0170M4=[-], then GG0170N4 must equal [-].
			<b>Items:</b> GG0170M4 1 step (curb) (Follow-Up Perf) GG0170N4 4 steps (Follow-Up Perf)
<b>-5580</b>	<b>Skip pattern</b>	<b>Fatal</b>	(a) If GG0170N1=[07,09,10,88,^], then GG0170O1 must equal [^].
			(b) If GG0170N1=[06,05,04,03,02,01], then GG0170O1 must not equal [^].
			(c) If GG0170N1=[-], then GG0170O1 must equal [-].
			<b>Items:</b> GG0170N1 4 steps (SOC/ROC Perf) GG0170O1 12 steps (SOC/ROC Perf)
<b>-5590</b>	<b>Skip pattern</b>	<b>Fatal</b>	(a) If GG0170N3=[07,09,10,88,^], then GG0170O3 must equal [^].
			(b) If GG0170N3=[06,05,04,03,02,01], then GG0170O3 must not equal [^].
			(c) If GG0170N3=[-], then GG0170O3 must equal [-].
			<b>Items:</b> GG0170N3 4 steps (Dschrgr Perf) GG0170O3 12 steps (Dschrgr Perf)

**Data Submission Specifications for the OASIS Item Set(V2.31.0)**  
**Unduplicated Edits Report by Edit ID**

ID	Type	Severity	Text/Items																					
-5600	Skip pattern	Fatal	<p>(a) If GG0170Q1=[0], then the following items must be equal to [^]: GG0170R1, GG0170R2, GG0170RR1, GG0170S1, GG0170S2, GG0170SS1.</p> <p>(b) If GG0170Q1=[1], then the following items must not be equal to [^]: GG0170R1, GG0170R2, GG0170RR1, GG0170S1, GG0170S2, GG0170SS1.</p> <p>(c) If GG0170Q1=[-], then the following items must be equal to [-]: GG0170R1, GG0170R2, GG0170RR1, GG0170S1, GG0170S2, GG0170SS1.</p> <table><tr><td>Items:</td><td>GG0170Q1</td><td>Use wheelchair and/or scooter (SOC/ROC Perf)</td></tr><tr><td></td><td>GG0170R1</td><td>Wheel 50 feet with two turns (SOC/ROC Perf)</td></tr><tr><td></td><td>GG0170R2</td><td>Wheel 50 feet with two turns (Dschrg Goal)</td></tr><tr><td></td><td>GG0170RR1</td><td>Type of wheelchair or scooter (SOC/ROC Perf)</td></tr><tr><td></td><td>GG0170S1</td><td>Wheel 150 feet (SOC/ROC Perf)</td></tr><tr><td></td><td>GG0170S2</td><td>Wheel 150 feet (Dschrg Goal)</td></tr><tr><td></td><td>GG0170SS1</td><td>Type of wheelchair or scooter (SOC/ROC Perf)</td></tr></table>	Items:	GG0170Q1	Use wheelchair and/or scooter (SOC/ROC Perf)		GG0170R1	Wheel 50 feet with two turns (SOC/ROC Perf)		GG0170R2	Wheel 50 feet with two turns (Dschrg Goal)		GG0170RR1	Type of wheelchair or scooter (SOC/ROC Perf)		GG0170S1	Wheel 150 feet (SOC/ROC Perf)		GG0170S2	Wheel 150 feet (Dschrg Goal)		GG0170SS1	Type of wheelchair or scooter (SOC/ROC Perf)
Items:	GG0170Q1	Use wheelchair and/or scooter (SOC/ROC Perf)																						
	GG0170R1	Wheel 50 feet with two turns (SOC/ROC Perf)																						
	GG0170R2	Wheel 50 feet with two turns (Dschrg Goal)																						
	GG0170RR1	Type of wheelchair or scooter (SOC/ROC Perf)																						
	GG0170S1	Wheel 150 feet (SOC/ROC Perf)																						
	GG0170S2	Wheel 150 feet (Dschrg Goal)																						
	GG0170SS1	Type of wheelchair or scooter (SOC/ROC Perf)																						
-5610	Skip pattern	Fatal	<p>(a) If GG0170Q3=[0], then the following items must be equal to [^]: GG0170R3, GG0170RR3, GG0170S3, GG0170SS3.</p> <p>(b) If GG0170Q3=[1], then the following items must not be equal to [^]: GG0170R3, GG0170RR3, GG0170S3, GG0170SS3.</p> <p>(c) If GG0170Q3=[-], then the following items must be equal to [-]: GG0170R3, GG0170RR3, GG0170S3, GG0170SS3.</p> <table><tr><td>Items:</td><td>GG0170Q3</td><td>Use wheelchair and/or scooter (Dschrg Perf)</td></tr><tr><td></td><td>GG0170R3</td><td>Wheel 50 feet with two turns (Dschrg Perf)</td></tr></table>	Items:	GG0170Q3	Use wheelchair and/or scooter (Dschrg Perf)		GG0170R3	Wheel 50 feet with two turns (Dschrg Perf)															
Items:	GG0170Q3	Use wheelchair and/or scooter (Dschrg Perf)																						
	GG0170R3	Wheel 50 feet with two turns (Dschrg Perf)																						

**Data Submission Specifications for the OASIS Item Set(V2.31.0)**  
**Unduplicated Edits Report by Edit ID**

ID	Type	Severity	Text/Items
			<b>Items:</b> GG0170RR3                      Type of wheelchair or scooter (Dschrg Perf) GG0170S3                      Wheel 150 feet (Dschrg Perf) GG0170SS3                      Type of wheelchair or scooter (Dschrg Perf)
-5620	Skip pattern	Fatal	(a) If GG0170Q4=[0], then GG0170R4 must be equal to [^].  (b) If GG0170Q4=[1], then GG0170R4 must not be equal to [^].  (c) If GG0170Q4=[-], then GG0170R4 must be equal to [-].  <b>Items:</b> GG0170Q4                      Use wheelchair and/or scooter (Follow-Up Perf) GG0170R4                      Wheel 50 feet with two turns (Follow-Up Perf)
-5630	Skip pattern	Fatal	a) If J1800=[0], then all active items from J1900A through J1900C must equal [^]. b) If J1800=[1], then all active items from J1900A through J1900C must not equal [^] and at least one of these items must equal [-,1,2]. c) If J1800=[-], then all active items from J1900A through J1900C must equal [-].  <b>Items:</b> J1800                      Falls since SOC/ROC: any falls J1900A                      Num falls since SOC/ROC: no injury J1900B                      Num falls since SOC/ROC: injury (except major) J1900C                      Num falls since SOC/ROC: major injury
-5660	Consistency	Fatal	***THIS EDIT WAS DELETED IN V2.31.0***  <b>Items:</b> M0100_ASSMT_REASON                      Reason for assessment M1311_NBR_PRSULC_STG2_A1                      Number of Stage 2 Pressure Ulcers M1311_NBR_PRSULC_STG3_B1                      Number of Stage 3 Pressure Ulcers

**Data Submission Specifications for the OASIS Item Set(V2.31.0)**  
**Unduplicated Edits Report by Edit ID**

ID	Type	Severity	Text/Items
			<b>Items:</b> M1311_NBR_PRSULC_STG4_C1      Number of Stage 4 Pressure Ulcers M1311_NSTG_DRSG_D1      Num unstage pressure ulcer non-remov dress M1311_NSTG_CVRG_E1      Unstageable: coverage by slough or eschar M1311_NSTG_DEEP_TSUE_F1      Unstageable: deep tissue injury
-5661	Consistency	Fatal	<p>If M0100_ASSMT_REASON = [01,03], then none of the following items can be equal to [-]:  M1311_NBR_PRSULC_STG2_A1, M1311_NBR_PRSULC_STG3_B1, M1311_NBR_PRSULC_STG4_C1,  M1311_NSTG_DRSG_D1, M1311_NSTG_CVRG_E1, and M1311_NSTG_DEEP_TSUE_F1.</p> <p><b>Items:</b> M0100_ASSMT_REASON      Reason for assessment  M1311_NBR_PRSULC_STG2_A1      Number of Stage 2 Pressure Ulcers  M1311_NBR_PRSULC_STG3_B1      Number of Stage 3 Pressure Ulcers  M1311_NBR_PRSULC_STG4_C1      Number of Stage 4 Pressure Ulcers  M1311_NSTG_DRSG_D1      Num unstage pressure ulcer non-remov dress  M1311_NSTG_CVRG_E1      Unstageable: coverage by slough or eschar  M1311_NSTG_DEEP_TSUE_F1      Unstageable: deep tissue injury</p>
-5670	Consistency	Fatal	<p>(a) If M1028_ACTV_DIAG_NOA = [0], then at least one of M1028_ACTV_DIAG_PVD_PAD and  M1028_ACTV_DIAG_DM must equal [1].</p> <p>(b) If M1028_ACTV_DIAG_NOA = [1], then M1028_ACTV_DIAG_PVD_PAD and M1028_ACTV_DIAG_DM  must equal [0].</p> <p>(c) If M1028_ACTV_DIAG_NOA = [-], then at least one of M1028_ACTV_DIAG_PVD_PAD and  M1028_ACTV_DIAG_DM must equal [-] and the other item must equal [0,-].</p> <p><b>Items:</b> M1028_ACTV_DIAG_PVD_PAD      Active Diagnoses - PVD or PAD</p>

**Data Submission Specifications for the OASIS Item Set(V2.31.0)**  
**Unduplicated Edits Report by Edit ID**

ID	Type	Severity	Text/Items
			<b>Items:</b> M1028_ACTV_DIAG_DM                      Active Diagnoses - Diabetes Mellitus M1028_ACTV_DIAG_NOA                      Active Diagnoses - None of the above
-5680	Consistency	Fatal	<p>***THIS EDIT DELETED IN V2.31.0***</p> <b>Items:</b> M0100_ASSMT_REASON                      Reason for assessment M1311_NBR_PRSULC_STG2_A1                      Number of Stage 2 Pressure Ulcers M1311_NBR_PRSULC_STG3_B1                      Number of Stage 3 Pressure Ulcers M1311_NBR_PRSULC_STG4_C1                      Number of Stage 4 Pressure Ulcers M1322_NBR_PRSULC_STG1                      Number of stage 1 pressure injuries M1324_STG_PRBLM_ULCER                      Stage of most problematic pressure ulcer/injury
-5681	Consistency	Fatal	<p>a) If M0100_ASSMT_REASON = [01,03], and M1322_NBR_PRSULC_STG1 and M1311_NBR_PRSULC_STG2_A1 and M1311_NBR_PRSULC_STG3_B1 and M1311_NBR_PRSULC_STG4_C1 are all equal to [00,^], then if M1324_STG_PRBLM_ULCER is active it must be equal to [NA].</p> <p>b) If M0100_ASSMT_REASON=[09], and if M1311_NBR_PRSULC_STG2_A1, M1311_NBR_PRSULC_STG3_B1 and M1311_NBR_PRSULC_STG4_C1 are all equal to [00,-,^], then M1324_STG_PRBLM_ULCER must be equal to [1, NA].</p> <b>Items:</b> M0100_ASSMT_REASON                      Reason for assessment M1311_NBR_PRSULC_STG2_A1                      Number of Stage 2 Pressure Ulcers M1311_NBR_PRSULC_STG3_B1                      Number of Stage 3 Pressure Ulcers M1311_NBR_PRSULC_STG4_C1                      Number of Stage 4 Pressure Ulcers M1322_NBR_PRSULC_STG1                      Number of stage 1 pressure injuries M1324_STG_PRBLM_ULCER                      Stage of most problematic pressure ulcer/injury

**Data Submission Specifications for the OASIS Item Set(V2.31.0)**  
**Unduplicated Edits Report by Edit ID**

ID	Type	Severity	Text/Items
-5690	Format	Fatal	If M0100_ASSMT_REASON=[01,03], then item response cannot equal [=].
<b>Items:</b>			
			M1021_PRIMARY_DIAG_ICD                      Primary diagnosis ICD code
			M1021_PRIMARY_DIAG_SEVERITY              Primary diagnosis severity rating
			M1023_OTH_DIAG1_ICD                      Other diagnosis 1: ICD code
			M1023_OTH_DIAG1_SEVERITY              Other diagnosis 1: severity rating
			M1023_OTH_DIAG2_ICD                      Other diagnosis 2: ICD code
			M1023_OTH_DIAG2_SEVERITY              Other diagnosis 2: severity rating
			M1023_OTH_DIAG3_ICD                      Other diagnosis 3: ICD code
			M1023_OTH_DIAG3_SEVERITY              Other diagnosis 3: severity rating
			M1023_OTH_DIAG4_ICD                      Other diagnosis 4: ICD code
			M1023_OTH_DIAG4_SEVERITY              Other diagnosis 4: severity rating
			M1023_OTH_DIAG5_ICD                      Other diagnosis 5: ICD code
			M1023_OTH_DIAG5_SEVERITY              Other diagnosis 5: severity rating
			M1030_THH_IV_INFUSION                      Therapies received at home: intravenous, infusion
			M1030_THH_PAR_NUTRITION                      Therapies received at home: parenteral nutrition
			M1030_THH_ENT_NUTRITION                      Therapies received at home: enteral nutrition
			M1030_THH_NONE_ABOVE                      Therapies received at home: none of the above
			M1200_VISION                                  Sensory status: vision
			M1322_NBR_PRSULC_STG1                      Number of stage 1 pressure injuries
			M1332_NBR_STAS_ULCR                      Number of stasis ulcers

**Data Submission Specifications for the OASIS Item Set(V2.31.0)**  
**Unduplicated Edits Report by Edit ID**

<b>ID</b>	<b>Type</b>	<b>Severity</b>	<b>Text/Items</b>
			<b>Items:</b> M1610_UR_INCONT      Urinary incontinence or urinary catheter present M1630_OSTOMY      Ostomy for bowel elimination M2030_CRNT_MGMT_INJCTN_MDCTN      Current: management of injectable medications M2200_THER_NEED_NBR      Therapy need: number of visits indicated M2200_THER_NEED_NA      Therapy need: not applicable
<b>-5700</b>	<b>Format</b>	<b>Fatal</b>	If M0100_ASSMT_REASON=[01,03,09], then item response cannot equal [=].  <b>Items:</b> M1242_PAIN_FREQ_ACTVTY_MVMT      Freq of pain interfering with pt activity/movement M1311_NBR_PRSULC_STG2_A1      Number of Stage 2 Pressure Ulcers M1311_NBR_PRSULC_STG3_B1      Number of Stage 3 Pressure Ulcers M1311_NBR_PRSULC_STG4_C1      Number of Stage 4 Pressure Ulcers M1311_NSTG_DRSG_D1      Num unstage pressure ulcer non-remov dress M1311_NSTG_CVRG_E1      Unstageable: coverage by slough or eschar M1311_NSTG_DEEP_TSUE_F1      Unstageable: deep tissue injury M1324_STG_PRBLM_ULCER      Stage of most problematic pressure ulcer/injury M1330_STAS_ULCR_PRSNT      Does this patient have a stasis ulcer M1334_STUS_PRBLM_STAS_ULCR      Status of most problematic stasis ulcer M1340_SRGCL_WND_PRSNT      Does this patient have a surgical wound M1342_STUS_PRBLM_SRGCL_WND      Status of most problematic surgical wound M1400_WHEN_DYSPNEIC      When dyspneic M1620_BWL_INCONT      Bowel incontinence frequency



**Data Submission Specifications for the OASIS Item Set(V2.31.0)**  
**Unduplicated Edits Report by Edit ID**

<b>ID</b>	<b>Type</b>	<b>Severity</b>	<b>Text/Items</b>
<b>-5710</b>	<b>Format</b>	<b>Fatal</b>	<p>Incorrect Medicare Number: This item must conform to the format defined below:</p> <ul style="list-style-type: none"> <li>• The Medicare Number shall be eleven characters in length</li> <li>• The first character must be numeric, excluding zero (0)</li> <li>• The second, fifth, eighth and ninth characters must be alphabetic, excluding the following letters: S, L, O, I, B, and Z.</li> <li>• The fourth, seventh, tenth and eleventh characters must be numeric.</li> <li>• The third and sixth characters must be alphabetic (excluding S, L, O, I, B, and Z) or numeric.</li> </ul> <p><b>Items:</b> M0063_MEDICARE_NUM Medicare number, including suffix</p>
<b>-9010</b>	<b>Information</b>	<b>None</b>	<p>Vendor's version number for the software that was used to create the OASIS data submission file.</p> <p><b>Items:</b> SFW_PROD_VRSN_CD Software product version code</p>
<b>-9020</b>	<b>Information</b>	<b>None</b>	<p>Valid federal tax ID (EIN) for the company that developed the software used to create the OASIS data submission file.</p> <p><b>Items:</b> SFW_ID Software vendor federal employer tax ID</p>
<b>-9030</b>	<b>Information</b>	<b>None</b>	<p>Name of the software that was used to create the OASIS data submission file.</p> <p><b>Items:</b> SFW_PROD_NAME Software product name</p>
<b>-9040</b>	<b>Information</b>	<b>None</b>	<p>Email address of the vendor who created the software that was used to produce the OASIS submission file.</p> <p><b>Items:</b> SFW_EMAIL_ADR Software vendor email address</p>
<b>-9050</b>	<b>Information</b>	<b>None</b>	<p>Any letters that are contained in this item may be submitted as lower case or upper case, but will be converted and stored as upper case by the system. System reports will therefore display upper case values.</p>

**Data Submission Specifications for the OASIS Item Set(V2.31.0)**  
**Unduplicated Edits Report by Edit ID**

<b>ID</b>	<b>Type</b>	<b>Severity</b>	<b>Text/Items</b>
			<b>Items:</b> SFW_NAME Software vendor company name SFW_PROD_NAME Software product name SFW_PROD_VRSN_CD Software product version code M0040_PAT_FNAME Patient's first name M0040_PAT_MI Patient's middle initial M0040_PAT_LNAME Patient's last name M0040_PAT_SUFFIX Patient's suffix M0063_MEDICARE_NUM Medicare number, including suffix M0065_MEDICAID_NUM Medicaid number
<b>-9060</b>	<b>Information</b>	<b>None</b>	<p>CALCULATION OF EFFECTIVE DATE</p> <p>a) If M0100_ASSMT_REASON=[01], then ASMT_EFF_DATE is equal to M0030_START_CARE_DT.</p> <p>b) If M0100_ASSMT_REASON=[03], then ASMT_EFF_DATE is equal to M0032_ROC_DT.</p> <p>c) If M0100_ASSMT_REASON=[04,05], then ASMT_EFF_DATE is equal to M0090_INFO_COMPLETED_DT.</p> <p>d) If M0100_ASSMT_REASON=[06,07,08,09], then ASMT_EFF_DATE is equal to M0906_DC_TRAN_DTH_DT.</p> <p><b>Items:</b> M0030_START_CARE_DT Start of care date  M0032_ROC_DT Resumption of care date  M0090_INFO_COMPLETED_DT Date assessment completed  M0100_ASSMT_REASON Reason for assessment  M0906_DC_TRAN_DTH_DT Discharge, transfer, death date</p>

ID	Type	Severity	Text/Items
			<p><b>Items:</b> ASMT_EFF_DATE Effective date</p>
-9080	Information	None	<p>COMPLETION OF FOLLOW-UP ASSESSMENTS</p> <p>The allowable completion dates for the first and any subsequent follow-up assessments will be calculated relative to the start of care date. Follow-up assessments must be completed every 60 days that a patient is under care. Each time a follow-up assessment is due, it should be completed on or after the 56th day and on or before the 60th day of the period.</p> <p>More formally, the rules can be stated as follows:</p> <p>-Let j be the follow-up period number (i.e., 1=first follow-up period, 2=second follow-up period, etc.).</p> <p>-Let SOC be the start of care date (M0030_START_CARE_DT).</p> <p>-Let FCD be the completion date (M0090_INFO_COMPLETED_DT) of a follow-up assessment.</p> <p>Given these symbols, the rule for completion of follow-up assessments is as follows:</p> $SOC + (60*j) - 5 \leq FCD \leq SOC + (60*j) - 1$ <p>Where j=1, 2, 3, etc.</p> <p>If a patient is under care by a home health agency during one of the follow-up windows defined above, a follow-up assessment must be submitted. An exception to this rule can occur if a patient resumes care following an inpatient stay and if the resumption of care date (M0032_ROC_DT) falls within one of the follow-up windows. In this case, the home health agency should submit an RFA 03 resumption of care (after inpatient stay) (M0100_ASSMT_REASON=[03]) instead of the normal follow-up assessment. Submission of such a resumption of care assessment fulfills the requirement for the follow-up assessment because it includes all of the data items contained in the normal follow-up</p> <p><b>Items:</b> M0030_START_CARE_DT Start of care date M0032_ROC_DT Resumption of care date</p>

**Data Submission Specifications for the OASIS Item Set(V2.31.0)**  
**Unduplicated Edits Report by Edit ID**

ID	Type	Severity	Text/Items
<b>Items:</b>	M0090_INFO_COMPLETED_DT	Date assessment completed	
	M0100_ASSMT_REASON	Reason for assessment	
<b>-9090 Information</b>	<b>None</b>	This is an optional item that can be used by agency for unique identification of record and tracking of records submitted to the system.	
<b>Items:</b>	ACY_DOC_CD	Document ID code (agency use)	
<b>-9100 Information</b>	<b>None</b>	If a non-blank value for National Provider ID (NPI) in NATL_PRVDR_ID is submitted, it should represent the NPI of the parent agency, not of any branches if they have separate NPIs. The NPI that is submitted should be the one that is used on the agency's HIPAA billing transactions with CMS.	
<b>Items:</b>	NATL_PRVDR_ID	Agency National Provider ID (NPI)	
<b>-9110 Information</b>	<b>None</b>	If state law prohibits transmission of certain ICD codes (e.g., HIV or STD diagnoses), these codes will be removed by the system if found on records submitted by HHAs within that state. If any item within an ICD list contains such a code on a submitted record, it will be removed from the list. If any of these items is removed, but a valid code remains in a subsequent item on the list, the subsequent codes will be "moved up" so that no missing codes remain.	
Therefore, if a non-blank value is required in an ICD code list and all of the submitted items in that list contain blank and/or prohibited codes, a fatal error will result and the record will be rejected. As long as at least one item in such a list contains a non-blank, correctly-formatted, allowable code, a fatal error will not occur.			
<b>Items:</b>	M1021_PRIMARY_DIAG_ICD	Primary diagnosis ICD code	
	M1023_OTH_DIAG1_ICD	Other diagnosis 1: ICD code	
	M1023_OTH_DIAG2_ICD	Other diagnosis 2: ICD code	
	M1023_OTH_DIAG3_ICD	Other diagnosis 3: ICD code	
	M1023_OTH_DIAG4_ICD	Other diagnosis 4: ICD code	

**Data Submission Specifications for the OASIS Item Set(V2.31.0)**  
**Unduplicated Edits Report by Edit ID**

ID	Type	Severity	Text/Items
			<b>Items:</b> M1023_OTH_DIAG5_ICD                      Other diagnosis 5: ICD code
-9130	Information	None	<p>If the agency is located in AS (American Samoa), GU (Guam), or MP (Saipan -- Northern Mariana Islands), then STATE_CD must equal [HI].</p> <p><b>Items:</b> STATE_CD                      Agency's state postal code</p>
-9140	Information	None	<p>If the assessment was performed by a branch, then M0016_BRANCH_ID must contain a standard branch ID. It must contain numbers or uppercase letters in bytes 1 and 2, Q in byte 3, numbers or uppercase letters in bytes 4 through 7, and numbers in bytes 8 through 10.</p> <p><b>Items:</b> M0016_BRANCH_ID                      Branch ID</p>
-9150	Information	None	<p>If an ICD list contains multiple codes, there should be no intervening items in the list which are equal to [^]. For example, if a 5-item list is populated with 3 ICD codes, those codes should occupy items 1, 2, and 3; items 4 and 5 should be equal to [^].</p> <p>If the system finds a list which contains intervening items which are equal to [^], the values that are later in the list will be moved up to eliminate the intervening blank [^] item values. Diagnoses are only moved up within the same type of diagnosis, so a secondary diagnosis code will never be moved into an item which is for a primary diagnosis code.</p> <p><b>Items:</b> M1021_PRIMARY_DIAG_ICD                      Primary diagnosis ICD code  M1023_OTH_DIAG1_ICD                      Other diagnosis 1: ICD code  M1023_OTH_DIAG2_ICD                      Other diagnosis 2: ICD code  M1023_OTH_DIAG3_ICD                      Other diagnosis 3: ICD code  M1023_OTH_DIAG4_ICD                      Other diagnosis 4: ICD code  M1023_OTH_DIAG5_ICD                      Other diagnosis 5: ICD code</p>

## Data Submission Specifications for the OASIS Item Set(V2.31.0)

### Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
-9160	Information	None	<p>The Item Subset Code (ISC) is a two-character code that indicates the type of record that is being submitted. The set of active items is controlled by the ISC. The ISC is defined as follows:</p> <p>If TRANS_TYPE_CD = [1,2] and M0100_ASSMT_REASON = [01]  then ITM_SBST_CD = [01]</p> <p>If TRANS_TYPE_CD = [1,2] and M0100_ASSMT_REASON = [03]  then ITM_SBST_CD = [03]</p> <p>If TRANS_TYPE_CD = [1,2] and M0100_ASSMT_REASON = [04]  then ITM_SBST_CD = [04]</p> <p>If TRANS_TYPE_CD = [1,2] and M0100_ASSMT_REASON = [05]  then ITM_SBST_CD = [05]</p> <p>If TRANS_TYPE_CD = [1,2] and M0100_ASSMT_REASON = [06]  then ITM_SBST_CD = [06]</p> <p>If TRANS_TYPE_CD = [1,2] and M0100_ASSMT_REASON = [07]  then ITM_SBST_CD = [07]</p> <p>If TRANS_TYPE_CD = [1,2] and M0100_ASSMT_REASON = [08]  then ITM_SBST_CD = [08]</p> <p>If TRANS_TYPE_CD = [1,2] and M0100_ASSMT_REASON = [09]  then ITM_SBST_CD = [09]</p> <p>If TRANS_TYPE_CD = [3] and M0100_ASSMT_REASON = [01-09]  then ITM_SBST_CD = [XX]</p>

For a more complete explanation of the meaning and use of the ISC codes, please refer to the documentation that accompanies these data specifications.

<b>Items:</b>	TRANS_TYPE_CD	Transaction type code
	ITM_SBST_CD	Item subset code
	M0100_ASSMT_REASON	Reason for assessment

## Data Submission Specifications for the OASIS Item Set(V2.31.0)

### Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items																		
-9170	Information	None	<p>SUBMITTING ICD-10 DIAGNOSIS CODES</p> <p>If the ICD-10 item is active, it must be submitted as an 8 character, fixed-format string with all blanks replaced with [^], and with a decimal point as the 4th character. The only exception to this rule is that an entirely blank ICD-10 item must be submitted as a single [^].</p> <p>For example:</p> <ul style="list-style-type: none"><li>-The ICD-10 code "A12." would be submitted as [A12.^^^^].</li><li>-The ICD-10 code "A12.3" would be submitted as [A12.3^^^^].</li><li>-The ICD-10 code "A12.34" would be submitted as [A12.34^^].</li><li>-The ICD-10 code "A12.345" would be submitted as [A12.345^]</li><li>-The ICD-10 code "A12.3456" would be submitted as [A12.3456]</li><li>-An entirely blank ICD-10 code would be submitted as [^].</li></ul> <table><tr><td><b>Items:</b></td><td>M1021_PRIMARY_DIAG_ICD</td><td>Primary diagnosis ICD code</td></tr><tr><td></td><td>M1023_OTH_DIAG1_ICD</td><td>Other diagnosis 1: ICD code</td></tr><tr><td></td><td>M1023_OTH_DIAG2_ICD</td><td>Other diagnosis 2: ICD code</td></tr><tr><td></td><td>M1023_OTH_DIAG3_ICD</td><td>Other diagnosis 3: ICD code</td></tr><tr><td></td><td>M1023_OTH_DIAG4_ICD</td><td>Other diagnosis 4: ICD code</td></tr><tr><td></td><td>M1023_OTH_DIAG5_ICD</td><td>Other diagnosis 5: ICD code</td></tr></table>	<b>Items:</b>	M1021_PRIMARY_DIAG_ICD	Primary diagnosis ICD code		M1023_OTH_DIAG1_ICD	Other diagnosis 1: ICD code		M1023_OTH_DIAG2_ICD	Other diagnosis 2: ICD code		M1023_OTH_DIAG3_ICD	Other diagnosis 3: ICD code		M1023_OTH_DIAG4_ICD	Other diagnosis 4: ICD code		M1023_OTH_DIAG5_ICD	Other diagnosis 5: ICD code
<b>Items:</b>	M1021_PRIMARY_DIAG_ICD	Primary diagnosis ICD code																			
	M1023_OTH_DIAG1_ICD	Other diagnosis 1: ICD code																			
	M1023_OTH_DIAG2_ICD	Other diagnosis 2: ICD code																			
	M1023_OTH_DIAG3_ICD	Other diagnosis 3: ICD code																			
	M1023_OTH_DIAG4_ICD	Other diagnosis 4: ICD code																			
	M1023_OTH_DIAG5_ICD	Other diagnosis 5: ICD code																			
-9180	Information	None	<p>When a record is submitted, the system will determine if the provider has been certified. If the provider is not certified, then the submitted record is considered (processed as) a test record. If the provider is certified, then the submitted record is considered (processed as) a production record. If the record is a production record, then a system edit will reject the record if M0010_CCN is equal to</p> <table><tr><td><b>Items:</b></td><td>M0010_CCN</td><td>Facility CMS certification number (CCN)</td></tr></table>	<b>Items:</b>	M0010_CCN	Facility CMS certification number (CCN)															
<b>Items:</b>	M0010_CCN	Facility CMS certification number (CCN)																			

**Data Submission Specifications for the OASIS Item Set(V2.31.0)**  
**Unduplicated Edits Report by Edit ID**

ID	Type	Severity	Text/Items
-9190	Information	None	<p>Rounding of Integer Items:  This item should be rounded to the nearest integer. If the value in the tenths decimal place is equal to 0 through 4, round the value down to the nearest integer (i.e., discard the fractional portion of the number). If the value in the tenths decimal place is equal to 5 through 9, round the value up to the next largest integer.</p> <p><b>Items:</b> M1060_HEIGHT_A                      Height (in inches)  M1060_WEIGHT_B                      Weight (in pounds)</p>