

CMS Home Health Quality Reporting Program
OASIS-D Guidance Manual (effective 1/1/2019)
Errata January 25, 2019

Key

SOC Start of care
 ROC Resumption of care
 FU Follow-Up
 TRN Transfer to an Inpatient Facility
 DC Discharge from Agency
 RSI Response-Specific Instructions

Row #	Chapter - Section	Item - Page	Text (Error in Italics) as it appears in draft OASIS-D Guidance Manual 07-02-18	Revisions to Text (in Italics)	Description of Revision(s)
1	1 - TIME POINTS	Paragraph 3 1-4	Line 2,3, 4 A physician-ordered resumption of care (ROC) must be conducted <i>on or within 2 calendar days</i> of the physician-ordered ROC date.	A physician-ordered resumption of care (ROC) <i>visit</i> must be conducted <i>on</i> the physician-ordered ROC date.	Correction to accurately reflect revised Condition of Participation related to physician-ordered ROC date
2	3 - F	RSI, M1306, F-1	Bullet 4 Terminology referring to 'healed' vs. 'unhealed' <i>ulcers</i> can refer to whether the <i>ulcer</i> is 'closed' vs. 'open'.	Terminology referring to 'healed' vs. 'unhealed' <i>ulcers/injuries</i> can refer to whether the <i>ulcer/injury</i> is 'closed' vs. 'open'.	The reference could pertain to an ulcer and/or injury.
3	3 - F	RSI, M1306, F-1	Bullet 5 Enter Response 0 (No), if the only pressure <i>ulcer/injury</i> is one or more Stage 1 OR healed pressure ulcers/injuries (of any previous stage) AND the patient	Enter Response 0 (No), if the only pressure <i>injury</i> is one or more Stage 1 OR healed pressure ulcers/injuries (of any previous stage) AND the patient	The first reference pertains to Stage 1 only, which is designated as injury, not ulcer.

Row #	Chapter - Section	Item - Page	Text (Error in Italics) as it appears in draft OASIS-D Guidance Manual 07-02-18	Revisions to Text (in Italics)	Description of Revision(s)
			has no other pressure ulcers/injuries.	has no other pressure ulcers/injuries.	
4	3 - F	RSI, M1307, F-3	Bullet 6 If no pressure <i>ulcer</i> existed at the <i>SOC</i> , then a Stage 1 pressure injury developed, which progressed to a <i>Stage 2</i> by discharge, enter Response 2, and specify the date that the pressure ulcer was first identified as a Stage 2 ulcer.	If no pressure <i>ulcer/injury</i> existed at the <i>SOC/ROC</i> , then a Stage 1 pressure injury developed, which progressed to a <i>Stage 2 ulcer</i> by discharge, enter Response 2, and specify the date that the pressure ulcer was first identified as a Stage 2 ulcer.	First reference in this instruction could be to an ulcer or an injury.
5	3 - F	RSI, M1311, F-8	[<i>Instruction that a dash is allowed for the Discharge time point, is not included. Note - this is noted on Appendix G, Change Table</i>]	Coding Instructions <i>Dash is a valid response for this item, at the Discharge time point only. CMS expects dash use to be a rare occurrence.</i>	Amend RSI to include this instruction, to be consistent in how dash as a valid response is communicated
6	3 - F	M1311, Sub-header, F-9	Unstageable <i>Ulcers</i>	Unstageable <i>Ulcers/Injuries</i>	Unstageable may be an ulcer, or an injury.
7	3 - F	M1311, Example 3, Rationale, F-11	Line 3 Any pressure <i>ulcer/injury</i> that is observed to be unstageable due to slough and/or eschar...	Any pressure <i>ulcer</i> that is observed to be unstageable due to slough and/or eschar...	Slough and/or eschar may only cover a full thickness ulcer. Injury does not apply.
8	3 - F	RSI, M1324, F-13	Bullet 1 Terminology referring to 'healed' vs. 'unhealed' <i>ulcers</i> can refer to whether the <i>ulcer</i> is 'closed' vs. 'open'.	Terminology referring to 'healed' vs. 'unhealed' <i>ulcers/injuries</i> can refer to whether the <i>ulcer/injury</i> is 'closed' vs. 'open'.	The reference could pertain to an ulcer and/or injury.

Row #	Chapter - Section	Item - Page	Text (Error in Italics) as it appears in draft OASIS-D Guidance Manual 07-02-18	Revisions to Text (in Italics)	Description of Revision(s)
				(Note: this instruction is repeated, from Sec F, pF-1)	
9	3 - F	RSI, M1324, F-13	Bullet 3 Determine which stageable pressure <i>ulcer</i> is the most problematic.	Determine which stageable pressure <i>ulcer/injury</i> is the most problematic.	Reference could pertain to an ulcer or an injury.
10	3 - F	RSI, M1324, F-13	Bullet 3, sub-bullet 2 If the patient has only one stageable pressure <i>ulcer</i> , then that <i>ulcer</i> is the most problematic.	If the patient has only one stageable pressure <i>ulcer/injury</i> , then that <i>ulcer/injury</i> is the most problematic.	The reference could be to an ulcer or an injury.
11	3 - F	RSI, M1324 F-14	First bullet on page; 4 th in RSI; Line 2-3 Enter 'NA' if the patient has NO pressure <i>ulcers</i> or only has pressure <i>ulcers</i> that are Unstageable as defined above."	Enter 'NA' if the patient has NO pressure <i>ulcers/injuries</i> or only has pressure <i>ulcers/injuries</i> that are Unstageable as defined above.	See row 15; And, unstageable may also refer to pressure injury/deep tissue injury; or, pressure ulcer
12	Appendix G	Row M1306, Item Change Section	Skip Pattern Change column [<i>"X" does not appear in this column</i>]	Enter "X" in Skip Pattern Change column	The "X" represents that the Skip Pattern for M1306 changed from OASIS-C2 to OASIS-D.