

Data Submission Specifications for the OASIS Item Set(V2.30.1)

Unduplicated Edits Report by Edit ID

Table of Contents

-3010	Format Fatal	6
-3020	Format Fatal	6
-3030	Format Fatal	6
-3040	Format Fatal	6
-3050	Format Fatal	6
-3060	Format Fatal	6
-3070	Format Fatal	12
-3080	Format Fatal	13
-3090	Format Fatal	13
-3100	Format Fatal	14
-3110	Format Fatal	14
-3120	Format Fatal	15
-3130	Format Fatal	15
-3140	Format Fatal	15
-3150	Format Fatal	16
-3160	Consistency Fatal	16
-3162	Consistency Fatal	16
-3170	Consistency Warning	17
-3180	Format Fatal	17
-3190	Consistency Fatal	17
-3200	Consistency Fatal	18
-3210	Format Fatal	18
-3220	Consistency Fatal	18
-3230	Consistency Fatal	18
-3240	Consistency Fatal	18
-3250	Format Fatal	19
-3260	Consistency Fatal	19
-3261	Consistency Fatal	19
-3270	Consistency Fatal	20
-3271	Consistency Fatal	20
-3280	Consistency Warning	21
-3290	Consistency Warning	21
-3300	Consistency Warning	21
-3310	Consistency Warning	21
-3320	Consistency Warning	21
-3330	Consistency Warning	22
-3340	Consistency Fatal	22
-3341	Consistency Fatal	22
-3390	Consistency Fatal	22
-3410	Consistency Fatal	22
-3420	Consistency Fatal	23
-3430	Format Fatal	23

Data Submission Specifications for the OASIS Item Set (V2.30.1)

Unduplicated Edits Report by Edit ID

-3450	Consistency Fatal.....	23
-3460	Consistency Fatal.....	23
-3470	Consistency Fatal.....	23
-3480	Consistency Fatal.....	23
-3490	Consistency Fatal.....	23
-3500	Consistency Fatal.....	23
-3510	Consistency Fatal.....	23
-3520	Consistency Fatal.....	24
-3530	Consistency Fatal.....	24
-3540	Consistency Fatal.....	24
-3550	Consistency Fatal.....	24
-3560	Consistency Fatal.....	24
-3570	Consistency Fatal.....	24
-3580	Consistency Fatal.....	24
-3590	Consistency Fatal.....	24
-3600	Consistency Fatal.....	25
-3610	Consistency Fatal.....	25
-3620	Consistency Fatal.....	25
-3630	Consistency Fatal.....	25
-3640	Consistency Fatal.....	25
-3650	Consistency Fatal.....	25
-3660	Consistency Fatal.....	26
-3880	Consistency Fatal.....	26
-3890	Consistency Fatal.....	26
-4030	Skip pattern Fatal	26
-4040	Skip pattern Fatal	26
-4131	Consistency Fatal.....	27
-4141	Consistency Fatal.....	27
-4151	Consistency Fatal.....	27
-4161	Consistency Fatal.....	27
-4170	Consistency Fatal.....	27
-4181	Consistency Fatal.....	27
-4191	Consistency Fatal.....	28
-4201	Consistency Fatal.....	28
-4211	Consistency Fatal.....	28
-4220	Skip pattern Fatal	28
-4230	Skip pattern Fatal	28
-4240	Skip pattern Fatal	28
-4250	Skip pattern Fatal	28
-4320	Consistency Fatal.....	29
-4330	Skip pattern Fatal	29
-4340	Skip pattern Fatal	29
-4350	Consistency Fatal.....	29
-4360	Consistency Fatal.....	29
-4370	Consistency Fatal.....	29

Data Submission Specifications for the OASIS Item Set (V2.30.1)

Unduplicated Edits Report by Edit ID

-4380	Skip pattern Fatal	29
-4390	Skip pattern Fatal	29
-4400	Consistency Fatal	30
-4410	Consistency Fatal	30
-4421	Skip pattern Fatal	30
-4431	Skip pattern Fatal	30
-4441	Skip pattern Fatal	30
-4480	Consistency Fatal	31
-4490	Consistency Fatal	31
-4510	Skip pattern Fatal	31
-4520	Skip pattern Fatal	31
-4531	Skip pattern Fatal	31
-4541	Skip pattern Fatal	31
-4550	Consistency Fatal	32
-4560	Consistency Fatal	32
-4570	Consistency Fatal	32
-4580	Consistency Fatal	32
-4590	Skip pattern Fatal	32
-4600	Skip pattern Fatal	32
-4690	Consistency Fatal	32
-4700	Consistency Fatal	32
-4710	Consistency Fatal	33
-4730	Consistency Fatal	33
-4740	Consistency Fatal	33
-4810	Consistency Fatal	33
-4820	Consistency Warning	33
-4850	Consistency Fatal	33
-4860	Consistency Fatal	33
-4870	Consistency Fatal	34
-4880	Consistency Fatal	34
-4885	Format Fatal	34
-4900	Format Fatal	34
-4920	Skip pattern Fatal	35
-4921	Skip pattern Fatal	35
-4970	Consistency Fatal	35
-4980	Consistency Fatal	35
-4990	Consistency Warning	35
-5000	Consistency Fatal	35
-5030	Consistency Fatal	36
-5050	Consistency Fatal	36
-5060	Consistency Fatal	36
-5070	Skip pattern Fatal	36
-5080	Skip pattern Fatal	37
-5090	Skip pattern Fatal	37
-5100	Skip pattern Fatal	37

Data Submission Specifications for the OASIS Item Set (V2.30.1)

Unduplicated Edits Report by Edit ID

-5110	Skip pattern Fatal	37
-5111	Skip pattern Fatal	37
-5121	Skip pattern Fatal	38
-5122	Skip pattern Fatal	38
-5131	Consistency Fatal	38
-5141	Consistency Fatal	39
-5151	Consistency Fatal	39
-5161	Consistency Fatal	39
-5200	Consistency Fatal	39
-5210	Consistency Fatal	39
-5220	Consistency Fatal	40
-5230	Consistency Warning	40
-5240	Consistency Warning	40
-5250	Consistency Fatal	41
-5280	Format Fatal	41
-5290	Consistency Fatal	41
-5300	Consistency Fatal	41
-5311	Consistency Fatal	41
-5320	Consistency Fatal	41
-5340	Consistency Fatal	42
-5350	Consistency Fatal	42
-5360	Format Warning	42
-5370	Consistency Fatal	42
-5371	Skip pattern Fatal	42
-5372	Consistency Fatal	42
-5373	Consistency Fatal	42
-5380	Consistency Fatal	43
-5381	Skip pattern Fatal	43
-5382	Consistency Fatal	43
-5383	Consistency Fatal	43
-5390	Consistency Fatal	43
-5391	Skip pattern Fatal	43
-5392	Consistency Fatal	43
-5393	Consistency Fatal	44
-5400	Consistency Fatal	44
-5401	Skip pattern Fatal	44
-5402	Consistency Fatal	44
-5403	Consistency Fatal	44
-5410	Consistency Fatal	44
-5411	Skip pattern Fatal	44
-5412	Consistency Fatal	44
-5413	Consistency Fatal	45
-5420	Consistency Fatal	45
-5421	Skip pattern Fatal	45
-5422	Consistency Fatal	45

Data Submission Specifications for the OASIS Item Set (V2.30.1)

Unduplicated Edits Report by Edit ID

-5423	Consistency Fatal.....	45
-5430	Consistency Fatal.....	45
-5450	Consistency Fatal.....	45
-5460	Consistency Fatal.....	46
-5470	Consistency Fatal.....	46
-5480	Format Fatal	46
-5490	Skip pattern Fatal	46
-5500	Consistency Fatal.....	46
-5510	Consistency Fatal.....	47
-5520	Skip pattern Fatal	47
-5530	Skip pattern Fatal	47
-5540	Skip pattern Fatal	47
-5550	Skip pattern Fatal	48
-5560	Skip pattern Fatal	48
-5570	Skip pattern Fatal	48
-5580	Skip pattern Fatal	48
-5590	Skip pattern Fatal	48
-5600	Skip pattern Fatal	48
-5610	Skip pattern Fatal	49
-5620	Skip pattern Fatal	49
-5630	Skip pattern Fatal	49
-5660	Consistency Fatal.....	49
-5670	Consistency Fatal.....	50
-5680	Consistency Fatal.....	50
-9010	Information None.....	50
-9020	Information None.....	50
-9030	Information None.....	50
-9040	Information None.....	51
-9050	Information None.....	51
-9060	Information None.....	51
-9080	Information None.....	51
-9090	Information None.....	52
-9100	Information None.....	52
-9110	Information None.....	52
-9130	Information None.....	53
-9140	Information None.....	53
-9150	Information None.....	53
-9160	Information None.....	53
-9170	Information None.....	54
-9180	Information None.....	54
-9190	Information None.....	54

Data Submission Specifications for the OASIS Item Set (V2.30.1)

Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
-3010	Format	Fatal	<p>If this item is not equal to one of the special values (if any) that are listed in the Item Values table of the Detailed Data Specifications Report, then the length of the submitted value must match exactly the maximum length that is listed for the item.</p> <p>Items: NATL_PRVDR_ID Agency National Provider ID (NPI) SFW_ID Software vendor federal employer tax ID M0018_PHYSICIAN_ID Attending physician National Provider ID (NPI) M0064_SSN Patient's Social Security number</p>
-3020	Format	Fatal	<p>If the value is not equal to [^], the first three characters must not be equal to [000].</p> <p>Items: M0064_SSN Patient's Social Security number</p>
-3030	Format	Fatal	<p>The value must not be equal to any of the following: [111111111, 333333333, 123456789, 999999999].</p> <p>Items: M0063_MEDICARE_NUM Medicare number, including suffix M0064_SSN Patient's Social Security number</p>
-3040	Format	Fatal	<p>***THIS EDIT WAS DELETED IN V2.21.1 OF THE DATA SPECS ON 04/01/2018.</p> <p>Items: M0063_MEDICARE_NUM Medicare number, including suffix</p>
-3050	Format	Fatal	<p>***THIS EDIT WAS DELETED IN V2.21.1 OF THE DATA SPECS ON 04/01/2018.</p> <p>Items: M0063_MEDICARE_NUM Medicare number, including suffix</p>
-3060	Format	Fatal	<p>VALUES OF CODE AND CHECKLIST ITEMS</p> <p>Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.</p> <p>Items: ASMT_SYS_CD Assessment system code TRANS_TYPE_CD Transaction type code ITM_SBST_CD Item subset code STATE_CD Agency's state postal code M0014_BRANCH_STATE Branch state M0018_PHYSICIAN_UK Attending physician NPI: Unknown M0032_ROC_DT_NA No resumption of care date M0050_PAT_ST Patient state of residence M0063_MEDICARE_NA No Medicare number M0064_SSN_UK No Social Security number M0065_MEDICAID_NA No Medicaid number M0069_PAT_GENDER Gender M0140_ETHNIC_AI_AN Ethnicity: American Indian or Alaska Native</p>

Data Submission Specifications for the OASIS Item Set (V2.30.1)

Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
			<div>Items:</div> <div> M0140_ETHNIC_ASIAN M0140_ETHNIC_BLACK M0140_ETHNIC_HISP M0140_ETHNIC_NH_PI M0140_ETHNIC_WHITE M0150_CPAY_NONE M0150_CPAY_MCARE_FFS M0150_CPAY_MCARE_HMO M0150_CPAY_MCAID_FFS M0150_CPAY_MCAID_HMO M0150_CPAY_WRKCOMP M0150_CPAY_TITLEPGMS M0150_CPAY_OTH_GOV M0150_CPAY_PRIV_INS M0150_CPAY_PRIV_HMO M0150_CPAY_SELFPAY M0150_CPAY_OTHER M0150_CPAY_UK M0080_ASSESSOR_DISCIPLINE M0100_ASSMT_REASON M0102_PHYSN_ORDRD_SOCROC_DT_NA M0110_EPISODE_TIMING M1000_DC_LTC_14_DA M1000_DC_SNF_14_DA M1000_DC_IPPS_14_DA M1000_DC_LTCH_14_DA M1000_DC_IRF_14_DA M1000_DC_PSYCH_14_DA M1000_DC_OTH_14_DA M1000_DC_NONE_14_DA M1005_INP_DSCHG_UNKNOWN M1021_PRIMARY_DIAG_SEVERITY M1023_OTH_DIAG1_SEVERITY M1023_OTH_DIAG2_SEVERITY M1023_OTH_DIAG3_SEVERITY M1023_OTH_DIAG4_SEVERITY M1023_OTH_DIAG5_SEVERITY M1028_ACTV_DIAG_PVD_PAD M1028_ACTV_DIAG_DM M1028_ACTV_DIAG_NOA </div>
			Ethnicity: Asian Ethnicity: Black or African American Ethnicity: Hispanic or Latino Ethnicity: Native Hawaiian/Pacific Islander Ethnicity: White Payment sources: no charge for current services Payment sources: Medicare fee-for-service Payment sources: Medicare HMO/managed care Payment sources: Medicaid fee-for-service Payment sources: Medicaid HMO/managed care Payment sources: worker's compensation Payment sources: title programs Payment sources: other government Payment sources: private insurance Payment sources: private HMO/managed care Payment sources: self-pay Payment sources: other Payment sources: unknown Discipline of person completing assessment Reason for assessment Physician ordered SOC/ROC date - NA Episode timing Past 14 days: disch from LTC NH Past 14 days: disch from skilled nursing facility Past 14 days: disch from short stay acute hospital Past 14 days: disch from long term care hospital Past 14 days: disch from inpatient rehab facility Past 14 days: disch from psych hospital or unit Past 14 days: disch from other Past 14 days: not disch from inpatient facility Inpatient discharge date unknown Primary diagnosis severity rating Other diagnosis 1: severity rating Other diagnosis 2: severity rating Other diagnosis 3: severity rating Other diagnosis 4: severity rating Other diagnosis 5: severity rating Active Diagnoses - PVD or PAD Active Diagnoses - Diabetes Mellitus Active Diagnoses - None of the above

Data Submission Specifications for the OASIS Item Set (V2.30.1)

Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
			<div>Items:</div> <div> M1030_THH_IV_INFUSION M1030_THH_PAR_NUTRITION M1030_THH_ENT_NUTRITION M1030_THH_NONE_ABOVE M1033_HOSP_RISK_HSTRY_FALLS M1033_HOSP_RISK_WEIGHT_LOSS M1033_HOSP_RISK_MLTPL_HOSPZTN M1033_HOSP_RISK_MLTPL_ED_VISIT M1033_HOSP_RISK_MNTL_BHV_DCLN M1033_HOSP_RISK_COMPLIANCE M1033_HOSP_RISK_5PLUS_MDCTN M1033_HOSP_RISK_CRNT_EXHSTN M1033_HOSP_RISK_OTHR_RISK M1033_HOSP_RISK_NONE_ABOVE M1041_IN_INFLNZ_SEASON M1046_INFLNZ_RECD_CRNT_SEASON M1051_PVX_RCVD_AGENCY M1056_PVX_RSN_NOT_RCVD_AGENCY M1100_PTNT_LVG_STUTN M1200_VISION M1242_PAIN_FREQ_ACTVTY_MVMT M1306_UNHLD_STG2_PRSR_ULCR M1307_OLDST_STG2_AT_DSCHRG M1322_NBR_PRSULC_STG1 M1324_STG_PRBLM_ULCR M1330_STAS_ULCR_PRSNT M1332_NBR_STAS_ULCR M1334_STUS_PRBLM_STAS_ULCR M1340_SRGL_WND_PRSNT M1342_STUS_PRBLM_SRGL_WND M1400_WHEN_DYSPNEIC M1600_UTI M1610_UR_INCONT M1620_BWL_INCONT M1630_OSTOMY M1700_COG_FUNCTION M1710_WHEN_CONFUSED M1720_WHEN_ANXIOUS M1730_STDZ_DPRSN_SCRNG M1730_PHQ2_LACK_INTRST </div> <div> Therapies received at home: intravenous, infusion Therapies received at home: parenteral nutrition Therapies received at home: enteral nutrition Therapies received at home: none of the above Hosp risk: 2+ falls or injury fall in past year Hosp risk: unintentional weight loss Hosp risk: 2+ hospitalizations in past 6 months Hosp risk: 2+ emergency dept visits in past 6 months Hosp risk: decline mental/emotional/behav status Hosp risk: difficulty with medical instructions Hosp risk: taking five or more medications Hosp risk: current exhaustion Hosp risk: other risk(s) not listed Hosp risk: none of the above Does episode include Oct 1 thru Mar 31 Did patient receive influenza vaccine Was pneumococcal vaccine received If pneumococcal vacc not received, state reason Patient living situation Sensory status: vision Freq of pain interfering with pt activity/movement Patient has 1+ unhealed PU/injury at stage 2+ Status of oldest stage 2 pressure ulcer at disch Number of stage 1 pressure injuries Stage of most problematic pressure ulcer/injury Does this patient have a stasis ulcer Number of stasis ulcers Status of most problematic stasis ulcer Does this patient have a surgical wound Status of most problematic surgical wound When dyspneic Treated for urinary tract infection past 14 days Urinary incontinence or urinary catheter present Bowel incontinence frequency Ostomy for bowel elimination Cognitive functioning When confused (reported or observed) When anxious (reported or observed) Screened for depression using validated tool PHQ2: little interest or pleasure in doing things </div>

Data Submission Specifications for the OASIS Item Set (V2.30.1)

Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
			<p>Items: M1730_PHQ2_DPRSN PHQ2: feeling down, depressed or hopeless</p> <p>M1740_BD_MEM_DEFICIT Behavior demonstrated: memory deficit</p> <p>M1740_BD_IMP_DECISN Behavior demonstrated: impaired decision-making</p> <p>M1740_BD_VERBAL Behavior demonstrated: verbal disruption</p> <p>M1740_BD_PHYSICAL Behavior demonstrated: physical aggression</p> <p>M1740_BD_SOC_INAPPRO Behavior demonstrated: socially inappropriate</p> <p>M1740_BD_DELUSIONS Behavior demonstrated: delusions</p> <p>M1740_BD_NONE Behavior demonstrated: none of the above</p> <p>M1745_BEH_PROB_FREQ Frequency of behavior problems</p> <p>M1800_CRNT_GROOMING Current: grooming</p> <p>M1810_CRNT_DRESS_UPPER Current: dress upper body</p> <p>M1820_CRNT_DRESS_LOWER Current: dress lower body</p> <p>M1830_CRNT_BATHG Current: bathing</p> <p>M1840_CRNT_TOILTG Current: toileting</p> <p>M1845_CRNT_TOILTG_HYGN Current: toileting hygiene</p> <p>M1850_CRNT_TRNSFRNG Current: transferring</p> <p>M1860_CRNT_AMBLTN Current: ambulation</p> <p>M1870_CRNT_FEEDING Current: feeding</p> <p>M1910_MLT_FCTR_FALL_RISK_ASMT Has patient had a multi-factor fall risk asmt</p> <p>M2001_DRUG_RGMN_RVW Drug regimen review</p> <p>M2003_MDCTN_FLWP Medication follow-up</p> <p>M2005_MDCTN_INTRVTN Medication intervention</p> <p>M2010_HIGH_RISK_DRUG_EDCTN Patient/caregiver high risk drug education</p> <p>M2016_DRUG_EDCTN_INTRVTN Patient/caregiver drug education intervention</p> <p>M2020_CRNT_MGMT_ORAL_MDCTN Current: management of oral medications</p> <p>M2030_CRNT_MGMT_INJCTN_MDCTN Current: management of injectable medications</p> <p>M2102_CARE_TYPE_SRC_ADL Care mgmt, types/sources: ADL</p> <p>M2102_CARE_TYPE_SRC_MDCTN Care mgmt, types/sources: med admin</p> <p>M2102_CARE_TYPE_SRC_PRCDR Care mgmt, types/sources: med procs tx</p> <p>M2102_CARE_TYPE_SRC_SPRVSN Care mgmt, types/sources: supervision and safety</p> <p>M2200_THER_NEED_NA Therapy need: not applicable</p> <p>M2301_EMER_USE_AFTR_LAST_ASMT Emergent care: use since most recent SOC/ROC</p> <p>M2310_ECR_MEDICATION Emergent care reason: medication</p> <p>M2310_ECR_HYPOGLYC Emergent care reason: hypoglycemia/hyperglycemia</p> <p>M2310_ECR_OTHER Emergent care reason: other than above</p> <p>M2310_ECR_UNKNOWN Emergent care reason: unknown</p> <p>M2401_INTRVTN_SMRY_DBTS_FT Intervention synopsis: diabetic foot care</p> <p>M2401_INTRVTN_SMRY_FALL_PRVNT Intervention synopsis: falls prevention</p> <p>M2401_INTRVTN_SMRY_DPRSN Intervention synopsis: depression intervention</p> <p>M2401_INTRVTN_SMRY_PAIN_MNTR Intervention synopsis: monitor and mitigate pain</p>

Data Submission Specifications for the OASIS Item Set (V2.30.1)

Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
			<div>Items:</div> <div> M2401_INTRVTN_SMRY_PRSULC_PRVN M2401_INTRVTN_SMRY_PRSULC_WET M2410_INPAT_FACILITY M2420_DSCHRG_DISP GG0100A GG0100B GG0100C GG0100D GG0110A GG0110B GG0110C GG0110D GG0110E GG0110Z GG0130A1 GG0130A2 GG0130A3 GG0130A4 GG0130B1 GG0130B2 GG0130B3 GG0130B4 GG0130C1 GG0130C2 GG0130C3 GG0130C4 GG0130E1 GG0130E2 GG0130E3 GG0130F1 GG0130F2 GG0130F3 GG0130G1 GG0130G2 GG0130G3 GG0130H1 GG0130H2 GG0130H3 GG0170A1 GG0170A2 </div>

Intervention synopsis: prevent pressure ulcers

Intervention synopsis: PU moist wound treatment

Inpatient facility

Discharge disposition

Prior Function - Self Care

Prior Function - Indoor Mobility (Ambulation)

Prior Function - Stairs

Prior Function - Functional Cognition

Prior Device - Manual wheelchair

Prior Device - Motorized wheelchair and/or scooter

Prior Device - Mechanical lift

Prior Device - Walker

Prior Device - Orthotics/Prosthetics

Prior Device - None of the above

Eating (SOC/ROC Perf)

Eating (Dschg Goal)

Eating (Dschg Perf)

Eating (Follow-Up Perf)

Oral Hygiene (SOC/ROC Perf)

Oral Hygiene (Dschrg Goal)

Oral Hygiene (Dschrg Perf)

Oral Hygiene (Follow-Up Perf)

Toileting hygiene (SOC/ROC Perf)

Toileting hygiene (Dschrg Goal)

Toileting hygiene (Dschrg Perf)

Toileting hygiene (Follow-Up Perf)

Shower/bathe self (SOC/ROC Perf)

Shower/bathe self (Dschrg Goal)

Shower/bathe self (Dschrg Perf)

Upper body dressing (SOC/ROC Perf)

Upper body dressing (Dschrg Goal)

Upper body dressing (Dschrg Perf)

Lower body dressing (SOC/ROC Perf)

Lower body dressing (Dschrg Goal)

Lower body dressing (Dschrg Perf)

Put on/take off footwear (SOC/ROC Perf)

Put on/take off footwear (Dschrg Goal)

Put on/take off footwear (Dschrg Perf)

Roll left and right (SOC/ROC Perf)

Roll left and right (Dschrg Goal)

Data Submission Specifications for the OASIS Item Set (V2.30.1)
Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
			Items: GG0170A3 Roll left and right (Dschrg Perf)
			GG0170A4 Roll left and right (Follow-Up Perf)
			GG0170B1 Sit to lying (SOC/ROC Perf)
			GG0170B2 Sit to lying (Dschrg Goal)
			GG0170B3 Sit to lying (Dschrg Perf)
			GG0170B4 Sit to lying (Follow-Up Perf)
			GG0170C_MOBILITY_SOCROC_PERF Lying to sitting on bed side (SOC/ROC Perf)
			GG0170C_MOBILITY_DSCHG_GOAL Lying to sitting on bed side (Dschrg Goal)
			GG0170C3 Lying to sitting on bed side (Dschrg Perf)
			GG0170C4 Lying to sitting on bed side (Follow-Up Perf)
			GG0170D1 Sit to stand (SOC/ROC Perf)
			GG0170D2 Sit to stand (Dschrg Goal)
			GG0170D3 Sit to stand (Dschrg Perf)
			GG0170D4 Sit to stand (Follow-Up Perf)
			GG0170E1 Chair/bed-to-chair transfer (SOC/ROC Perf)
			GG0170E2 Chair/bed-to-chair transfer (Dschrg Goal)
			GG0170E3 Chair/bed-to-chair transfer (Dschrg Perf)
			GG0170E4 Chair/bed-to-chair transfer (Follow-Up Perf)
			GG0170F1 Toilet transfer (SOC/ROC Perf)
			GG0170F2 Toilet transfer (Dschrg Goal)
			GG0170F3 Toilet transfer (Dschrg Perf)
			GG0170F4 Toilet transfer (Follow-Up Perf)
			GG0170G1 Car transfer (SOC/ROC Perf)
			GG0170G2 Car transfer (Dschrg Goal)
			GG0170G3 Car transfer (Dschrg Perf)
			GG0170I1 Walk 10 feet (SOC/ROC Perf)
			GG0170I2 Walk 10 feet (Dschrg Goal)
			GG0170I3 Walk 10 feet (Dschrg Perf)
			GG0170I4 Walk 10 feet (Follow-Up Perf)
			GG0170J1 Walk 50 feet with two turns (SOC/ROC Perf)
			GG0170J2 Walk 50 feet with two turns (Dschrg Goal)
			GG0170J3 Walk 50 feet with two turns (Dschrg Perf)
			GG0170J4 Walk 50 feet with two turns (Follow-Up Perf)
			GG0170K1 Walk 150 feet (SOC/ROC Perf)
			GG0170K2 Walk 150 feet (Dschrg Goal)
			GG0170K3 Walk 150 feet (Dschrg Perf)
			GG0170L1 Walking 10 feet uneven surf (SOC/ROC Perf)
			GG0170L2 Walking 10 feet uneven surf (Dschrg Goal)
			GG0170L3 Walking 10 feet uneven surf (Dschrg Perf)
			GG0170L4 Walking 10 feet uneven surf (Follow-Up Perf)

Data Submission Specifications for the OASIS Item Set (V2.30.1)
Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
			Items: GG0170M1 1 step (curb) (SOC/ROC Perf) GG0170M2 1 step (curb) (DschrG Goal) GG0170M3 1 step (curb) (DschrG Perf) GG0170M4 1 step (curb) (Follow-Up Perf) GG0170N1 4 steps (SOC/ROC Perf) GG0170N2 4 steps (DschrG Goal) GG0170N3 4 steps (DschrG Perf) GG0170N4 4 steps (Follow-Up Perf) GG0170O1 12 steps (SOC/ROC Perf) GG0170O2 12 steps (DschrG Goal) GG0170O3 12 steps (DschrG Perf) GG0170P1 Picking up object (SOC/ROC Perf) GG0170P2 Picking up object (DschrG Goal) GG0170P3 Picking up object (DschrG Perf) GG0170Q1 Use wheelchair and/or scooter (SOC/ROC Perf) GG0170Q3 Use wheelchair and/or scooter (DschrG Perf) GG0170Q4 Use wheelchair and/or scooter (Follow-Up Perf) GG0170R1 Wheel 50 feet with two turns (SOC/ROC Perf) GG0170R2 Wheel 50 feet with two turns (DschrG Goal) GG0170R3 Wheel 50 feet with two turns (DschrG Perf) GG0170R4 Wheel 50 feet with two turns (Follow-Up Perf) GG0170RR1 Type of wheelchair or scooter (SOC/ROC Perf) GG0170RR3 Type of wheelchair or scooter (DschrG Perf) GG0170S1 Wheel 150 feet (SOC/ROC Perf) GG0170S2 Wheel 150 feet (DschrG Goal) GG0170S3 Wheel 150 feet (DschrG Perf) GG0170SS1 Type of wheelchair or scooter (SOC/ROC Perf) GG0170SS3 Type of wheelchair or scooter (DschrG Perf) J1800 Falls since SOC/ROC: any falls J1900A Num falls since SOC/ROC: no injury J1900B Num falls since SOC/ROC: injury (except major) J1900C Num falls since SOC/ROC: major injury
-3070	Format	Fatal	<p>VALUES OF DATE ITEMS</p> <p>This item must contain either (a) a valid date in YYYYMMDD format, or (b) one of the special values (if any) that are listed in the "Item Values" table of the Detailed Data Specifications Report.</p> <p>Note that if a date in YYYYMMDD format is submitted, it must be 8 characters in length and each of the 8 characters must contain the digits 0 (zero) through 9. YYYY, MM, and DD must be zero filled, where necessary. For example, January 1, 2014 must be submitted as "20140101".</p>

Data Submission Specifications for the OASIS Item Set (V2.30.1)

Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
			Items: M0030_START_CARE_DT Start of care date M0032_ROC_DT Resumption of care date M0090_INFO_COMPLETED_DT Date assessment completed M0102_PHYSN_ORDRD_SOCROC_DT Physician ordered SOC/ROC date M0104_PHYSN_RFRL_DT Physician date of referral M1005_INP_DISCHARGE_DT Most recent inpatient discharge date M1307_OLDST_STG2_ONST_DT Date of onset of oldest stage 2 pressure ulcer M0906_DC_TRAN_DTH_DT Discharge, transfer, death date
-3080	Format	Fatal	<p>FORMATTING OF BIRTHDATE</p> <p>This item must contain either (a) a valid date in YYYYMMDD, YYYYMM, or YYYY format, or (b) one of the special values (if any) that are listed in the "Item Values" table of the Detailed Data Specifications Report.</p> <p>Note that if a date in YYYYMMDD format is submitted, it must be 8 characters in length and each of the 8 characters must contain the digits 0 (zero) through 9. YYYY, MM, and DD must be zero filled, where necessary. For example, January 1, 1909 must be submitted as "19090101".</p> <p>If a date is submitted in YYYYMM format, it must be 6 characters in length and each of the 6 characters must contain the digits 0 (zero) through 9. YYYY and MM must be zero filled, where necessary. For example, January, 1909 must be submitted as "190901".</p> <p>If a date is submitted in YYYY format, it must be 4 characters in length and each of the 4 characters must contain the digits 0 (zero) through 9. YYYY must be zero filled, where necessary. For example, 1909 must be submitted as "1909".</p> <p>Items: M0066_PAT_BIRTH_DT Date of birth</p>
-3090	Format	Fatal	<p>VALUES OF NUMERIC ITEMS</p> <p>Only the values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item. The submitted value must be greater than or equal to the minimum value listed in the table and less than or equal to the maximum value listed in the table, or it must match one of the remaining special values (if any) that are listed in the table. The length of the submitted value must not exceed the allowed maximum length for the item. Signed numbers (with a leading plus or minus sign) will not be accepted.</p> <p>Items: CORRECTION_NUM Correction number M1060_HEIGHT_A Height (in inches) M1060_WEIGHT_B Weight (in pounds) M1311_NBR_PRSULC_STG2_A1 Number of Stage 2 Pressure Ulcers M1311_NBR_ULC_SOCROC_STG2_A2 Number of Stage 2 pressure ulcers at SOC/ROC M1311_NBR_PRSULC_STG3_B1 Number of Stage 3 Pressure Ulcers M1311_NBR_ULC_SOCROC_STG3_B2 Number of Stage 3 pressure ulcers at SOC/ROC M1311_NBR_PRSULC_STG4_C1 Number of Stage 4 Pressure Ulcers M1311_NBR_ULC_SOCROC_STG4_C2 Number of Stage 4 pressure ulcers at SOC/ROC M1311_NSTG_DRSG_D1 Num unstage pressure ulcer non-remov dress M1311_NSTG_DRSG_SOCROC_D2 Num unstage pressure ulcer non-remov dress SOC/ROC M1311_NSTG_CVRG_E1 Unstageable: coverage by slough or eschar</p>

Data Submission Specifications for the OASIS Item Set (V2.30.1)

Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
			Items: M1311_NSTG_CVRG_SOCROC_E2 Unstageable: coverage by slough or eschar SOC/ROC M1311_NSTG_DEEP_TSUE_F1 Unstageable: deep tissue injury M1311_NSTG_DEEP_TSUE_SOCROC_F2 Unstageable: deep tissue injury SOC/ROC M2200_THER_NEED_NBR Therapy need: number of visits indicated
-3100	Format	Fatal	<p>FORMATTING OF POSITIVE INTEGER NUMERIC ITEMS</p> <p>Only positive integer values and the special values (if any) that are listed in the "Item Values" table of the Detailed Data Specifications Report will be accepted for this item. Leading zeroes may be included or omitted from the submitted value as long as the resulting length of the string does not exceed the allowed maximum length for the item. A decimal point and decimal values are not allowed. A sign will not be accepted.</p> <p>The following examples are allowable if the value to be submitted is equal to [1] and the maximum length is equal to 2: [1], [01]. The following values are NOT allowed and will lead to a fatal error: [1.], [1.0], [01.], [01.0], [1.1], [01.1], [1.01], [+1], [-2], [+1.3], [-4.5].</p> Items: CORRECTION_NUM Correction number M1060_HEIGHT_A Height (in inches) M1060_WEIGHT_B Weight (in pounds) M1311_NBR_PRSULC_STG2_A1 Number of Stage 2 Pressure Ulcers M1311_NBR_ULC_SOCROC_STG2_A2 Number of Stage 2 pressure ulcers at SOC/ROC M1311_NBR_PRSULC_STG3_B1 Number of Stage 3 Pressure Ulcers M1311_NBR_ULC_SOCROC_STG3_B2 Number of Stage 3 pressure ulcers at SOC/ROC M1311_NBR_PRSULC_STG4_C1 Number of Stage 4 Pressure Ulcers M1311_NBR_ULC_SOCROC_STG4_C2 Number of Stage 4 pressure ulcers at SOC/ROC M1311_NSTG_DRSG_D1 Num unstage pressure ulcer non-remov dress M1311_NSTG_DRSG_SOCROC_D2 Num unstage pressure ulcer non-remov dress SOC/ROC M1311_NSTG_CVRG_E1 Unstageable: coverage by slough or eschar M1311_NSTG_CVRG_SOCROC_E2 Unstageable: coverage by slough or eschar SOC/ROC M1311_NSTG_DEEP_TSUE_F1 Unstageable: deep tissue injury M1311_NSTG_DEEP_TSUE_SOCROC_F2 Unstageable: deep tissue injury SOC/ROC M2200_THER_NEED_NBR Therapy need: number of visits indicated
-3110	Format	Fatal	<p>FORMATTING OF NUMERIC TEXT ITEMS</p> <p>If this item is not equal to one of the special values (if any) that are listed in the Item Values table of the Detailed Data Specifications Report, then it must contain a text string. This text string may contain only numeric characters: [0] through [9].</p> Items: NATL_PRVDR_ID Agency National Provider ID (NPI) SFW_ID Software vendor federal employer tax ID M0018_PHYSICIAN_ID Attending physician National Provider ID (NPI) M0060_PAT_ZIP Patient zip code M0064_SSN Patient's Social Security number

Data Submission Specifications for the OASIS Item Set (V2.30.1)

Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
-3120	Format	Fatal	<p>FORMATTING OF ALPHANUMERIC TEXT ITEMS</p> <p>If this item is not equal to one of the special values (if any) that are listed in the Item Values table of the Detailed Data Specifications Report, then it must contain a text string. This text string may contain only the following characters:</p> <p>a) The numeric characters: [0] through [9].</p> <p>b) The letters [A] through [Z] and [a] through [z].</p> <p>Items: SUBM_HIPPS_CODE HIPPS group code: submitted SUBM_HIPPS_VERSION HIPPS version code: submitted M0010_CCN Facility CMS certification number (CCN) M0063_MEDICARE_NUM Medicare number, including suffix M0065_MEDICAID_NUM Medicaid number</p>
-3130	Format	Fatal	<p>FORMATTING OF ALPHANUMERIC TEXT ITEMS THAT CAN CONTAIN DASHES, SPACES, AND SPECIAL CHARACTERS</p> <p>If this item is not equal to one of the special values (if any) that are listed in the Item Values table of the Detailed Data Specifications Report, then it must contain a text string. This text string may contain only the following characters:</p> <p>a) The numeric characters: [0] through [9].</p> <p>b) The letters [A] through [Z] and [a] through [z].</p> <p>c) The character [-].</p> <p>d) The following special characters:</p> <p> [@] (at sign)</p> <p> ['] (single quote)</p> <p> [/] (forward slash)</p> <p> [+] (plus sign)</p> <p> [,] (comma)</p> <p> [.] (period)</p> <p> [_] (underscore)</p> <p>e) Embedded spaces (spaces surrounded by any of the characters listed above). For example, [LEGAL TEXT] would be allowed.</p> <p>Items: SFW_PROD_VRSN_CD Software product version code M0040_PAT_FNAME Patient's first name M0040_PAT_LNAME Patient's last name M0040_PAT_SUFFIX Patient's suffix</p>
-3140	Format	Fatal	<p>FORMATTING OF ALPHANUMERIC TEXT ITEMS THAT CAN CONTAIN SPECIAL CHARACTERS</p> <p>If this item is not equal to one of the special values (if any) that are listed in the Item Values table of the Detailed Data Specifications Report, then it must contain a text string.</p>

Data Submission Specifications for the OASIS Item Set (V2.30.1)

Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
			<p>This text string may contain only the following characters:</p> <p>a) The numeric characters: [0] through [9].</p> <p>b) The letters [A] through [Z] and [a] through [z].</p> <p>c) The following special characters:</p> <p>[@] (at sign)</p> <p>['] (single quote)</p> <p>[/] (forward slash)</p> <p>[+] (plus sign)</p> <p>[,] (comma)</p> <p>[.] (period)</p> <p>[_] (underscore)</p> <p>Items: M0040_PAT_MI Patient's middle initial</p>
-3150	Format	Fatal	<p>Formatting of email address.</p> <p>Any valid email address will be accepted. The text string may contain any printable characters except the following:</p> <p>' (single quote)</p> <p>" (double quote)</p> <p>,</p> <p>;</p> <p>:</p> <p>\ (back slash)</p> <p>() (right and left parentheses)</p> <p>[] (right and left brackets)</p> <p>{ } (right and left braces)</p> <p>< (less than)</p> <p>> (greater than)</p> <p>space (embedded space)</p> <p>Items: SFW_EMAIL_ADR Software vendor email address</p>
-3160	Consistency	Fatal	<p>HHA_AGENCY_ID is the provider's submission ID. The value submitted for HHA_AGENCY_ID must match the HHA_AGENCY_ID in the QIES ASAP System for the provider.</p> <p>Items: HHA_AGENCY_ID Assigned agency submission ID</p>
-3162	Consistency	Fatal	<p>A user submitting a file must be authorized to submit for the provider identified by the HHA_AGENCY_ID item in the file.</p> <p>Items: HHA_AGENCY_ID Assigned agency submission ID</p>

Data Submission Specifications for the OASIS Item Set (V2.30.1)
Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
-3170	Consistency	Warning	<p>The value submitted for M0010_CCN (provider's CMS Certification Number -- CCN) will be compared with the value that is currently in the ASAP database. If the values do not match, a warning will be issued.</p> <p>Items: M0010_CCN Facility CMS certification number (CCN)</p>
-3180	Format	Fatal	<p>This is a required text item. A valid non-blank value must be submitted.</p> <p>Items: HHA_AGENCY_ID Assigned agency submission ID</p>
-3190	Consistency	Fatal	<p>In order to modify or inactivate a record that has previously been accepted by the ASAP system, the system must be able to locate the previous record. Appropriate values from the record to be corrected must therefore be submitted for the following locator items:</p> <p>M0030_START_CARE_DT M0032_ROC_DT M0032_ROC_DT_NA M0040_PAT_FNAME M0040_PAT_LNAME M0064_SSN M0064_SSN_UK M0066_PAT_BIRTH_DT M0069_PAT_GENDER M0090_INFO_COMPLETED_DT M0100_ASSMT_REASON M0906_DC_TRAN_DTH_DT</p> <p>If a matching previously accepted record cannot be located, a fatal error will result and the submitted record will be rejected.</p> <p>Items: M0030_START_CARE_DT Start of care date M0032_ROC_DT Resumption of care date M0032_ROC_DT_NA No resumption of care date M0040_PAT_FNAME Patient's first name M0040_PAT_LNAME Patient's last name M0064_SSN Patient's Social Security number M0064_SSN_UK No Social Security number M0066_PAT_BIRTH_DT Date of birth M0069_PAT_GENDER Gender M0090_INFO_COMPLETED_DT Date assessment completed M0100_ASSMT_REASON Reason for assessment M0906_DC_TRAN_DTH_DT Discharge, transfer, death date</p>

Data Submission Specifications for the OASIS Item Set (V2.30.1)

Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
-3200	Consistency	Fatal	<p>The first record that is submitted to correct or inactivate an existing record must have a value of "01" in CORRECTION_NUM (correction number). If that correction/inactivation is accepted and if a subsequent correction/inactivation is required, it must have a value of "02", and so on. In other words, the correction number in CORRECTION_NUM on the first correction/inactivation must be "01", and the value on each subsequent correction/inactivation must be incremented by 1. If the value submitted in CORRECTION_NUM is incorrect, a fatal error will result and the submitted record will be rejected.</p> <p>Items: CORRECTION_NUM Correction number</p>
-3210	Format	Fatal	<p>The length of the text submitted for a free-form text item must not exceed the maximum length specified for that item.</p> <p>Items: HHA_AGENCY_ID Assigned agency submission ID SFW_NAME Software vendor company name SFW_EMAIL_ADR Software vendor email address SFW_PROD_NAME Software product name SFW_PROD_VRSN_CD Software product version code ACY_DOC_CD Document ID code (agency use) SUBM_HIPPS_CODE HIPPS group code: submitted SUBM_HIPPS_VERSION HIPPS version code: submitted M0016_BRANCH_ID Branch ID M0020_PAT_ID Patient ID number M0040_PAT_FNAME Patient's first name M0040_PAT_MI Patient's middle initial M0040_PAT_LNAME Patient's last name M0040_PAT_SUFFIX Patient's suffix M0063_MEDICARE_NUM Medicare number, including suffix M0065_MEDICAID_NUM Medicaid number</p>
-3220	Consistency	Fatal	<p>If SFW_PROD_NAME is equal to [^], then SFW_PROD_VRSN_CD must be equal to [^].</p> <p>Items: SFW_PROD_NAME Software product name SFW_PROD_VRSN_CD Software product version code</p>
-3230	Consistency	Fatal	<p>If SFW_PROD_NAME is not equal to [^], then SFW_PROD_VRSN_CD must not be equal to [^].</p> <p>Items: SFW_PROD_NAME Software product name SFW_PROD_VRSN_CD Software product version code</p>
-3240	Consistency	Fatal	<p>The submission system will recalculate the ISC and compare the recalculated value with the value that is submitted in ITM_SBST_CD. If the recalculated value does not match the value submitted in ITM_SBST_CD, a fatal error will result.</p> <p>Items: ITM_SBST_CD Item subset code</p>

Data Submission Specifications for the OASIS Item Set (V2.30.1)

Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
-3250	Format	Fatal	<p>FORMATTING OF ALPHANUMERIC TEXT ITEMS THAT CAN CONTAIN DASHES, SPACES, AMPERSANDS, AND OTHER SPECIAL CHARACTERS</p> <p>If this item is not equal to one of the special values (if any) that are listed in the Item Values table of the Detailed Data Specifications Report, then it must contain a text string. This text string may contain only the following characters:</p> <p>a) The numeric characters: [0] through [9].</p> <p>b) The letters [A] through [Z] and [a] through [z].</p> <p>c) The character [-].</p> <p>d) The following special characters:</p> <p>[&] (ampersand)</p> <p>[@] (at sign)</p> <p>['] (single quote)</p> <p>[/] (forward slash)</p> <p>[+] (plus sign)</p> <p>[,] (comma)</p> <p>[.] (period)</p> <p>[_] (underscore)</p> <p>e) Embedded spaces (spaces surrounded by any of the characters listed above). For example, [LEGAL TEXT] would be allowed.</p> <p>Items: SFW_NAME Software vendor company name</p> <p>SFW_PROD_NAME Software product name</p>
-3260	Consistency	Fatal	<p>***THIS EDIT WAS DELETED IN V2.30.0***</p> <p>Items: M0030_START_CARE_DT Start of care date</p> <p>M0032_ROC_DT Resumption of care date</p> <p>M0066_PAT_BIRTH_DT Date of birth</p> <p>M0090_INFO_COMPLETED_DT Date assessment completed</p> <p>M0102_PHYSN_ORDRD_SOCROC_DT Physician ordered SOC/ROC date</p> <p>M1005_INP_DISCHARGE_DT Most recent inpatient discharge date</p> <p>M1307_OLDST_STG2_ONST_DT Date of onset of oldest stage 2 pressure ulcer</p> <p>M0906_DC_TRAN_DTH_DT Discharge, transfer, death date</p>
-3261	Consistency	Fatal	<p>DATE ITEM CONSISTENCY: PATTERN 1</p> <p>Each active item in the list below that contains a valid date (not blank) must be in the specified order.</p> <p>If M0032_ROC_DT is equal to [^], then the following rules apply:</p> <p>M0066_PAT_BIRTH_DT <</p> <p>M1005_INP_DISCHARGE_DT <=</p> <p>M0102_PHYSN_ORDRD_SOCROC_DT <=</p> <p>M0030_START_CARE_DT <=</p> <p>M1307_OLDST_STG2_ONST_DT <=</p> <p>M0906 DC TRAN DTH DT <=</p>

Data Submission Specifications for the OASIS Item Set (V2.30.1)
Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
			M0090_INFO_COMPLETED_DT <= Current date Items: M0030_START_CARE_DT Start of care date M0032_ROC_DT Resumption of care date M0066_PAT_BIRTH_DT Date of birth M0090_INFO_COMPLETED_DT Date assessment completed M0102_PHYSN_ORDRD_SOCROC_DT Physician ordered SOC/ROC date M1005_INP_DISCHARGE_DT Most recent inpatient discharge date M1307_OLDST_STG2_ONST_DT Date of onset of oldest stage 2 pressure ulcer M0906_DC_TRAN_DTH_DT Discharge, transfer, death date
-3270	Consistency	Fatal	<p>***THIS EDIT WAS DELETED IN V2.30.0***</p> Items: M0030_START_CARE_DT Start of care date M0032_ROC_DT Resumption of care date M0066_PAT_BIRTH_DT Date of birth M0090_INFO_COMPLETED_DT Date assessment completed M0102_PHYSN_ORDRD_SOCROC_DT Physician ordered SOC/ROC date M1005_INP_DISCHARGE_DT Most recent inpatient discharge date M1307_OLDST_STG2_ONST_DT Date of onset of oldest stage 2 pressure ulcer M0906_DC_TRAN_DTH_DT Discharge, transfer, death date
-3271	Consistency	Fatal	<p>DATE ITEM CONSISTENCY: PATTERN 2 Each active item in the list below that contains a valid date (not blank) must be in the specified order. If M0032_ROC_DT is NOT equal to [^], then the following rules apply: M0066_PAT_BIRTH_DT < M0030_START_CARE_DT <= M1005_INP_DISCHARGE_DT <= M0102_PHYSN_ORDRD_SOCROC_DT <= M0032_ROC_DT <= M1307_OLDST_STG2_ONST_DT <= M0906_DC_TRAN_DTH_DT <= M0090_INFO_COMPLETED_DT <= Current date</p> Items: M0030_START_CARE_DT Start of care date M0032_ROC_DT Resumption of care date M0066_PAT_BIRTH_DT Date of birth M0090_INFO_COMPLETED_DT Date assessment completed M0102_PHYSN_ORDRD_SOCROC_DT Physician ordered SOC/ROC date

Data Submission Specifications for the OASIS Item Set (V2.30.1)

Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
			Items: M1005_INP_DISCHARGE_DT Most recent inpatient discharge date M1307_OLDST_STG2_ONST_DT Date of onset of oldest stage 2 pressure ulcer M0906_DC_TRAN_DTH_DT Discharge, transfer, death date
-3280	Consistency	Warning	<p>If M0100_ASSMT_REASON=[01] and if M0030_START_CARE_DT and M1005_INP_DISCHARGE_DT are both active and contain valid dates (not [^]), then M0030_START_CARE_DT minus M1005_INP_DISCHARGE_DT should be greater than or equal to zero and less than or equal to 14 days.</p> Items: M0030_START_CARE_DT Start of care date M0100_ASSMT_REASON Reason for assessment M1005_INP_DISCHARGE_DT Most recent inpatient discharge date
-3290	Consistency	Warning	<p>If M0100_ASSMT_REASON=[03] and if M0032_ROC_DT and M1005_INP_DISCHARGE_DT are both active and contain valid dates (not [^]), then M0032_ROC_DT minus M1005_INP_DISCHARGE_DT should be greater than or equal to zero and less than or equal to 14.</p> Items: M0032_ROC_DT Resumption of care date M0100_ASSMT_REASON Reason for assessment M1005_INP_DISCHARGE_DT Most recent inpatient discharge date
-3300	Consistency	Warning	<p>If M0100_ASSMT_REASON=[01] and if M0090_INFO_COMPLETED_DT and M0030_START_CARE_DT are both active and contain valid dates (not [^]), then M0090_INFO_COMPLETED_DT minus M0030_START_CARE_DT should be greater than or equal to zero and less than or equal to 5.</p> Items: M0030_START_CARE_DT Start of care date M0090_INFO_COMPLETED_DT Date assessment completed M0100_ASSMT_REASON Reason for assessment
-3310	Consistency	Warning	<p>If M0100_ASSMT_REASON=[03] and if M0090_INFO_COMPLETED_DT and M0032_ROC_DT are both active and contain valid dates (not [^]), then M0090_INFO_COMPLETED_DT minus M0032_ROC_DT should be greater than or equal to zero and less than or equal to 2.</p> Items: M0032_ROC_DT Resumption of care date M0090_INFO_COMPLETED_DT Date assessment completed M0100_ASSMT_REASON Reason for assessment
-3320	Consistency	Warning	<p>If M0100_ASSMT_REASON=[09] and if M0090_INFO_COMPLETED_DT and M0906_DC_TRAN_DTH_DT are both active and contain valid dates (not [^]), then M0090_INFO_COMPLETED_DT minus M0906_DC_TRAN_DTH_DT should be greater than or equal to zero and less than or equal to 2.</p> Items: M0090_INFO_COMPLETED_DT Date assessment completed M0100_ASSMT_REASON Reason for assessment M0906_DC_TRAN_DTH_DT Discharge, transfer, death date

Data Submission Specifications for the OASIS Item Set (V2.30.1)

Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
-3330	Consistency	Warning	<p>If TRANS_TYPE_CD=[1] (new record), then submission date minus M0090_INFO_COMPLETED_DT should be less than or equal to 30 days.</p> <p>Items: TRANS_TYPE_CD Transaction type code M0090_INFO_COMPLETED_DT Date assessment completed</p>
-3340	Consistency	Fatal	<p>If TRANS_TYPE_CD=[1], then CORRECTION_NUM must equal [00].</p> <p>Items: TRANS_TYPE_CD Transaction type code CORRECTION_NUM Correction number</p>
-3341	Consistency	Fatal	<p>If TRANS_TYPE_CD=[2,3], then CORRECTION_NUM must not equal [00].</p> <p>Items: TRANS_TYPE_CD Transaction type code CORRECTION_NUM Correction number</p>
-3390	Consistency	Fatal	<p>PATIENT AGE</p> <p>a) Patient age at the time the assessment was completed cannot be more than 140 years.</p> <p>b) Patient age at the time the assessment was completed cannot be less than 18 years.</p> <p>c) If M0066_PAT_BIRTH_DT is equal to [-----], then age cannot be computed and this edit does not apply.</p> <p>Patient age is computed as follows:</p> <p>1) If both the month and day in M0066_PAT_BIRTH_DT are unknown, replace the month with "07" and the day with "02" for the purpose of calculating age.</p> <p>2) If only the day in M0066_PAT_BIRTH_DT is unknown, replace the day with the "15" for the purpose of calculating age.</p> <p>3) Provisionally compute age (in years) by subtracting the year in M0066_PAT_BIRTH_DT from the year in M0090_INFO_COMPLETED_DT.</p> <p>4) If the month in M0090_INFO_COMPLETED_DT is less than the month in M0066_PAT_BIRTH_DT, then subtract 1 from the provisional age computed in (3) above.</p> <p>5) If the month in M0090_INFO_COMPLETED_DT is equal to the month in M0066_PAT_BIRTH_DT and if the day in M0090_INFO_COMPLETED_DT is less than the day in M0066_PAT_BIRTH_DT, then subtract 1 from the provisional age computed in (3) above.</p> <p>Items: M0066_PAT_BIRTH_DT Date of birth M0090_INFO_COMPLETED_DT Date assessment completed</p>
-3410	Consistency	Fatal	<p>If M0016_BRANCH_ID contains a standard branch ID (i.e., is not equal to [N] or [P]), then M0014_BRANCH_STATE must not equal [^].</p> <p>Items: M0014_BRANCH_STATE Branch state M0016_BRANCH_ID Branch ID</p>

Data Submission Specifications for the OASIS Item Set (V2.30.1)

Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
-3420	Consistency	Fatal	<p>If M0016_BRANCH_ID is equal to [N] or [P], then M0014_BRANCH_STATE must equal [^].</p> <p>Items: M0014_BRANCH_STATE Branch state M0016_BRANCH_ID Branch ID</p>
-3430	Format	Fatal	<p>The patient ZIP code must be either 5 or 9 bytes in length. Do not include a dash if a ZIP+4 code is submitted.</p> <p>Items: M0060_PAT_ZIP Patient zip code</p>
-3450	Consistency	Fatal	<p>If M1005_INP_DSCHG_UNKNOWN=[0], then if M1005_INP_DISCHARGE_DT is active it must not equal [^].</p> <p>Items: M1005_INP_DISCHARGE_DT Most recent inpatient discharge date M1005_INP_DSCHG_UNKNOWN Inpatient discharge date unknown</p>
-3460	Consistency	Fatal	<p>If M1005_INP_DSCHG_UNKNOWN=[1], then if M1005_INP_DISCHARGE_DT is active it must equal [^].</p> <p>Items: M1005_INP_DISCHARGE_DT Most recent inpatient discharge date M1005_INP_DSCHG_UNKNOWN Inpatient discharge date unknown</p>
-3470	Consistency	Fatal	<p>If M0018_PHYSICIAN_UK=[0], then if M0018_PHYSICIAN_ID is active it cannot equal [^].</p> <p>Items: M0018_PHYSICIAN_ID Attending physician National Provider ID (NPI) M0018_PHYSICIAN_UK Attending physician NPI: Unknown</p>
-3480	Consistency	Fatal	<p>If M0018_PHYSICIAN_UK=[1], then if M0018_PHYSICIAN_ID is active it must equal [^].</p> <p>Items: M0018_PHYSICIAN_ID Attending physician National Provider ID (NPI) M0018_PHYSICIAN_UK Attending physician NPI: Unknown</p>
-3490	Consistency	Fatal	<p>If M0032_ROC_DT_NA=[0], then if M0032_ROC_DT is active it must not equal [^].</p> <p>Items: M0032_ROC_DT Resumption of care date M0032_ROC_DT_NA No resumption of care date</p>
-3500	Consistency	Fatal	<p>If M0032_ROC_DT_NA=[1], then if M0032_ROC_DT is active it must equal [^].</p> <p>Items: M0032_ROC_DT Resumption of care date M0032_ROC_DT_NA No resumption of care date</p>
-3510	Consistency	Fatal	<p>If M0063_MEDICARE_NA=[0], then if M0063_MEDICARE_NUM is active it must not equal [^].</p> <p>Items: M0063_MEDICARE_NUM Medicare number, including suffix</p>

Data Submission Specifications for the OASIS Item Set (V2.30.1)

Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
			Items: M0063_MEDICARE_NA No Medicare number
-3520	Consistency	Fatal	<p>If M0063_MEDICARE_NA=[1], then if M0063_MEDICARE_NUM is active it must equal [^].</p> <p>Items: M0063_MEDICARE_NUM Medicare number, including suffix M0063_MEDICARE_NA No Medicare number</p>
-3530	Consistency	Fatal	<p>If M0064_SSN_UK=[0], then if M0064_SSN is active it must not equal [^].</p> <p>Items: M0064_SSN Patient's Social Security number M0064_SSN_UK No Social Security number</p>
-3540	Consistency	Fatal	<p>If M0064_SSN_UK=[1], then if M0064_SSN is active it must equal [^].</p> <p>Items: M0064_SSN Patient's Social Security number M0064_SSN_UK No Social Security number</p>
-3550	Consistency	Fatal	<p>If M0065_MEDICAID_NA=[0], then if M0065_MEDICAID_NUM is active it must not equal [^].</p> <p>Items: M0065_MEDICAID_NUM Medicaid number M0065_MEDICAID_NA No Medicaid number</p>
-3560	Consistency	Fatal	<p>If M0065_MEDICAID_NA=[1], then if M0065_MEDICAID_NUM is active it must equal [^].</p> <p>Items: M0065_MEDICAID_NUM Medicaid number M0065_MEDICAID_NA No Medicaid number</p>
-3570	Consistency	Fatal	<p>If M0102_PHYSN_ORDRD_SOCROC_DT is not equal to [^] (contains a valid date), then if M0102_PHYSN_ORDRD_SOCROC_DT_NA is active it must equal [0,^].</p> <p>Items: M0102_PHYSN_ORDRD_SOCROC_DT Physician ordered SOC/ROC date M0102_PHYSN_ORDRD_SOCROC_DT_NA Physician ordered SOC/ROC date - NA</p>
-3580	Consistency	Fatal	<p>If M0102_PHYSN_ORDRD_SOCROC_DT=[^], then if M0102_PHYSN_ORDRD_SOCROC_DT_NA is active it must equal [1].</p> <p>Items: M0102_PHYSN_ORDRD_SOCROC_DT Physician ordered SOC/ROC date M0102_PHYSN_ORDRD_SOCROC_DT_NA Physician ordered SOC/ROC date - NA</p>
-3590	Consistency	Fatal	<p>If M0102_PHYSN_ORDRD_SOCROC_DT is not equal to [^] (contains a valid date), then if M0104_PHYSN_RFRL_DT is active it must equal [^].</p> <p>Items: M0102_PHYSN_ORDRD_SOCROC_DT Physician ordered SOC/ROC date</p>

Data Submission Specifications for the OASIS Item Set (V2.30.1)

Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
			Items: M0104_PHYSN_RFRL_DT Physician date of referral
-3600	Consistency	Fatal	<p>If M0102_PHYSN_ORDRD_SOCROC_DT=[^] then if M0104_PHYSN_RFRL_DT is active it must not equal [^].</p> Items: M0102_PHYSN_ORDRD_SOCROC_DT Physician ordered SOC/ROC date M0104_PHYSN_RFRL_DT Physician date of referral
-3610	Consistency	Fatal	<p>If SUBM_HIPPS_CODE is not equal to [^], then M0110_EPISODE_TIMING must equal [01,02,UK].</p> Items: SUBM_HIPPS_CODE HIPPS group code: submitted M0110_EPISODE_TIMING Episode timing
-3620	Consistency	Fatal	<p>If all items from M0140_ETHNIC_AI_AN through M0140_ETHNIC_WHITE are active, then at least one of these items must equal [1].</p> Items: M0140_ETHNIC_AI_AN Ethnicity: American Indian or Alaska Native M0140_ETHNIC_ASIAN Ethnicity: Asian M0140_ETHNIC_BLACK Ethnicity: Black or African American M0140_ETHNIC_HISP Ethnicity: Hispanic or Latino M0140_ETHNIC_NH_PI Ethnicity: Native Hawaiian/Pacific Islander M0140_ETHNIC_WHITE Ethnicity: White
-3630	Consistency	Fatal	<p>At least one of the following items must equal [1]: M0150_CPAY_MCARE_FFS, M0150_CPAY_MCARE_HMO, M0150_CPAY_MCAID_FFS, or M0150_CPAY_MCAID_HMO. If all of these items are equal to [0], then the patient's care is not paid by Medicare or Medicaid and the assessment will be rejected if it is submitted.</p> Items: M0150_CPAY_MCARE_FFS Payment sources: Medicare fee-for-service M0150_CPAY_MCARE_HMO Payment sources: Medicare HMO/managed care M0150_CPAY_MCAID_FFS Payment sources: Medicaid fee-for-service M0150_CPAY_MCAID_HMO Payment sources: Medicaid HMO/managed care
-3640	Consistency	Fatal	<p>Both M0150_CPAY_NONE and M0150_CPAY_UK must equal [0].</p> Items: M0150_CPAY_NONE Payment sources: no charge for current services M0150_CPAY_UK Payment sources: unknown
-3650	Consistency	Fatal	<p>If M1000_DC_NONE_14_DA=[0], then at least one active item from M1000_DC_LTC_14_DA through M1000_DC_OTH_14_DA must equal [1].</p> Items: M1000_DC_LTC_14_DA Past 14 days: disch from LTC NH M1000_DC_SNF_14_DA Past 14 days: disch from skilled nursing facility M1000_DC_IPPS_14_DA Past 14 days: disch from short stay acute hospital M1000_DC_LTCH_14_DA Past 14 days: disch from long term care hospital

Data Submission Specifications for the OASIS Item Set (V2.30.1)

Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
			<div> <div>Items:</div> <div> M1000_DC_IRF_14_DA M1000_DC_PSYCH_14_DA M1000_DC_OTH_14_DA M1000_DC_NONE_14_DA </div> </div> <div> Past 14 days: disch from inpatient rehab facility Past 14 days: disch from psych hospital or unit Past 14 days: disch from other Past 14 days: not disch from inpatient facility </div>
-3660	Consistency	Fatal	<p>If M1000_DC_NONE_14_DA=[1], then all active items from M1000_DC_LTC_14_DA through M1000_DC_OTH_14_DA must equal [0].</p> <div> <div>Items:</div> <div> M1000_DC_LTC_14_DA M1000_DC_SNF_14_DA M1000_DC_IPPS_14_DA M1000_DC_LTCH_14_DA M1000_DC_IRF_14_DA M1000_DC_PSYCH_14_DA M1000_DC_OTH_14_DA M1000_DC_NONE_14_DA </div> </div> <div> Past 14 days: disch from LTC NH Past 14 days: disch from skilled nursing facility Past 14 days: disch from short stay acute hospital Past 14 days: disch from long term care hospital Past 14 days: disch from inpatient rehab facility Past 14 days: disch from psych hospital or unit Past 14 days: disch from other Past 14 days: not disch from inpatient facility </div>
-3880	Consistency	Fatal	<p>If M1030_THH_NONE_ABOVE=[0], then at least one active item from M1030_THH_IV_INFUSION through M1030_THH_ENT_NUTRITION must equal [1].</p> <div> <div>Items:</div> <div> M1030_THH_IV_INFUSION M1030_THH_PAR_NUTRITION M1030_THH_ENT_NUTRITION M1030_THH_NONE_ABOVE </div> </div> <div> Therapies received at home: intravenous, infusion Therapies received at home: parenteral nutrition Therapies received at home: enteral nutrition Therapies received at home: none of the above </div>
-3890	Consistency	Fatal	<p>If M1030_THH_NONE_ABOVE=[1], then all active items from M1030_THH_IV_INFUSION through M1030_THH_ENT_NUTRITION must equal [0].</p> <div> <div>Items:</div> <div> M1030_THH_IV_INFUSION M1030_THH_PAR_NUTRITION M1030_THH_ENT_NUTRITION M1030_THH_NONE_ABOVE </div> </div> <div> Therapies received at home: intravenous, infusion Therapies received at home: parenteral nutrition Therapies received at home: enteral nutrition Therapies received at home: none of the above </div>
-4030	Skip pattern	Fatal	<p>If M1307_OLDST_STG2_AT_DSCHRG=[01,NA], then if M1307_OLDST_STG2_ONST_DT is active it must equal [^].</p> <div> <div>Items:</div> <div> M1307_OLDST_STG2_AT_DSCHRG M1307_OLDST_STG2_ONST_DT </div> </div> <div> Status of oldest stage 2 pressure ulcer at disch Date of onset of oldest stage 2 pressure ulcer </div>
-4040	Skip pattern	Fatal	<p>If M1307_OLDST_STG2_AT_DSCHRG=[02], then if M1307_OLDST_STG2_ONST_DT is active it must not equal [^].</p> <div> <div>Items:</div> <div> M1307_OLDST_STG2_AT_DSCHRG M1307_OLDST_STG2_ONST_DT </div> </div> <div> Status of oldest stage 2 pressure ulcer at disch Date of onset of oldest stage 2 pressure ulcer </div>

Data Submission Specifications for the OASIS Item Set (V2.30.1)
Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
-4131	Consistency	Fatal	<p>***THIS EDIT WAS DELETED IN V2.30.0***</p> <p>Items: M1311_NBR_PRSULC_STG2_A1 Number of Stage 2 Pressure Ulcers M1311_NBR_PRSULC_STG3_B1 Number of Stage 3 Pressure Ulcers M1311_NBR_PRSULC_STG4_C1 Number of Stage 4 Pressure Ulcers M1311_NSTG_CVRG_E1 Unstageable: coverage by slough or eschar M1311_NSTG_DEEP_TSUE_F1 Unstageable: deep tissue injury</p>
-4141	Consistency	Fatal	<p>***THIS EDIT WAS DELETED IN V2.30.0***</p> <p>Items: M1311_NBR_PRSULC_STG2_A1 Number of Stage 2 Pressure Ulcers M1311_NBR_PRSULC_STG3_B1 Number of Stage 3 Pressure Ulcers M1311_NBR_PRSULC_STG4_C1 Number of Stage 4 Pressure Ulcers M1311_NSTG_CVRG_E1 Unstageable: coverage by slough or eschar M1311_NSTG_DEEP_TSUE_F1 Unstageable: deep tissue injury</p>
-4151	Consistency	Fatal	<p>***THIS EDIT WAS DELETED IN V2.30.0***</p> <p>Items: M1311_NBR_PRSULC_STG3_B1 Number of Stage 3 Pressure Ulcers M1311_NBR_PRSULC_STG4_C1 Number of Stage 4 Pressure Ulcers</p>
-4161	Consistency	Fatal	<p>***THIS EDIT WAS DELETED IN V2.30.0***</p> <p>Items: M1311_NBR_PRSULC_STG2_A1 Number of Stage 2 Pressure Ulcers M1311_NBR_PRSULC_STG3_B1 Number of Stage 3 Pressure Ulcers M1311_NBR_PRSULC_STG4_C1 Number of Stage 4 Pressure Ulcers M1311_NSTG_CVRG_E1 Unstageable: coverage by slough or eschar M1311_NSTG_DEEP_TSUE_F1 Unstageable: deep tissue injury</p>
-4170	Consistency	Fatal	<p>If M1324_STG_PRBLM_ULCER=[01], then if M1322_NBR_PRSULC_STG1 is active it must be greater than [00].</p> <p>Items: M1322_NBR_PRSULC_STG1 Number of stage 1 pressure injuries M1324_STG_PRBLM_ULCER Stage of most problematic pressure ulcer/injury</p>
-4181	Consistency	Fatal	<p>If M1324_STG_PRBLM_ULCER=[02], then if M1311_NBR_PRSULC_STG2_A1 is active it must not equal [^] and it must be greater than [00].</p> <p>Items: M1311_NBR_PRSULC_STG2_A1 Number of Stage 2 Pressure Ulcers M1324_STG_PRBLM_ULCER Stage of most problematic pressure ulcer/injury</p>

Data Submission Specifications for the OASIS Item Set (V2.30.1)

Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
-4191	Consistency	Fatal	<p>If M1324_STG_PRBLM_ULCER=[03], then if M1311_NBR_PRSULC_STG3_B1 is active it must not equal [^] and it must be greater than [00].</p> <p>Items: M1311_NBR_PRSULC_STG3_B1 Number of Stage 3 Pressure Ulcers M1324_STG_PRBLM_ULCER Stage of most problematic pressure ulcer/injury</p>
-4201	Consistency	Fatal	<p>If M1324_STG_PRBLM_ULCER=[04], then if M1311_NBR_PRSULC_STG4_C1 is active it must not equal [^] and it must be greater than [00].</p> <p>Items: M1311_NBR_PRSULC_STG4_C1 Number of Stage 4 Pressure Ulcers M1324_STG_PRBLM_ULCER Stage of most problematic pressure ulcer/injury</p>
-4211	Consistency	Fatal	<p>***THIS EDIT WAS DELETED IN V2.30.1***</p> <p>Items: M1311_NBR_PRSULC_STG2_A1 Number of Stage 2 Pressure Ulcers M1311_NBR_PRSULC_STG3_B1 Number of Stage 3 Pressure Ulcers M1311_NBR_PRSULC_STG4_C1 Number of Stage 4 Pressure Ulcers M1322_NBR_PRSULC_STG1 Number of stage 1 pressure injuries M1324_STG_PRBLM_ULCER Stage of most problematic pressure ulcer/injury</p>
-4220	Skip pattern	Fatal	<p>If M1330_STAS_ULCR_PRSNT=[00,03], then all active items from M1332_NBR_STAS_ULCR through M1334_STUS_PRBLM_STAS_ULCR must equal [^].</p> <p>Items: M1330_STAS_ULCR_PRSNT Does this patient have a stasis ulcer M1332_NBR_STAS_ULCR Number of stasis ulcers M1334_STUS_PRBLM_STAS_ULCR Status of most problematic stasis ulcer</p>
-4230	Skip pattern	Fatal	<p>If M1330_STAS_ULCR_PRSNT=[01,02], then all active items from M1332_NBR_STAS_ULCR through M1334_STUS_PRBLM_STAS_ULCR must not equal [^].</p> <p>Items: M1330_STAS_ULCR_PRSNT Does this patient have a stasis ulcer M1332_NBR_STAS_ULCR Number of stasis ulcers M1334_STUS_PRBLM_STAS_ULCR Status of most problematic stasis ulcer</p>
-4240	Skip pattern	Fatal	<p>If M1340_SRGL_WND_PRSNT=[00,02], then if M1342_STUS_PRBLM_SRGL_WND is active it must equal [^].</p> <p>Items: M1340_SRGL_WND_PRSNT Does this patient have a surgical wound M1342_STUS_PRBLM_SRGL_WND Status of most problematic surgical wound</p>
-4250	Skip pattern	Fatal	<p>If M1340_SRGL_WND_PRSNT=[01], then if M1342_STUS_PRBLM_SRGL_WND is active it must not equal [^].</p>

Data Submission Specifications for the OASIS Item Set (V2.30.1)

Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
			Items: M1340_SRGCL_WND_PRSNT Does this patient have a surgical wound M1342_STUS_PRBLM_SRGCL_WND Status of most problematic surgical wound
-4320	Consistency	Fatal	<p>If M0100_ASSMT_REASON=[09], then if M1600_UTI is active it cannot equal [UK].</p> Items: M0100_ASSMT_REASON Reason for assessment M1600_UTI Treated for urinary tract infection past 14 days
-4330	Skip pattern	Fatal	<p>***THIS EDIT WAS DELETED IN V2.30.0***</p> Items: M1610_UR_INCONT Urinary incontinence or urinary catheter present
-4340	Skip pattern	Fatal	<p>***THIS EDIT WAS DELETED IN V2.30.0***</p> Items: M1610_UR_INCONT Urinary incontinence or urinary catheter present
-4350	Consistency	Fatal	<p>If M0100_ASSMT_REASON=[04,05,09], then if M1620_BWL_INCONT is active it cannot equal [UK].</p> Items: M0100_ASSMT_REASON Reason for assessment M1620_BWL_INCONT Bowel incontinence frequency
-4360	Consistency	Fatal	<p>If M1620_BWL_INCONT=[00-05,UK], then if M1630_OSTOMY is active it must equal [00].</p> Items: M1620_BWL_INCONT Bowel incontinence frequency M1630_OSTOMY Ostomy for bowel elimination
-4370	Consistency	Fatal	<p>If M1620_BWL_INCONT=[NA], then if M1630_OSTOMY is active it must equal [01,02].</p> Items: M1620_BWL_INCONT Bowel incontinence frequency M1630_OSTOMY Ostomy for bowel elimination
-4380	Skip pattern	Fatal	<p>If M1730_STDZ_DPRSN_SCRNG=[00,02,03], then all active items from M1730_PHQ2_LACK_INTRST through M1730_PHQ2_DPRSN must equal [^].</p> Items: M1730_STDZ_DPRSN_SCRNG Screened for depression using validated tool M1730_PHQ2_LACK_INTRST PHQ2: little interest or pleasure in doing things M1730_PHQ2_DPRSN PHQ2: feeling down, depressed or hopeless
-4390	Skip pattern	Fatal	<p>If M1730_STDZ_DPRSN_SCRNG=[01], then all active items from M1730_PHQ2_LACK_INTRST through M1730_PHQ2_DPRSN must not equal [^].</p> Items: M1730_STDZ_DPRSN_SCRNG Screened for depression using validated tool

Data Submission Specifications for the OASIS Item Set (V2.30.1)

Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
			Items: M1730_PHQ2_LACK_INTRST PHQ2: little interest or pleasure in doing things M1730_PHQ2_DPRSN PHQ2: feeling down, depressed or hopeless
-4400	Consistency	Fatal	<p>If M1740_BD_NONE=[0], then at least one active item from M1740_BD_MEM_DEFICIT through M1740_BD_DELUSIONS must equal [1].</p> Items: M1740_BD_MEM_DEFICIT Behavior demonstrated: memory deficit M1740_BD_IMP_DECISN Behavior demonstrated: impaired decision-making M1740_BD_VERBAL Behavior demonstrated: verbal disruption M1740_BD_PHYSICAL Behavior demonstrated: physical aggression M1740_BD_SOC_INAPPRO Behavior demonstrated: socially inappropriate M1740_BD_DELUSIONS Behavior demonstrated: delusions M1740_BD_NONE Behavior demonstrated: none of the above
-4410	Consistency	Fatal	<p>If M1740_BD_NONE=[1], then all active items from M1740_BD_MEM_DEFICIT through M1740_BD_DELUSIONS must equal [0].</p> Items: M1740_BD_MEM_DEFICIT Behavior demonstrated: memory deficit M1740_BD_IMP_DECISN Behavior demonstrated: impaired decision-making M1740_BD_VERBAL Behavior demonstrated: verbal disruption M1740_BD_PHYSICAL Behavior demonstrated: physical aggression M1740_BD_SOC_INAPPRO Behavior demonstrated: socially inappropriate M1740_BD_DELUSIONS Behavior demonstrated: delusions M1740_BD_NONE Behavior demonstrated: none of the above
-4421	Skip pattern	Fatal	<p>If M2001_DRUG_RGMN_RVW=[0], then M2003_MDCTN_FLWP must equal [^].</p> Items: M2001_DRUG_RGMN_RVW Drug regimen review M2003_MDCTN_FLWP Medication follow-up
-4431	Skip pattern	Fatal	<p>If M2001_DRUG_RGMN_RVW=[1], then all active items from M2003_MDCTN_FLWP through M2030_CRNT_MGMT_INJCTN_MDCTN must not equal [^].</p> Items: M2001_DRUG_RGMN_RVW Drug regimen review M2003_MDCTN_FLWP Medication follow-up M2010_HIGH_RISK_DRUG_EDCTN Patient/caregiver high risk drug education M2020_CRNT_MGMT_ORAL_MDCTN Current: management of oral medications M2030_CRNT_MGMT_INJCTN_MDCTN Current: management of injectable medications
-4441	Skip pattern	Fatal	<p>If M2001_DRUG_RGMN_RVW=[9], then all active items from M2003_MDCTN_FLWP through M2030_CRNT_MGMT_INJCTN_MDCTN must equal [^].</p> Items: M2001_DRUG_RGMN_RVW Drug regimen review

Data Submission Specifications for the OASIS Item Set (V2.30.1)

Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
			<div> <div>Items:</div> <div> M2003_MDCTN_FLWP M2010_HIGH_RISK_DRUG_EDCTN M2020_CRNT_MGMT_ORAL_MDCTN M2030_CRNT_MGMT_INJCTN_MDCTN </div> </div> <div> Medication follow-up Patient/caregiver high risk drug education Current: management of oral medications Current: management of injectable medications </div>
-4480	Consistency	Fatal	<p>If M0100_ASSMT_REASON=[09] then M2020_CRNT_MGMT_ORAL_MDCTN cannot equal [^].</p> <div> <div>Items:</div> <div> M0100_ASSMT_REASON M2020_CRNT_MGMT_ORAL_MDCTN </div> </div> <div> Reason for assessment Current: management of oral medications </div>
-4490	Consistency	Fatal	<p>If M0100_ASSMT_REASON=[04,05,09], then M2030_CRNT_MGMT_INJCTN_MDCTN cannot equal [^].</p> <div> <div>Items:</div> <div> M0100_ASSMT_REASON M2030_CRNT_MGMT_INJCTN_MDCTN </div> </div> <div> Reason for assessment Current: management of injectable medications </div>
-4510	Skip pattern	Fatal	<p>If M2200_THER_NEED_NA=[0], then if M2200_THER_NEED_NBR is active it must not equal [^].</p> <div> <div>Items:</div> <div> M2200_THER_NEED_NBR M2200_THER_NEED_NA </div> </div> <div> Therapy need: number of visits indicated Therapy need: not applicable </div>
-4520	Skip pattern	Fatal	<p>If M2200_THER_NEED_NA=[1], then if M2200_THER_NEED_NBR is active it must equal [^].</p> <div> <div>Items:</div> <div> M2200_THER_NEED_NBR M2200_THER_NEED_NA </div> </div> <div> Therapy need: number of visits indicated Therapy need: not applicable </div>
-4531	Skip pattern	Fatal	<p>If M2301_EMER_USE_AFTR_LAST_ASMT=[00,UK], then all active items from M2310_ECR_MEDICATION through M2310_ECR_UNKNOWN must equal [^].</p> <div> <div>Items:</div> <div> M2301_EMER_USE_AFTR_LAST_ASMT M2310_ECR_MEDICATION M2310_ECR_HYPOGLYC M2310_ECR_OTHER M2310_ECR_UNKNOWN </div> </div> <div> Emergent care: use since most recent SOC/ROC Emergent care reason: medication Emergent care reason: hypoglycemia/hyperglycemia Emergent care reason: other than above Emergent care reason: unknown </div>
-4541	Skip pattern	Fatal	<p>If M2301_EMER_USE_AFTR_LAST_ASMT=[01,02], then all active items from M2310_ECR_MEDICATION through M2310_ECR_UNKNOWN must not equal [^].</p> <div> <div>Items:</div> <div> M2301_EMER_USE_AFTR_LAST_ASMT M2310_ECR_MEDICATION M2310_ECR_HYPOGLYC M2310_ECR_OTHER M2310_ECR_UNKNOWN </div> </div> <div> Emergent care: use since most recent SOC/ROC Emergent care reason: medication Emergent care reason: hypoglycemia/hyperglycemia Emergent care reason: other than above Emergent care reason: unknown </div>

Data Submission Specifications for the OASIS Item Set (V2.30.1)

Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
-4550	Consistency	Fatal	<p>If M2310_ECR_UNKNOWN=[0], then at least one active item from M2310_ECR_MEDICATION through M2310_ECR_OTHER must equal [1].</p> <p>Items: M2310_ECR_MEDICATION Emergent care reason: medication M2310_ECR_HYPOGLYC Emergent care reason: hypoglycemia/hyperglycemia M2310_ECR_OTHER Emergent care reason: other than above M2310_ECR_UNKNOWN Emergent care reason: unknown</p>
-4560	Consistency	Fatal	<p>If M2310_ECR_UNKNOWN=[1], then all active items from M2310_ECR_MEDICATION through M2310_ECR_OTHER must equal [0].</p> <p>Items: M2310_ECR_MEDICATION Emergent care reason: medication M2310_ECR_HYPOGLYC Emergent care reason: hypoglycemia/hyperglycemia M2310_ECR_OTHER Emergent care reason: other than above M2310_ECR_UNKNOWN Emergent care reason: unknown</p>
-4570	Consistency	Fatal	<p>If M0100_ASSMT_REASON=[09], then if M2410_INPAT_FACILITY is active it must equal [NA].</p> <p>Items: M0100_ASSMT_REASON Reason for assessment M2410_INPAT_FACILITY Inpatient facility</p>
-4580	Consistency	Fatal	<p>If M0100_ASSMT_REASON=[06,07], then if M2410_INPAT_FACILITY is active it must not equal [NA].</p> <p>Items: M0100_ASSMT_REASON Reason for assessment M2410_INPAT_FACILITY Inpatient facility</p>
-4590	Skip pattern	Fatal	<p>***THIS EDIT WAS DELETED IN V2.30.0***</p> <p>Items: M2410_INPAT_FACILITY Inpatient facility</p>
-4600	Skip pattern	Fatal	<p>***THIS EDIT WAS DELETED IN V2.30.0***</p> <p>Items: M2410_INPAT_FACILITY Inpatient facility</p>
-4690	Consistency	Fatal	<p>If the assessment was performed by an HHA which has no branches or by a subunit which has no branches, then M0016_BRANCH_ID must contain [N]. This indicates that the assessment was completed by an HHA or subunit which has no branches.</p> <p>Items: M0016_BRANCH_ID Branch ID</p>
-4700	Consistency	Fatal	<p>If the assessment was performed by the home office of an HHA which has branches or by the home office of a subunit which has branches, then M0016_BRANCH_ID must contain [P]. This indicates that the assessment was completed by the home office (an HHA parent or subunit -- not a branch).</p>

Data Submission Specifications for the OASIS Item Set (V2.30.1)

Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
			Items: M0016_BRANCH_ID Branch ID
-4710	Consistency	Fatal	<p>If M0016_BRANCH_ID does not contain a standard branch ID, [N], or [P], a fatal error will result and the record will be rejected. If a standard branch ID (i.e., not [N,P]) is submitted, then it will be checked against the system table of the HHA's or subunit's current and past branch IDs. If the submitted branch ID does not match a current or past branch ID, then the assessment record will be rejected (i.e., it will result in a fatal error).</p> <p>Items: M0016_BRANCH_ID Branch ID</p>
-4730	Consistency	Fatal	<p>If M0100_ASSMT_REASON=[01], then M0032_ROC_DT_NA must be [1].</p> <p>Items: M0032_ROC_DT_NA No resumption of care date M0100_ASSMT_REASON Reason for assessment</p>
-4740	Consistency	Fatal	<p>If M0100_ASSMT_REASON=[03], then M0032_ROC_DT_NA must be [0].</p> <p>Items: M0032_ROC_DT_NA No resumption of care date M0100_ASSMT_REASON Reason for assessment</p>
-4810	Consistency	Fatal	<p>If SUBM_HIPPS_CODE is not equal to [^], then SUBM_HIPPS_VERSION cannot equal [^] and must match the appropriate HIPPS version code.</p> <p>Items: SUBM_HIPPS_CODE HIPPS group code: submitted SUBM_HIPPS_VERSION HIPPS version code: submitted</p>
-4820	Consistency	Warning	<p>If M0100_ASSMT_REASON is equal to [01,03,04,05], then ASAP will recalculate the SUBM_HIPPS_CODE and SUBM_HIPPS_VERSION and compare the recalculated values with the submitted values. If the submitted values do not match the recalculated values, a warning will be issued.</p> <p>Items: SUBM_HIPPS_CODE HIPPS group code: submitted SUBM_HIPPS_VERSION HIPPS version code: submitted M0100_ASSMT_REASON Reason for assessment</p>
-4850	Consistency	Fatal	<p>If M0150_CPAY_MCARE_FFS=[1], then M0063_MEDICARE_NUM must not equal [^].</p> <p>Items: M0063_MEDICARE_NUM Medicare number, including suffix M0150_CPAY_MCARE_FFS Payment sources: Medicare fee-for-service</p>
-4860	Consistency	Fatal	<p>If M0150_CPAY_MCAID_FFS=[1], then M0065_MEDICAID_NUM must not equal [^].</p> <p>Items: M0065_MEDICAID_NUM Medicaid number M0150_CPAY_MCAID_FFS Payment sources: Medicaid fee-for-service</p>

Data Submission Specifications for the OASIS Item Set (V2.30.1)

Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
-4870	Consistency	Fatal	<p>If the SFW_ID is not equal to [^], then SFW_NAME and SFW_EMAIL_ADR must not equal [^].</p> <p>Items: SFW_ID Software vendor federal employer tax ID SFW_NAME Software vendor company name SFW_EMAIL_ADR Software vendor email address</p>
-4880	Consistency	Fatal	<p>If the SFW_ID is equal to [^], then SFW_NAME and SFW_EMAIL_ADR must equal [^].</p> <p>Items: SFW_ID Software vendor federal employer tax ID SFW_NAME Software vendor company name SFW_EMAIL_ADR Software vendor email address</p>
-4885	Format	Fatal	<p>FORMATTING OF ICD-10 DIAGNOSIS CODES</p> <p>ICD-10 diagnosis codes must conform with the following formatting rules:</p> <p>a) Character 1 must be alphabetic [A-Z,a-z].</p> <p>b) Character 2 must be numeric [0-9].</p> <p>c) Character 3 must be numeric [0-9] or alphabetic [A-Z,a-z].</p> <p>d) Character 4 must be a decimal point.</p> <p>e) Characters 5 through 8 must be numeric [0-9], alphabetic [A-Z,a-z], or caret [^].</p> <p>f) If any character 5 through 8 is equal to [^], all subsequent characters must equal [^].</p> <p>Note that additional formatting rules for particular items may further restrict the range of allowable values in character 1. Also note that an entirely blank ICD code must be submitted as a single caret: [^].</p> <p>Items: M1021_PRIMARY_DIAG_ICD Primary diagnosis ICD code M1023_OTH_DIAG1_ICD Other diagnosis 1: ICD code M1023_OTH_DIAG2_ICD Other diagnosis 2: ICD code M1023_OTH_DIAG3_ICD Other diagnosis 3: ICD code M1023_OTH_DIAG4_ICD Other diagnosis 4: ICD code M1023_OTH_DIAG5_ICD Other diagnosis 5: ICD code</p>
-4900	Format	Fatal	<p>RESTRICTIONS ON ICD-10 DIAGNOSIS CODES</p> <p>Character 1 of the ICD code must not equal [V,W,X,Y,v,w,x,y].</p> <p>Items: M1021_PRIMARY_DIAG_ICD Primary diagnosis ICD code</p>

Data Submission Specifications for the OASIS Item Set (V2.30.1)

Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
-4920	Skip pattern	Fatal	<p>***THIS EDIT WAS DELETED IN V2.30.0***</p> <p>Items: M1000_DC_NONE_14_DA Past 14 days: not disch from inpatient facility M1005_INP_DISCHARGE_DT Most recent inpatient discharge date M1005_INP_DSCHG_UNKNOWN Inpatient discharge date unknown</p>
-4921	Skip pattern	Fatal	<p>If M1000_DC_NONE_14_DA=[1], then M1005_INP_DISCHARGE_DT and M1005_INP_DSCHG_UNKNOWN must equal [^].</p> <p>Items: M1000_DC_NONE_14_DA Past 14 days: not disch from inpatient facility M1005_INP_DISCHARGE_DT Most recent inpatient discharge date M1005_INP_DSCHG_UNKNOWN Inpatient discharge date unknown</p>
-4970	Consistency	Fatal	<p>***THIS EDIT WAS DELETED IN V2.30.0***</p> <p>Items: M1000_DC_LTC_14_DA Past 14 days: disch from LTC NH M1000_DC_SNF_14_DA Past 14 days: disch from skilled nursing facility M1000_DC_IPPS_14_DA Past 14 days: disch from short stay acute hospital M1000_DC_LTCH_14_DA Past 14 days: disch from long term care hospital M1000_DC_IRF_14_DA Past 14 days: disch from inpatient rehab facility M1000_DC_PSYCH_14_DA Past 14 days: disch from psych hospital or unit M1000_DC_OTH_14_DA Past 14 days: disch from other</p>
-4980	Consistency	Fatal	<p>***THIS EDIT WAS DELETED IN V2.30.0***</p> <p>Items: M1000_DC_NONE_14_DA Past 14 days: not disch from inpatient facility</p>
-4990	Consistency	Warning	<p>M1021_PRIMARY_DIAG_SEVERITY should equal [01-04,^]. A warning will be issued if it is equal to [00].</p> <p>Items: M1021_PRIMARY_DIAG_SEVERITY Primary diagnosis severity rating</p>
-5000	Consistency	Fatal	<p>If a value submitted in items M1021_PRIMARY_DIAG_ICD, M1023_OTH_DIAG1_ICD, M1023_OTH_DIAG2_ICD, M1023_OTH_DIAG3_ICD, M1023_OTH_DIAG4_ICD, or M1023_OTH_DIAG5_ICD is not equal to [^], it must not equal (must not duplicate) any value submitted in the remaining items in this list.</p> <p>Items: M1021_PRIMARY_DIAG_ICD Primary diagnosis ICD code M1023_OTH_DIAG1_ICD Other diagnosis 1: ICD code M1023_OTH_DIAG2_ICD Other diagnosis 2: ICD code M1023_OTH_DIAG3_ICD Other diagnosis 3: ICD code M1023_OTH_DIAG4_ICD Other diagnosis 4: ICD code M1023_OTH_DIAG5_ICD Other diagnosis 5: ICD code</p>

Data Submission Specifications for the OASIS Item Set (V2.30.1)

Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
-5030	Consistency	Fatal	<p>***THIS EDIT WAS DELETED IN V2.30.1***</p> <p>Items: M1021_PRIMARY_DIAG_ICD Primary diagnosis ICD code M1023_OTH_DIAG1_ICD Other diagnosis 1: ICD code M1023_OTH_DIAG2_ICD Other diagnosis 2: ICD code M1023_OTH_DIAG3_ICD Other diagnosis 3: ICD code M1023_OTH_DIAG4_ICD Other diagnosis 4: ICD code M1023_OTH_DIAG5_ICD Other diagnosis 5: ICD code</p>
-5050	Consistency	Fatal	<p>If M1033_HOSP_RISK_NONE_ABOVE is equal to [0], then at least one active item from M1033_HOSP_RISK_HSTRY_FALLS through M1033_HOSP_RISK_OTHR_RISK must equal [1].</p> <p>Items: M1033_HOSP_RISK_HSTRY_FALLS Hosp risk: 2+ falls or injury fall in past year M1033_HOSP_RISK_WEIGHT_LOSS Hosp risk: unintentional weight loss M1033_HOSP_RISK_MLTPL_HOSPZTN Hosp risk: 2+ hospitalizations in past 6 months M1033_HOSP_RISK_MLTPL_ED_VISIT Hosp risk: 2+ emergency dept visits in past 6 months M1033_HOSP_RISK_MNTL_BHV_DCLN Hosp risk: decline mental/emotional/behav status M1033_HOSP_RISK_COMPLIANCE Hosp risk: difficulty with medical instructions M1033_HOSP_RISK_5PLUS_MDCTN Hosp risk: taking five or more medications M1033_HOSP_RISK_CRNT_EXHSTN Hosp risk: current exhaustion M1033_HOSP_RISK_OTHR_RISK Hosp risk: other risk(s) not listed M1033_HOSP_RISK_NONE_ABOVE Hosp risk: none of the above</p>
-5060	Consistency	Fatal	<p>If M1033_HOSP_RISK_NONE_ABOVE is equal to [1], then all active items from M1033_HOSP_RISK_HSTRY_FALLS through M1033_HOSP_RISK_OTHR_RISK must equal [0].</p> <p>Items: M1033_HOSP_RISK_HSTRY_FALLS Hosp risk: 2+ falls or injury fall in past year M1033_HOSP_RISK_WEIGHT_LOSS Hosp risk: unintentional weight loss M1033_HOSP_RISK_MLTPL_HOSPZTN Hosp risk: 2+ hospitalizations in past 6 months M1033_HOSP_RISK_MLTPL_ED_VISIT Hosp risk: 2+ emergency dept visits in past 6 months M1033_HOSP_RISK_MNTL_BHV_DCLN Hosp risk: decline mental/emotional/behav status M1033_HOSP_RISK_COMPLIANCE Hosp risk: difficulty with medical instructions M1033_HOSP_RISK_5PLUS_MDCTN Hosp risk: taking five or more medications M1033_HOSP_RISK_CRNT_EXHSTN Hosp risk: current exhaustion M1033_HOSP_RISK_OTHR_RISK Hosp risk: other risk(s) not listed M1033_HOSP_RISK_NONE_ABOVE Hosp risk: none of the above</p>
-5070	Skip pattern	Fatal	<p>If M1041_IN_INFLNZ_SEASON=[1], then if M1046_INFLNZ_RECD_CRNT_SEASON is active it must not equal [^].</p> <p>Items: M1041_IN_INFLNZ_SEASON Does episode include Oct 1 thru Mar 31 M1046_INFLNZ_RECD_CRNT_SEASON Did patient receive influenza vaccine</p>

Data Submission Specifications for the OASIS Item Set (V2.30.1)

Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
-5080	Skip pattern	Fatal	<p>If M1041_IN_INFLNZ_SEASON=[0], then if M1046_INFLNZ_RECD_CRNT_SEASON is active it must equal [^].</p> <p>Items: M1041_IN_INFLNZ_SEASON Does episode include Oct 1 thru Mar 31 M1046_INFLNZ_RECD_CRNT_SEASON Did patient receive influenza vaccine</p>
-5090	Skip pattern	Fatal	<p>If M1051_PVX_RCVD_AGENCY=[0], then if M1056_PVX_RSN_NOT_RCVD_AGENCY is active it must not equal [^].</p> <p>Items: M1051_PVX_RCVD_AGENCY Was pneumococcal vaccine received M1056_PVX_RSN_NOT_RCVD_AGENCY If pneumococcal vacc not received, state reason</p>
-5100	Skip pattern	Fatal	<p>If M1051_PVX_RCVD_AGENCY=[1], then if M1056_PVX_RSN_NOT_RCVD_AGENCY is active it must equal [^].</p> <p>Items: M1051_PVX_RCVD_AGENCY Was pneumococcal vaccine received M1056_PVX_RSN_NOT_RCVD_AGENCY If pneumococcal vacc not received, state reason</p>
-5110	Skip pattern	Fatal	<p>***THIS EDIT WAS DELETED IN V2.30.0***</p> <p>Items: M1306_UNHLD_STG2_PRSR_ULCR Patient has 1+ unhealed PU/injury at stage 2+ M1307_OLDST_STG2_AT_DSCHRG Status of oldest stage 2 pressure ulcer at disch M1307_OLDST_STG2_ONST_DT Date of onset of oldest stage 2 pressure ulcer M1311_NBR_PRSULC_STG2_A1 Number of Stage 2 Pressure Ulcers M1311_NBR_ULC_SOCROC_STG2_A2 Number of Stage 2 pressure ulcers at SOC/ROC M1311_NBR_PRSULC_STG3_B1 Number of Stage 3 Pressure Ulcers M1311_NBR_ULC_SOCROC_STG3_B2 Number of Stage 3 pressure ulcers at SOC/ROC M1311_NBR_PRSULC_STG4_C1 Number of Stage 4 Pressure Ulcers M1311_NBR_ULC_SOCROC_STG4_C2 Number of Stage 4 pressure ulcers at SOC/ROC M1311_NSTG_DRSG_D1 Num unstage pressure ulcer non-remov dress M1311_NSTG_DRSG_SOCROC_D2 Num unstage pressure ulcer non-remov dress SOC/ROC M1311_NSTG_CVRG_E1 Unstageable: coverage by slough or eschar M1311_NSTG_CVRG_SOCROC_E2 Unstageable: coverage by slough or eschar SOC/ROC M1311_NSTG_DEEP_TSUE_F1 Unstageable: deep tissue injury M1311_NSTG_DEEP_TSUE_SOCROC_F2 Unstageable: deep tissue injury SOC/ROC</p>
-5111	Skip pattern	Fatal	<p>If M1306_UNHLD_STG2_PRSR_ULCR=[0], then all active items from M1307_OLDST_STG2_AT_DSCHRG through M1311_NSTG_DEEP_TSUE_SOCROC_F2 must equal [^].</p> <p>Items: M1306_UNHLD_STG2_PRSR_ULCR Patient has 1+ unhealed PU/injury at stage 2+ M1307_OLDST_STG2_AT_DSCHRG Status of oldest stage 2 pressure ulcer at disch M1307_OLDST_STG2_ONST_DT Date of onset of oldest stage 2 pressure ulcer M1311_NBR_PRSULC_STG2_A1 Number of Stage 2 Pressure Ulcers M1311_NBR_ULC_SOCROC_STG2_A2 Number of Stage 2 pressure ulcers at SOC/ROC</p>

Data Submission Specifications for the OASIS Item Set (V2.30.1)

Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
			Items: M1311_NBR_PRSULC_STG3_B1 Number of Stage 3 Pressure Ulcers M1311_NBR_ULC_SOCROC_STG3_B2 Number of Stage 3 pressure ulcers at SOC/ROC M1311_NBR_PRSULC_STG4_C1 Number of Stage 4 Pressure Ulcers M1311_NBR_ULC_SOCROC_STG4_C2 Number of Stage 4 pressure ulcers at SOC/ROC M1311_NSTG_DRSG_D1 Num unstage pressure ulcer non-remov dress M1311_NSTG_DRSG_SOCROC_D2 Num unstage pressure ulcer non-remov dress SOC/ROC M1311_NSTG_CVRG_E1 Unstageable: coverage by slough or eschar M1311_NSTG_CVRG_SOCROC_E2 Unstageable: coverage by slough or eschar SOC/ROC M1311_NSTG_DEEP_TSUE_F1 Unstageable: deep tissue injury M1311_NSTG_DEEP_TSUE_SOCROC_F2 Unstageable: deep tissue injury SOC/ROC
-5121	Skip pattern	Fatal	<p>***THIS EDIT WAS DELETED IN V2.30.0***</p> Items: M1306_UNHLD_STG2_PRSR_ULCR Patient has 1+ unhealed PU/injury at stage 2+ M1307_OLDST_STG2_AT_DSCHRG Status of oldest stage 2 pressure ulcer at disch M1311_NBR_PRSULC_STG2_A1 Number of Stage 2 Pressure Ulcers M1311_NBR_PRSULC_STG3_B1 Number of Stage 3 Pressure Ulcers M1311_NBR_PRSULC_STG4_C1 Number of Stage 4 Pressure Ulcers M1311_NSTG_DRSG_D1 Num unstage pressure ulcer non-remov dress M1311_NSTG_CVRG_E1 Unstageable: coverage by slough or eschar M1311_NSTG_DEEP_TSUE_F1 Unstageable: deep tissue injury
-5122	Skip pattern	Fatal	<p>If M1306_UNHLD_STG2_PRSR_ULCR=[1], then the following items must not equal [^]: M1307_OLDST_STG2_AT_DSCHRG, M1311_NBR_PRSULC_STG2_A1, M1311_NBR_PRSULC_STG3_B1, M1311_NBR_PRSULC_STG4_C1, M1311_NSTG_DRSG_D1, M1311_NSTG_CVRG_E1, M1311_NSTG_DEEP_TSUE_F1.</p> Items: M1306_UNHLD_STG2_PRSR_ULCR Patient has 1+ unhealed PU/injury at stage 2+ M1307_OLDST_STG2_AT_DSCHRG Status of oldest stage 2 pressure ulcer at disch M1311_NBR_PRSULC_STG2_A1 Number of Stage 2 Pressure Ulcers M1311_NBR_PRSULC_STG3_B1 Number of Stage 3 Pressure Ulcers M1311_NBR_PRSULC_STG4_C1 Number of Stage 4 Pressure Ulcers M1311_NSTG_DRSG_D1 Num unstage pressure ulcer non-remov dress M1311_NSTG_CVRG_E1 Unstageable: coverage by slough or eschar M1311_NSTG_DEEP_TSUE_F1 Unstageable: deep tissue injury
-5131	Consistency	Fatal	<p>If M1306_UNHLD_STG2_PRSR_ULCR=[1], then at least one of the following items must be greater than [00]: M1311_NBR_PRSULC_STG2_A1, M1311_NBR_PRSULC_STG3_B1, M1311_NBR_PRSULC_STG4_C1, M1311_NSTG_DRSG_D1, M1311_NSTG_CVRG_E1, M1311_NSTG_DEEP_TSUE_F1.</p> Items: M1306_UNHLD_STG2_PRSR_ULCR Patient has 1+ unhealed PU/injury at stage 2+ M1311_NBR_PRSULC_STG2_A1 Number of Stage 2 Pressure Ulcers

Data Submission Specifications for the OASIS Item Set (V2.30.1)

Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items	
			Items: M1311_NBR_PRSULC_STG3_B1 M1311_NBR_PRSULC_STG4_C1 M1311_NSTG_DRSG_D1 M1311_NSTG_CVRG_E1 M1311_NSTG_DEEP_TSUE_F1	Number of Stage 3 Pressure Ulcers Number of Stage 4 Pressure Ulcers Num unstage pressure ulcer non-remov dress Unstageable: coverage by slough or eschar Unstageable: deep tissue injury
-5141	Consistency	Fatal	<p>***THIS EDIT WAS DELETED IN V2.30.0***</p> Items: M1306_UNHLD_STG2_PRSR_ULCR M1311_NBR_PRSULC_STG2_A1	Patient has 1+ unhealed PU/injury at stage 2+ Number of Stage 2 Pressure Ulcers
-5151	Consistency	Fatal	<p>***THIS EDIT WAS DELETED IN V2.30.0***</p> Items: M1306_UNHLD_STG2_PRSR_ULCR M1311_NBR_PRSULC_STG3_B1	Patient has 1+ unhealed PU/injury at stage 2+ Number of Stage 3 Pressure Ulcers
-5161	Consistency	Fatal	<p>***THIS EDIT WAS DELETED IN V2.30.0***</p> Items: M1306_UNHLD_STG2_PRSR_ULCR M1311_NBR_PRSULC_STG4_C1	Patient has 1+ unhealed PU/injury at stage 2+ Number of Stage 4 Pressure Ulcers
-5200	Consistency	Fatal	<p>If character 1 of the Primary/Other ICD code in Column 2 is equal to [V,W,X,Y,Z,v,w,x,y,z], then the corresponding severity code must equal [^].</p> Items: M1021_PRIMARY_DIAG_ICD M1021_PRIMARY_DIAG_SEVERITY M1023_OTH_DIAG1_ICD M1023_OTH_DIAG1_SEVERITY M1023_OTH_DIAG2_ICD M1023_OTH_DIAG2_SEVERITY M1023_OTH_DIAG3_ICD M1023_OTH_DIAG3_SEVERITY M1023_OTH_DIAG4_ICD M1023_OTH_DIAG4_SEVERITY M1023_OTH_DIAG5_ICD M1023_OTH_DIAG5_SEVERITY	
				Primary diagnosis ICD code Primary diagnosis severity rating Other diagnosis 1: ICD code Other diagnosis 1: severity rating Other diagnosis 2: ICD code Other diagnosis 2: severity rating Other diagnosis 3: ICD code Other diagnosis 3: severity rating Other diagnosis 4: ICD code Other diagnosis 4: severity rating Other diagnosis 5: ICD code Other diagnosis 5: severity rating
-5210	Consistency	Fatal	<p>If the Primary/Other ICD code in Column 2 is NOT equal to [^] AND character 1 of the ICD code is NOT equal to [V,W,X,Y,Z,v,w,x,y,z], then the corresponding severity code must not equal [^].</p> Items: M1021_PRIMARY_DIAG_ICD	
				Primary diagnosis ICD code

Data Submission Specifications for the OASIS Item Set (V2.30.1)

Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
			<div><div>Items:</div><div><div>M1021_PRIMARY_DIAG_SEVERITY</div><div>M1023_OTH_DIAG1_ICD</div><div>M1023_OTH_DIAG1_SEVERITY</div><div>M1023_OTH_DIAG2_ICD</div><div>M1023_OTH_DIAG2_SEVERITY</div><div>M1023_OTH_DIAG3_ICD</div><div>M1023_OTH_DIAG3_SEVERITY</div><div>M1023_OTH_DIAG4_ICD</div><div>M1023_OTH_DIAG4_SEVERITY</div><div>M1023_OTH_DIAG5_ICD</div><div>M1023_OTH_DIAG5_SEVERITY</div></div></div> <div><div>Primary diagnosis severity rating</div><div>Other diagnosis 1: ICD code</div><div>Other diagnosis 1: severity rating</div><div>Other diagnosis 2: ICD code</div><div>Other diagnosis 2: severity rating</div><div>Other diagnosis 3: ICD code</div><div>Other diagnosis 3: severity rating</div><div>Other diagnosis 4: ICD code</div><div>Other diagnosis 4: severity rating</div><div>Other diagnosis 5: ICD code</div><div>Other diagnosis 5: severity rating</div></div>
-5220	Consistency	Fatal	<div><div>If the Primary/Other ICD code in Column 2 is equal to [^], then the corresponding severity code must equal [^].</div><div>Items:</div><div><div>M1021_PRIMARY_DIAG_ICD</div><div>M1021_PRIMARY_DIAG_SEVERITY</div><div>M1023_OTH_DIAG1_ICD</div><div>M1023_OTH_DIAG1_SEVERITY</div><div>M1023_OTH_DIAG2_ICD</div><div>M1023_OTH_DIAG2_SEVERITY</div><div>M1023_OTH_DIAG3_ICD</div><div>M1023_OTH_DIAG3_SEVERITY</div><div>M1023_OTH_DIAG4_ICD</div><div>M1023_OTH_DIAG4_SEVERITY</div><div>M1023_OTH_DIAG5_ICD</div><div>M1023_OTH_DIAG5_SEVERITY</div></div></div> <div><div>Primary diagnosis ICD code</div><div>Primary diagnosis severity rating</div><div>Other diagnosis 1: ICD code</div><div>Other diagnosis 1: severity rating</div><div>Other diagnosis 2: ICD code</div><div>Other diagnosis 2: severity rating</div><div>Other diagnosis 3: ICD code</div><div>Other diagnosis 3: severity rating</div><div>Other diagnosis 4: ICD code</div><div>Other diagnosis 4: severity rating</div><div>Other diagnosis 5: ICD code</div><div>Other diagnosis 5: severity rating</div></div>
-5230	Consistency	Warning	<div><div>***THIS EDIT WAS DELETED IN V2.30.1***</div><div>Items:</div><div><div>M1021_PRIMARY_DIAG_ICD</div><div>M1023_OTH_DIAG1_ICD</div><div>M1023_OTH_DIAG2_ICD</div><div>M1023_OTH_DIAG3_ICD</div><div>M1023_OTH_DIAG4_ICD</div><div>M1023_OTH_DIAG5_ICD</div></div></div> <div><div>Primary diagnosis ICD code</div><div>Other diagnosis 1: ICD code</div><div>Other diagnosis 2: ICD code</div><div>Other diagnosis 3: ICD code</div><div>Other diagnosis 4: ICD code</div><div>Other diagnosis 5: ICD code</div></div>
-5240	Consistency	Warning	<div><div>***THIS EDIT WAS DELETED IN V2.30.1***</div><div>Items:</div><div><div>M1021_PRIMARY_DIAG_ICD</div><div>M1023_OTH_DIAG1_ICD</div><div>M1023_OTH_DIAG2_ICD</div></div></div> <div><div>Primary diagnosis ICD code</div><div>Other diagnosis 1: ICD code</div><div>Other diagnosis 2: ICD code</div></div>

Data Submission Specifications for the OASIS Item Set (V2.30.1)

Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items	
			Items: M1023_OTH_DIAG3_ICD M1023_OTH_DIAG4_ICD M1023_OTH_DIAG5_ICD	Other diagnosis 3: ICD code Other diagnosis 4: ICD code Other diagnosis 5: ICD code
-5250	Consistency	Fatal	<p>***THIS EDIT WAS DELETED IN V2.30.0***</p> <p>Items: M1000_DC_LTC_14_DA M1000_DC_SNF_14_DA M1000_DC_IPPS_14_DA M1000_DC_LTCH_14_DA M1000_DC_IRF_14_DA M1000_DC_PSYCH_14_DA M1000_DC_OTH_14_DA</p>	
				Past 14 days: disch from LTC NH Past 14 days: disch from skilled nursing facility Past 14 days: disch from short stay acute hospital Past 14 days: disch from long term care hospital Past 14 days: disch from inpatient rehab facility Past 14 days: disch from psych hospital or unit Past 14 days: disch from other
-5280	Format	Fatal	<p>The value submitted in M0010_CCN must either be equal to [^] or it must be exactly 6 characters in length.</p> <p>Items: M0010_CCN</p>	
				Facility CMS certification number (CCN)
-5290	Consistency	Fatal	<p>If M0100_ASSMT_REASON=[06,07,08,09], then M0906_DC_TRAN_DTH_DT must not equal [^].</p> <p>Items: M0100_ASSMT_REASON M0906_DC_TRAN_DTH_DT</p>	
				Reason for assessment Discharge, transfer, death date
-5300	Consistency	Fatal	<p>If TRANS_TYPE_CD=[3] (inactivate existing record) and M0100_ASSMT_REASON=[01,03,04,05], then M0906_DC_TRAN_DTH_DT must equal [^].</p> <p>Items: TRANS_TYPE_CD M0100_ASSMT_REASON M0906_DC_TRAN_DTH_DT</p>	
				Transaction type code Reason for assessment Discharge, transfer, death date
-5311	Consistency	Fatal	<p>***THIS EDIT WAS DELETED IN V2.30.0***</p> <p>Items: M1306_UNHLD_STG2_PRSR_ULCR M1311_NSTG_CVRG_E1</p>	
				Patient has 1+ unhealed PU/injury at stage 2+ Unstageable: coverage by slough or eschar
-5320	Consistency	Fatal	<p>If M1000_DC_NONE_14_DA=[0], then if M1005_INP_DSCHG_UNKNOWN is active it must not equal [^].</p> <p>Items: M1000_DC_NONE_14_DA M1005_INP_DSCHG_UNKNOWN</p>	
				Past 14 days: not disch from inpatient facility Inpatient discharge date unknown

Data Submission Specifications for the OASIS Item Set (V2.30.1)

Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
-5340	Consistency	Fatal	<p>If M0104_PHYSN_RFRL_DT is not equal to [^] and if M0100_ASSMT_REASON=[01], then M0104_PHYSN_RFRL_DT must be less than or equal to M0030_START_CARE_DT and must be greater than M0066_PAT_BIRTH_DT.</p> <p>Items: M0030_START_CARE_DT Start of care date M0066_PAT_BIRTH_DT Date of birth M0100_ASSMT_REASON Reason for assessment M0104_PHYSN_RFRL_DT Physician date of referral</p>
-5350	Consistency	Fatal	<p>If M0104_PHYSN_RFRL_DT is not equal to [^] and if M0100_ASSMT_REASON=[03], then M0104_PHYSN_RFRL_DT must be less than or equal to M0032_ROC_DT and must be greater than M0066_PAT_BIRTH_DT.</p> <p>Items: M0032_ROC_DT Resumption of care date M0066_PAT_BIRTH_DT Date of birth M0100_ASSMT_REASON Reason for assessment M0104_PHYSN_RFRL_DT Physician date of referral</p>
-5360	Format	Warning	<p>Version Code Values: The version code submitted should match one of the values listed in the "Item Values" table of the Detailed Data Specifications Report.</p> <p>Items: ITM_SET_VRSN_CD Item set version code</p>
-5370	Consistency	Fatal	<p>***THIS EDIT WAS DELETED IN V2.30.1***</p> <p>Items: M1311_NBR_PRSULC_STG2_A1 Number of Stage 2 Pressure Ulcers M1311_NBR_ULC_SOCROC_STG2_A2 Number of Stage 2 pressure ulcers at SOC/ROC</p>
-5371	Skip pattern	Fatal	<p>(a) If M1311_NBR_PRSULC_STG2_A1=0, then if M1311_NBR_ULC_SOCROC_STG2_A2 is active, it must be equal to [^]. (b) If M1311_NBR_PRSULC_STG2_A1>0, then if M1311_NBR_ULC_SOCROC_STG2_A2 is active, it must not be equal to [^].</p> <p>Items: M1311_NBR_PRSULC_STG2_A1 Number of Stage 2 Pressure Ulcers M1311_NBR_ULC_SOCROC_STG2_A2 Number of Stage 2 pressure ulcers at SOC/ROC</p>
-5372	Consistency	Fatal	<p>If M1311_NBR_PRSULC_STG2_A1 is greater than 0, and M1311_NBR_ULC_SOCROC_STG2_A2 is active, then M1311_NBR_ULC_SOCROC_STG2_A2 must be (a) less than or equal to M1311_NBR_PRSULC_STG2_A1, or (b) equal to dash [-].</p> <p>Items: M1311_NBR_PRSULC_STG2_A1 Number of Stage 2 Pressure Ulcers M1311_NBR_ULC_SOCROC_STG2_A2 Number of Stage 2 pressure ulcers at SOC/ROC</p>
-5373	Consistency	Fatal	<p>If M1311_NBR_PRSULC_STG2_A1=[-], then if M1311_NBR_ULC_SOCROC_STG2_A2 is active, it must be equal to [-].</p> <p>Items: M1311_NBR_PRSULC_STG2_A1 Number of Stage 2 Pressure Ulcers</p>

Data Submission Specifications for the OASIS Item Set (V2.30.1)
Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
-5380	Consistency	Fatal	Items: M1311_NBR_ULC_SOCROC_STG2_A2 Number of Stage 2 pressure ulcers at SOC/ROC
			THIS EDIT WAS DELETED IN V2.30.1
-5381	Skip pattern	Fatal	Items: M1311_NBR_PRSULC_STG3_B1 Number of Stage 3 Pressure Ulcers
			M1311_NBR_ULC_SOCROC_STG3_B2 Number of Stage 3 pressure ulcers at SOC/ROC
-5382	Consistency	Fatal	(a) If M1311_NBR_PRSULC_STG3_B1=0, then if M1311_NBR_ULC_SOCROC_STG3_B2 is active, it must be equal to [^].
			(b) If M1311_NBR_PRSULC_STG3_B1>0, then if M1311_NBR_ULC_SOCROC_STG3_B2 is active, it must not be equal to [^].
-5383	Consistency	Fatal	Items: M1311_NBR_PRSULC_STG3_B1 Number of Stage 3 Pressure Ulcers
			M1311_NBR_ULC_SOCROC_STG3_B2 Number of Stage 3 pressure ulcers at SOC/ROC
-5390	Consistency	Fatal	If M1311_NBR_PRSULC_STG3_B1 is greater than 0, and M1311_NBR_ULC_SOCROC_STG3_B2 is active, then M1311_NBR_ULC_SOCROC_STG3_B2 must be (a) less than or equal to M1311_NBR_PRSULC_STG3_B1, or (b) equal to dash [-].
			Items: M1311_NBR_PRSULC_STG3_B1 Number of Stage 3 Pressure Ulcers
-5391	Skip pattern	Fatal	M1311_NBR_ULC_SOCROC_STG3_B2 Number of Stage 3 pressure ulcers at SOC/ROC
			If M1311_NBR_PRSULC_STG3_B1=[-], then if M1311_NBR_ULC_SOCROC_STG3_B2 is active, it must be equal to [-].
-5392	Consistency	Fatal	Items: M1311_NBR_PRSULC_STG4_C1 Number of Stage 4 Pressure Ulcers
			M1311_NBR_ULC_SOCROC_STG4_C2 Number of Stage 4 pressure ulcers at SOC/ROC
-5393	Skip pattern	Fatal	(a) If M1311_NBR_PRSULC_STG4_C1=0, then if M1311_NBR_ULC_SOCROC_STG4_C2 is active, it must be equal to [^].
			(b) If M1311_NBR_PRSULC_STG4_C1>0, then if M1311_NBR_ULC_SOCROC_STG4_C2 is active, it must not be equal to [^].
-5394	Consistency	Fatal	Items: M1311_NBR_PRSULC_STG4_C1 Number of Stage 4 Pressure Ulcers
			M1311_NBR_ULC_SOCROC_STG4_C2 Number of Stage 4 pressure ulcers at SOC/ROC
-5395	Skip pattern	Fatal	(a) If M1311_NBR_PRSULC_STG4_C1=0, then if M1311_NBR_ULC_SOCROC_STG4_C2 is active, it must be equal to [^].
			(b) If M1311_NBR_PRSULC_STG4_C1>0, then if M1311_NBR_ULC_SOCROC_STG4_C2 is active, it must not be equal to [^].
-5396	Consistency	Fatal	Items: M1311_NBR_PRSULC_STG4_C1 Number of Stage 4 Pressure Ulcers
			M1311_NBR_ULC_SOCROC_STG4_C2 Number of Stage 4 pressure ulcers at SOC/ROC
-5397	Skip pattern	Fatal	(a) If M1311_NBR_PRSULC_STG4_C1=0, then if M1311_NBR_ULC_SOCROC_STG4_C2 is active, it must be equal to [^].
			(b) If M1311_NBR_PRSULC_STG4_C1>0, then if M1311_NBR_ULC_SOCROC_STG4_C2 is active, it must not be equal to [^].
-5398	Consistency	Fatal	Items: M1311_NBR_PRSULC_STG4_C1 Number of Stage 4 Pressure Ulcers
			M1311_NBR_ULC_SOCROC_STG4_C2 Number of Stage 4 pressure ulcers at SOC/ROC
-5399	Skip pattern	Fatal	(a) If M1311_NBR_PRSULC_STG4_C1=0, then if M1311_NBR_ULC_SOCROC_STG4_C2 is active, it must be equal to [^].
			(b) If M1311_NBR_PRSULC_STG4_C1>0, then if M1311_NBR_ULC_SOCROC_STG4_C2 is active, it must not be equal to [^].
-5400	Consistency	Fatal	Items: M1311_NBR_PRSULC_STG4_C1 Number of Stage 4 Pressure Ulcers
			M1311_NBR_ULC_SOCROC_STG4_C2 Number of Stage 4 pressure ulcers at SOC/ROC

Data Submission Specifications for the OASIS Item Set (V2.30.1)

Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
-5393	Consistency	Fatal	<p>If M1311_NBR_PRSULC_STG4_C1=[-], then if M1311_NBR_ULC_SOCROC_STG4_C2 is active, it must be equal to [-].</p> <p>Items: M1311_NBR_PRSULC_STG4_C1 Number of Stage 4 Pressure Ulcers M1311_NBR_ULC_SOCROC_STG4_C2 Number of Stage 4 pressure ulcers at SOC/ROC</p>
-5400	Consistency	Fatal	<p>***THIS EDIT WAS DELETED IN V2.30.1***</p> <p>Items: M1311_NSTG_DRSG_D1 Num unstage pressure ulcer non-remov dress M1311_NSTG_DRSG_SOCROC_D2 Num unstage pressure ulcer non-remov dress SOC/ROC</p>
-5401	Skip pattern	Fatal	<p>(a) If M1311_NSTG_DRSG_D1=0, then if M1311_NSTG_DRSG_SOCROC_D2 is active, it must be equal to [^]. (b) If M1311_NSTG_DRSG_D1>0, then if M1311_NSTG_DRSG_SOCROC_D2 is active, it must not be equal to [^].</p> <p>Items: M1311_NSTG_DRSG_D1 Num unstage pressure ulcer non-remov dress M1311_NSTG_DRSG_SOCROC_D2 Num unstage pressure ulcer non-remov dress SOC/ROC</p>
-5402	Consistency	Fatal	<p>If M1311_NSTG_DRSG_D1 is greater than 0, and M1311_NSTG_DRSG_SOCROC_D2 is active, then M1311_NSTG_DRSG_SOCROC_D2 must be (a) less than or equal to M1311_NSTG_DRSG_D1, or (b) equal to dash [-].</p> <p>Items: M1311_NSTG_DRSG_D1 Num unstage pressure ulcer non-remov dress M1311_NSTG_DRSG_SOCROC_D2 Num unstage pressure ulcer non-remov dress SOC/ROC</p>
-5403	Consistency	Fatal	<p>If M1311_NSTG_DRSG_D1=[-], then if M1311_NSTG_DRSG_SOCROC_D2 is active, it must be equal to [-].</p> <p>Items: M1311_NSTG_DRSG_D1 Num unstage pressure ulcer non-remov dress M1311_NSTG_DRSG_SOCROC_D2 Num unstage pressure ulcer non-remov dress SOC/ROC</p>
-5410	Consistency	Fatal	<p>***THIS EDIT WAS DELETED IN V2.30.1***</p> <p>Items: M1311_NSTG_CVRG_E1 Unstageable: coverage by slough or eschar M1311_NSTG_CVRG_SOCROC_E2 Unstageable: coverage by slough or eschar SOC/ROC</p>
-5411	Skip pattern	Fatal	<p>(a) If M1311_NSTG_CVRG_E1=0, then if M1311_NSTG_CVRG_SOCROC_E2 is active, it must be equal to [^]. (b) If M1311_NSTG_CVRG_E1>0, then if M1311_NSTG_CVRG_SOCROC_E2 is active, it must not be equal to [^].</p> <p>Items: M1311_NSTG_CVRG_E1 Unstageable: coverage by slough or eschar M1311_NSTG_CVRG_SOCROC_E2 Unstageable: coverage by slough or eschar SOC/ROC</p>
-5412	Consistency	Fatal	<p>If M1311_NSTG_CVRG_E1 is greater than 0, and M1311_NSTG_CVRG_SOCROC_E2 is active, then M1311_NSTG_CVRG_SOCROC_E2 must be (a) less than or equal to M1311_NSTG_CVRG_E1, or (b) equal to dash [-].</p> <p>Items: M1311_NSTG_CVRG_E1 Unstageable: coverage by slough or eschar</p>

Data Submission Specifications for the OASIS Item Set (V2.30.1)
Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
			Items: M1311_NSTG_CVRG_SOCROC_E2 Unstageable: coverage by slough or eschar SOC/ROC
-5413	Consistency	Fatal	<p>If M1311_NSTG_CVRG_E1=[-], then if M1311_NSTG_CVRG_SOCROC_E2 is active, it must be equal to [-].</p> <p>Items: M1311_NSTG_CVRG_E1 Unstageable: coverage by slough or eschar M1311_NSTG_CVRG_SOCROC_E2 Unstageable: coverage by slough or eschar SOC/ROC</p>
-5420	Consistency	Fatal	<p>***THIS EDIT WAS DELETED IN V2.30.1***</p> <p>Items: M1311_NSTG_DEEP_TSUE_F1 Unstageable: deep tissue injury M1311_NSTG_DEEP_TSUE_SOCROC_F2 Unstageable: deep tissue injury SOC/ROC</p>
-5421	Skip pattern	Fatal	<p>(a) If M1311_NSTG_DEEP_TSUE_F=0, then if M1311_NSTG_DEEP_TSUE_SOCROC_F2 is active, it must be equal to [^]. (b) If M1311_NSTG_DEEP_TSUE_F1 >0, then if M1311_NSTG_DEEP_TSUE_SOCROC_F2 is active, it must not be equal to [^].</p> <p>Items: M1311_NSTG_DEEP_TSUE_F1 Unstageable: deep tissue injury M1311_NSTG_DEEP_TSUE_SOCROC_F2 Unstageable: deep tissue injury SOC/ROC</p>
-5422	Consistency	Fatal	<p>If M1311_NSTG_DEEP_TSUE_F1 is greater than 0, and M1311_NSTG_DEEP_TSUE_SOCROC_F2 is active, then M1311_NSTG_DEEP_TSUE_SOCROC_F2 must be (a) less than or equal to M1311_NSTG_DEEP_TSUE_F1, or (b) equal to dash [-].</p> <p>Items: M1311_NSTG_DEEP_TSUE_F1 Unstageable: deep tissue injury M1311_NSTG_DEEP_TSUE_SOCROC_F2 Unstageable: deep tissue injury SOC/ROC</p>
-5423	Consistency	Fatal	<p>If M1311_NSTG_DEEP_TSUE_F1=[-], then if M1311_NSTG_DEEP_TSUE_SOCROC_F2 is active, it must be equal to [-].</p> <p>Items: M1311_NSTG_DEEP_TSUE_F1 Unstageable: deep tissue injury M1311_NSTG_DEEP_TSUE_SOCROC_F2 Unstageable: deep tissue injury SOC/ROC</p>
-5430	Consistency	Fatal	<p>***THIS EDIT WAS DELETED IN V2.30.0***</p> <p>Items: M1306_UNHLD_STG2_PRSR_ULCR Patient has 1+ unhealed PU/injury at stage 2+ M1311_NSTG_DRSG_D1 Num unstage pressure ulcer non-remov dress</p>
-5450	Consistency	Fatal	<p>***THIS EDIT WAS DELETED IN V2.30.0***</p> <p>Items: M1306_UNHLD_STG2_PRSR_ULCR Patient has 1+ unhealed PU/injury at stage 2+ M1311_NSTG_DEEP_TSUE_F1 Unstageable: deep tissue injury</p>

Data Submission Specifications for the OASIS Item Set (V2.30.1)

Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
-5460	Consistency	Fatal	<p>The value for M0090_INFO_COMPLETED_DT must be within the allowable date range specified by the value for SPEC_VRSN_CD. The list of SPEC_VRSN_CD values and their corresponding date ranges are provided in the Overview document for the OASIS Data Specifications.</p> <p>Items: SPEC_VRSN_CD Specifications version code M0090_INFO_COMPLETED_DT Date assessment completed</p>
-5470	Consistency	Fatal	<p>If M2001_DRUG_RGMN_RVW=[-], then M2003_MDCTN_FLWP must equal [-].</p> <p>Items: M2001_DRUG_RGMN_RVW Drug regimen review M2003_MDCTN_FLWP Medication follow-up</p>
-5480	Format	Fatal	<p>Incorrect Medicare Number or Medicare Beneficiary Identifier (MBI): This item must conform to one of two possible formats, as defined below: 1) MBI format: The MBI shall be eleven characters in length. The first character must be numeric, excluding zero (0). The second, fifth, eighth and ninth characters must be alphabetic, excluding the following letters: S, L, O, I, B, and Z. The fourth, seventh, tenth and eleventh characters must be numeric. The third and sixth characters must be alphabetic (excluding S, L, O, I, B, and Z) or numeric. 2) Medicare Number format: If the first character is numeric [0 through 9] (SSN), then the first 9 characters must be digits [0 through 9]. If the first character is alphabetic (RR insurance number), then there must be 1, 2, or 3 alphabetic characters followed by 6 or 9 numbers.</p> <p>Items: M0063_MEDICARE_NUM Medicare number, including suffix</p>
-5490	Skip pattern	Fatal	<p>If M2001_DRUG_RGMN_RVW=[0], then M2010_HIGH_RISK_DRUG_EDCTN must not equal [^].</p> <p>Items: M2001_DRUG_RGMN_RVW Drug regimen review M2010_HIGH_RISK_DRUG_EDCTN Patient/caregiver high risk drug education</p>
-5500	Consistency	Fatal	<p>GG0110 Consistency: a) If GG0110Z=[1], then all items from GG0110A through GG0110E must be equal to [0]. b) If GG0110Z=[0], then at least one of the items GG0110A through GG0110E must be equal to [1]. c) If GG0110Z=[-], then at least one item from GG0110A through GG0110E must equal [-], and all remaining items must equal [0,-].</p> <p>Items: GG0110A Prior Device - Manual wheelchair GG0110B Prior Device - Motorized wheelchair and/or scooter GG0110C Prior Device - Mechanical lift GG0110D Prior Device - Walker GG0110E Prior Device - Orthotics/Prosthetics GG0110Z Prior Device - None of the above</p>

Data Submission Specifications for the OASIS Item Set (V2.30.1)

Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items																								
-5510	Consistency	Fatal	<p>Self-Care and Mobility Discharge Goals:</p> <p>At least one of the following Discharge Goal items (GG0130A2, GG0130B2, GG0130C2, GG0170B2, GG0170C_MOBILITY_DSCHG_GOAL, GG0170D2, GG0170E2, GG0170F2, GG0170J2, GG0170K2, GG0170R2, GG0170S2) should be equal to [01,02,03,04,05,06,07,09,10,88].</p> <table><tr><td>Items: GG0130A2</td><td>Eating (Dschg Goal)</td></tr><tr><td>GG0130B2</td><td>Oral Hygiene (Dschrg Goal)</td></tr><tr><td>GG0130C2</td><td>Toileting hygiene (Dschrg Goal)</td></tr><tr><td>GG0170B2</td><td>Sit to lying (Dschrg Goal)</td></tr><tr><td>GG0170C_MOBILITY_DSCHG_GOAL</td><td>Lying to sitting on bed side (Dschrg Goal)</td></tr><tr><td>GG0170D2</td><td>Sit to stand (Dschrg Goal)</td></tr><tr><td>GG0170E2</td><td>Chair/bed-to-chair transfer (Dschrg Goal)</td></tr><tr><td>GG0170F2</td><td>Toilet transfer (Dschrg Goal)</td></tr><tr><td>GG0170J2</td><td>Walk 50 feet with two turns (Dschrg Goal)</td></tr><tr><td>GG0170K2</td><td>Walk 150 feet (Dschrg Goal)</td></tr><tr><td>GG0170R2</td><td>Wheel 50 feet with two turns (Dschrg Goal)</td></tr><tr><td>GG0170S2</td><td>Wheel 150 feet (Dschrg Goal)</td></tr></table>	Items: GG0130A2	Eating (Dschg Goal)	GG0130B2	Oral Hygiene (Dschrg Goal)	GG0130C2	Toileting hygiene (Dschrg Goal)	GG0170B2	Sit to lying (Dschrg Goal)	GG0170C_MOBILITY_DSCHG_GOAL	Lying to sitting on bed side (Dschrg Goal)	GG0170D2	Sit to stand (Dschrg Goal)	GG0170E2	Chair/bed-to-chair transfer (Dschrg Goal)	GG0170F2	Toilet transfer (Dschrg Goal)	GG0170J2	Walk 50 feet with two turns (Dschrg Goal)	GG0170K2	Walk 150 feet (Dschrg Goal)	GG0170R2	Wheel 50 feet with two turns (Dschrg Goal)	GG0170S2	Wheel 150 feet (Dschrg Goal)
Items: GG0130A2	Eating (Dschg Goal)																										
GG0130B2	Oral Hygiene (Dschrg Goal)																										
GG0130C2	Toileting hygiene (Dschrg Goal)																										
GG0170B2	Sit to lying (Dschrg Goal)																										
GG0170C_MOBILITY_DSCHG_GOAL	Lying to sitting on bed side (Dschrg Goal)																										
GG0170D2	Sit to stand (Dschrg Goal)																										
GG0170E2	Chair/bed-to-chair transfer (Dschrg Goal)																										
GG0170F2	Toilet transfer (Dschrg Goal)																										
GG0170J2	Walk 50 feet with two turns (Dschrg Goal)																										
GG0170K2	Walk 150 feet (Dschrg Goal)																										
GG0170R2	Wheel 50 feet with two turns (Dschrg Goal)																										
GG0170S2	Wheel 150 feet (Dschrg Goal)																										
-5520	Skip pattern	Fatal	<p>(a) If GG0170I1=[07,09,10,88], then GG0170J1, GG0170K1, and GG0170L1 must equal [^].</p> <p>(b) If GG0170I1=[06,05,04,03,02,01], then GG0170J1, GG0170K1, and GG0170L1 must not equal [^].</p> <p>(c) If GG0170I1=[-], then GG0170J1, GG0170K1, and GG0170L1 must equal [-].</p> <table><tr><td>Items: GG0170I1</td><td>Walk 10 feet (SOC/ROC Perf)</td></tr><tr><td>GG0170J1</td><td>Walk 50 feet with two turns (SOC/ROC Perf)</td></tr><tr><td>GG0170K1</td><td>Walk 150 feet (SOC/ROC Perf)</td></tr><tr><td>GG0170L1</td><td>Walking 10 feet uneven surf (SOC/ROC Perf)</td></tr></table>	Items: GG0170I1	Walk 10 feet (SOC/ROC Perf)	GG0170J1	Walk 50 feet with two turns (SOC/ROC Perf)	GG0170K1	Walk 150 feet (SOC/ROC Perf)	GG0170L1	Walking 10 feet uneven surf (SOC/ROC Perf)																
Items: GG0170I1	Walk 10 feet (SOC/ROC Perf)																										
GG0170J1	Walk 50 feet with two turns (SOC/ROC Perf)																										
GG0170K1	Walk 150 feet (SOC/ROC Perf)																										
GG0170L1	Walking 10 feet uneven surf (SOC/ROC Perf)																										
-5530	Skip pattern	Fatal	<p>(a) If GG0170I3=[07,09,10,88], then GG0170J3, GG0170K3, and GG0170L3 must equal [^].</p> <p>(b) If GG0170I3=[06,05,04,03,02,01], then GG0170J3, GG0170K3, and GG0170L3 must not equal [^].</p> <p>(c) If GG0170I3=[-], then GG0170J3, GG0170K3, and GG0170L3 must equal [-].</p> <table><tr><td>Items: GG0170I3</td><td>Walk 10 feet (Dschrg Perf)</td></tr><tr><td>GG0170J3</td><td>Walk 50 feet with two turns (Dschrg Perf)</td></tr><tr><td>GG0170K3</td><td>Walk 150 feet (Dschrg Perf)</td></tr><tr><td>GG0170L3</td><td>Walking 10 feet uneven surf (Dschrg Perf)</td></tr></table>	Items: GG0170I3	Walk 10 feet (Dschrg Perf)	GG0170J3	Walk 50 feet with two turns (Dschrg Perf)	GG0170K3	Walk 150 feet (Dschrg Perf)	GG0170L3	Walking 10 feet uneven surf (Dschrg Perf)																
Items: GG0170I3	Walk 10 feet (Dschrg Perf)																										
GG0170J3	Walk 50 feet with two turns (Dschrg Perf)																										
GG0170K3	Walk 150 feet (Dschrg Perf)																										
GG0170L3	Walking 10 feet uneven surf (Dschrg Perf)																										
-5540	Skip pattern	Fatal	<p>(a) If GG0170I4=[07,09,10,88], then GG0170J4 and GG0170L4 must equal [^].</p> <p>(b) If GG0170I4=[06,05,04,03,02,01], then GG0170J4 and GG0170L4 must not equal [^].</p> <p>(c) If GG0170I4=[-], then GG0170J4 and GG0170L4 must equal [-].</p> <table><tr><td>Items: GG0170I4</td><td>Walk 10 feet (Follow-Up Perf)</td></tr><tr><td>GG0170J4</td><td>Walk 50 feet with two turns (Follow-Up Perf)</td></tr></table>	Items: GG0170I4	Walk 10 feet (Follow-Up Perf)	GG0170J4	Walk 50 feet with two turns (Follow-Up Perf)																				
Items: GG0170I4	Walk 10 feet (Follow-Up Perf)																										
GG0170J4	Walk 50 feet with two turns (Follow-Up Perf)																										

Data Submission Specifications for the OASIS Item Set (V2.30.1)
Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
			Items: GG0170L4 Walking 10 feet uneven surf (Follow-Up Perf)
-5550	Skip pattern	Fatal	<p>(a) If GG0170M1=[07,09,10,88], then GG0170N1 must equal [^].</p> <p>(b) If GG0170M1=[06,05,04,03,02,01], then GG0170N1 must not equal [^].</p> <p>(c) If GG0170M1=[-], then GG0170N1 must equal [-].</p> <p>Items: GG0170M1 1 step (curb) (SOC/ROC Perf)</p> <p>GG0170N1 4 steps (SOC/ROC Perf)</p>
-5560	Skip pattern	Fatal	<p>(a) If GG0170M3=[07,09,10,88], then GG0170N3 must equal [^].</p> <p>(b) If GG0170M3=[06,05,04,03,02,01], then GG0170N3 must not equal [^].</p> <p>(c) If GG0170M3=[-], then GG0170N3 must equal [-].</p> <p>Items: GG0170M3 1 step (curb) (Dschr Perf)</p> <p>GG0170N3 4 steps (Dschr Perf)</p>
-5570	Skip pattern	Fatal	<p>(a) If GG0170M4=[07,09,10,88], then GG0170N4 must equal [^].</p> <p>(b) If GG0170M4=[06,05,04,03,02,01], then GG0170N4 must not equal [^].</p> <p>(c) If GG0170M4=[-], then GG0170N4 must equal [-].</p> <p>Items: GG0170M4 1 step (curb) (Follow-Up Perf)</p> <p>GG0170N4 4 steps (Follow-Up Perf)</p>
-5580	Skip pattern	Fatal	<p>(a) If GG0170N1=[07,09,10,88,^], then GG0170O1 must equal [^].</p> <p>(b) If GG0170N1=[06,05,04,03,02,01], then GG0170O1 must not equal [^].</p> <p>(c) If GG0170N1=[-], then GG0170O1 must equal [-].</p> <p>Items: GG0170N1 4 steps (SOC/ROC Perf)</p> <p>GG0170O1 12 steps (SOC/ROC Perf)</p>
-5590	Skip pattern	Fatal	<p>(a) If GG0170N3=[07,09,10,88,^], then GG0170O3 must equal [^].</p> <p>(b) If GG0170N3=[06,05,04,03,02,01], then GG0170O3 must not equal [^].</p> <p>(c) If GG0170N3=[-], then GG0170O3 must equal [-].</p> <p>Items: GG0170N3 4 steps (Dschr Perf)</p> <p>GG0170O3 12 steps (Dschr Perf)</p>
-5600	Skip pattern	Fatal	<p>(a) If GG0170Q1=[0], then the following items must be equal to [^]: GG0170R1, GG0170R2, GG0170RR1, GG0170S1, GG0170S2, GG0170SS1.</p> <p>(b) If GG0170Q1=[1], then the following items must not be equal to [^]: GG0170R1, GG0170R2, GG0170RR1, GG0170S1, GG0170S2, GG0170SS1.</p>

Data Submission Specifications for the OASIS Item Set (V2.30.1)

Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
			(c) If GG0170Q1=[-], then the following items must be equal to [-]: GG0170R1, GG0170R2, GG0170RR1, GG0170S1, GG0170S2, GG0170SS1.
			<div>Items:</div> <div>GG0170Q1</div> <div>GG0170R1</div> <div>GG0170R2</div> <div>GG0170RR1</div> <div>GG0170S1</div> <div>GG0170S2</div> <div>GG0170SS1</div> <div>Use wheelchair and/or scooter (SOC/ROC Perf)</div> <div>Wheel 50 feet with two turns (SOC/ROC Perf)</div> <div>Wheel 50 feet with two turns (DschrG Goal)</div> <div>Type of wheelchair or scooter (SOC/ROC Perf)</div> <div>Wheel 150 feet (SOC/ROC Perf)</div> <div>Wheel 150 feet (DschrG Goal)</div> <div>Type of wheelchair or scooter (SOC/ROC Perf)</div>
-5610	Skip pattern	Fatal	<p>(a) If GG0170Q3=[0], then the following items must be equal to [^]: GG0170R3, GG0170RR3, GG0170S3, GG0170SS3.</p> <p>(b) If GG0170Q3=[1], then the following items must not be equal to [^]: GG0170R3, GG0170RR3, GG0170S3, GG0170SS3.</p> <p>(c) If GG0170Q3=[-], then the following items must be equal to [-]: GG0170R3, GG0170RR3, GG0170S3, GG0170SS3.</p> <div>Items:</div> <div>GG0170Q3</div> <div>GG0170R3</div> <div>GG0170RR3</div> <div>GG0170S3</div> <div>GG0170SS3</div> <div>Use wheelchair and/or scooter (DschrG Perf)</div> <div>Wheel 50 feet with two turns (DschrG Perf)</div> <div>Type of wheelchair or scooter (DschrG Perf)</div> <div>Wheel 150 feet (DschrG Perf)</div> <div>Type of wheelchair or scooter (DschrG Perf)</div>
-5620	Skip pattern	Fatal	<p>(a) If GG0170Q4=[0], then GG0170R4 must be equal to [^].</p> <p>(b) If GG0170Q4=[1], then GG0170R4 must not be equal to [^].</p> <p>(c) If GG0170Q4=[-], then GG0170R4 must be equal to [-].</p> <div>Items:</div> <div>GG0170Q4</div> <div>GG0170R4</div> <div>Use wheelchair and/or scooter (Follow-Up Perf)</div> <div>Wheel 50 feet with two turns (Follow-Up Perf)</div>
-5630	Skip pattern	Fatal	<p>a) If J1800=[0], then all active items from J1900A through J1900C must equal [^].</p> <p>b) If J1800=[1], then all active items from J1900A through J1900C must not equal [^] and at least one of these items must equal [-,1,2].</p> <p>c) If J1800=[-], then all active items from J1900A through J1900C must equal [-].</p> <div>Items:</div> <div>J1800</div> <div>J1900A</div> <div>J1900B</div> <div>J1900C</div> <div>Falls since SOC/ROC: any falls</div> <div>Num falls since SOC/ROC: no injury</div> <div>Num falls since SOC/ROC: injury (except major)</div> <div>Num falls since SOC/ROC: major injury</div>
-5660	Consistency	Fatal	<p>If M0100_ASSMT_REASON=[01,03,04,05], then none of the following items can be equal to [-]:</p> <p>M1311_NBR_PRSULC_STG2_A1, M1311_NBR_PRSULC_STG3_B1, M1311_NBR_PRSULC_STG4_C1, M1311_NSTG_DRSG_D1, M1311_NSTG_CVRG_E1, and M1311_NSTG_DEEP_TSUE_F1.</p> <div>Items:</div> <div>M0100_ASSMT_REASON</div> <div>Reason for assessment</div>

Data Submission Specifications for the OASIS Item Set (V2.30.1)

Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
			Items: M1311_NBR_PRSULC_STG2_A1 Number of Stage 2 Pressure Ulcers M1311_NBR_PRSULC_STG3_B1 Number of Stage 3 Pressure Ulcers M1311_NBR_PRSULC_STG4_C1 Number of Stage 4 Pressure Ulcers M1311_NSTG_DRSG_D1 Num unstage pressure ulcer non-remov dress M1311_NSTG_CVRG_E1 Unstageable: coverage by slough or eschar M1311_NSTG_DEEP_TSUE_F1 Unstageable: deep tissue injury
-5670	Consistency	Fatal	<p>(a) If M1028_ACTV_DIAG_NOA = [0], then at least one of M1028_ACTV_DIAG_PVD_PAD and M1028_ACTV_DIAG_DM must equal [1]. (b) If M1028_ACTV_DIAG_NOA = [1], then M1028_ACTV_DIAG_PVD_PAD and M1028_ACTV_DIAG_DM must equal [0]. (c) If M1028_ACTV_DIAG_NOA = [-], then at least one of M1028_ACTV_DIAG_PVD_PAD and M1028_ACTV_DIAG_DM must equal [-] and the other item must equal [0,-].</p> Items: M1028_ACTV_DIAG_PVD_PAD Active Diagnoses - PVD or PAD M1028_ACTV_DIAG_DM Active Diagnoses - Diabetes Mellitus M1028_ACTV_DIAG_NOA Active Diagnoses - None of the above
-5680	Consistency	Fatal	<p>(a) If M0100_ASSMT_REASON=[01,03,04,05] and M1322_NBR_PRSULC_STG1 = [00], and if M1311_NBR_PRSULC_STG2_A1, M1311_NBR_PRSULC_STG3_B1 and M1311_NBR_PRSULC_STG4_C1 are all equal to [00,^], then M1324_STG_PRBLM_ULCER must be equal to [NA]. (b) If M0100_ASSMT_REASON=[09], and if M1311_NBR_PRSULC_STG2_A1, M1311_NBR_PRSULC_STG3_B1 and M1311_NBR_PRSULC_STG4_C1 are all equal to [00,-,^], then M1324_STG_PRBLM_ULCER must be equal to [1, NA].</p> Items: M0100_ASSMT_REASON Reason for assessment M1311_NBR_PRSULC_STG2_A1 Number of Stage 2 Pressure Ulcers M1311_NBR_PRSULC_STG3_B1 Number of Stage 3 Pressure Ulcers M1311_NBR_PRSULC_STG4_C1 Number of Stage 4 Pressure Ulcers M1322_NBR_PRSULC_STG1 Number of stage 1 pressure injuries M1324_STG_PRBLM_ULCER Stage of most problematic pressure ulcer/injury
-9010	Information	None	<p>Vendor's version number for the software that was used to create the OASIS data submission file.</p> Items: SFW_PROD_VRSN_CD Software product version code
-9020	Information	None	<p>Valid federal tax ID (EIN) for the company that developed the software used to create the OASIS data submission file.</p> Items: SFW_ID Software vendor federal employer tax ID
-9030	Information	None	<p>Name of the software that was used to create the OASIS data submission file.</p> Items: SFW_PROD_NAME Software product name

Data Submission Specifications for the OASIS Item Set (V2.30.1)

Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
-9040	Information	None	<p>Email address of the vendor who created the software that was used to produce the OASIS submission file.</p> <p>Items: SFW_EMAIL_ADR Software vendor email address</p>
-9050	Information	None	<p>Any letters that are contained in this item may be submitted as lower case or upper case, but will be converted and stored as upper case by the ASAP system. System reports will therefore display upper case values.</p> <p>Items: SFW_NAME Software vendor company name SFW_PROD_NAME Software product name SFW_PROD_VRSN_CD Software product version code M0040_PAT_FNAME Patient's first name M0040_PAT_MI Patient's middle initial M0040_PAT_LNAME Patient's last name M0040_PAT_SUFFIX Patient's suffix M0063_MEDICARE_NUM Medicare number, including suffix M0065_MEDICAID_NUM Medicaid number</p>
-9060	Information	None	<p>CALCULATION OF EFFECTIVE DATE</p> <p>a) If M0100_ASSMT_REASON=[01], then ASMT_EFF_DATE is equal to M0030_START_CARE_DT. b) If M0100_ASSMT_REASON=[03], then ASMT_EFF_DATE is equal to M0032_ROC_DT. c) If M0100_ASSMT_REASON=[04,05], then ASMT_EFF_DATE is equal to M0090_INFO_COMPLETED_DT. d) If M0100_ASSMT_REASON=[06,07,08,09], then ASMT_EFF_DATE is equal to M0906_DC_TRAN_DTH_DT.</p> <p>Items: M0030_START_CARE_DT Start of care date M0032_ROC_DT Resumption of care date M0090_INFO_COMPLETED_DT Date assessment completed M0100_ASSMT_REASON Reason for assessment M0906_DC_TRAN_DTH_DT Discharge, transfer, death date ASMT_EFF_DATE Effective date</p>
-9080	Information	None	<p>COMPLETION OF FOLLOW-UP ASSESSMENTS</p> <p>The allowable completion dates for the first and any subsequent follow-up assessments will be calculated relative to the start of care date. Follow-up assessments must be completed every 60 days that a patient is under care. Each time a follow-up assessment is due, it should be completed on or after the 56th day and on or before the 60th day of the period.</p> <p>More formally, the rules can be stated as follows: -Let j be the follow-up period number (i.e., 1=first follow-up period, 2=second follow-up period, etc.). -Let SOC be the start of care date (M0030_START_CARE_DT). -Let FCD be the completion date (M0090 INFO COMPLETED DT) of a follow-up assessment.</p>

Data Submission Specifications for the OASIS Item Set (V2.30.1)

Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
			<p>Given these symbols, the rule for completion of follow-up assessments is as follows: $SOC + (60*j) - 5 \leq FCD \leq SOC + (60*j) - 1$ Where j=1, 2, 3, etc.</p> <p>If a patient is under care by a home health agency during one of the follow-up windows defined above, a follow-up assessment must be submitted. An exception to this rule can occur if a patient resumes care following an inpatient stay and if the resumption of care date (M0032_ROC_DT) falls within one of the follow-up windows. In this case, the home health agency should submit an RFA 03 resumption of care (after inpatient stay) (M0100_ASSMT_REASON=[03]) instead of the normal follow-up assessment. Submission of such a resumption of care assessment fulfills the requirement for the follow-up assessment because it includes all of the data items contained in the normal follow-up assessment.</p> <p>Items: M0030_START_CARE_DT Start of care date M0032_ROC_DT Resumption of care date M0090_INFO_COMPLETED_DT Date assessment completed M0100_ASSMT_REASON Reason for assessment</p>
-9090	Information	None	<p>This is an optional item that can be used by agency for unique identification of record and tracking of records submitted to the ASAP system.</p> <p>Items: ACY_DOC_CD Document ID code (agency use)</p>
-9100	Information	None	<p>If a non-blank value for National Provider ID (NPI) in NATL_PRVDR_ID is submitted, it should represent the NPI of the parent agency, not of any branches if they have separate NPIs. The NPI that is submitted should be the one that is used on the agency's HIPAA billing transactions with CMS.</p> <p>Items: NATL_PRVDR_ID Agency National Provider ID (NPI)</p>
-9110	Information	None	<p>If state law prohibits transmission of certain ICD codes (e.g., HIV or STD diagnoses), these codes will be removed by the ASAP system if found on records submitted by HHAs within that state. If any item within an ICD list contains such a code on a submitted record, it will be removed from the list. If any of these items is removed, but a valid code remains in a subsequent item on the list, the subsequent codes will be "moved up" so that no missing codes remain.</p> <p>Therefore, if a non-blank value is required in an ICD code list and all of the submitted items in that list contain blank and/or prohibited codes, a fatal error will result and the record will be rejected. As long as at least one item in such a list contains a non-blank, correctly-formatted, allowable code, a fatal error will not occur.</p> <p>Items: M1021_PRIMARY_DIAG_ICD Primary diagnosis ICD code M1023_OTH_DIAG1_ICD Other diagnosis 1: ICD code M1023_OTH_DIAG2_ICD Other diagnosis 2: ICD code M1023_OTH_DIAG3_ICD Other diagnosis 3: ICD code M1023_OTH_DIAG4_ICD Other diagnosis 4: ICD code M1023_OTH_DIAG5_ICD Other diagnosis 5: ICD code</p>

Data Submission Specifications for the OASIS Item Set (V2.30.1)

Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
-9130	Information	None	<p>If the agency is located in AS (American Samoa), GU (Guam), or MP (Saipan -- Northern Mariana Islands), then STATE_CD must equal [HI].</p> <p>Items: STATE_CD Agency's state postal code</p>
-9140	Information	None	<p>If the assessment was performed by a branch, then M0016_BRANCH_ID must contain a standard branch ID. It must contain numbers or uppercase letters in bytes 1 and 2, Q in byte 3, numbers or uppercase letters in bytes 4 through 7, and numbers in bytes 8 through 10.</p> <p>Items: M0016_BRANCH_ID Branch ID</p>
-9150	Information	None	<p>If an ICD list contains multiple codes, there should be no intervening items in the list which are equal to [^]. For example, if a 5-item list is populated with 3 ICD codes, those codes should occupy items 1, 2, and 3; items 4 and 5 should be equal to [^].</p> <p>If the ASAP system finds a list which contains intervening items which are equal to [^], the values that are later in the list will be moved up to eliminate the intervening blank [^] item values. Diagnoses are only moved up within the same type of diagnosis, so a secondary diagnosis code will never be moved into an item which is for a primary diagnosis code.</p> <p>Items: M1021_PRIMARY_DIAG_ICD Primary diagnosis ICD code M1023_OTH_DIAG1_ICD Other diagnosis 1: ICD code M1023_OTH_DIAG2_ICD Other diagnosis 2: ICD code M1023_OTH_DIAG3_ICD Other diagnosis 3: ICD code M1023_OTH_DIAG4_ICD Other diagnosis 4: ICD code M1023_OTH_DIAG5_ICD Other diagnosis 5: ICD code</p>
-9160	Information	None	<p>The Item Subset Code (ISC) is a two-character code that indicates the type of record that is being submitted. The set of active items is controlled by the ISC. The ISC is defined as follows: If TRANS_TYPE_CD = [1,2] and M0100_ASSMT_REASON = [01] then ITM_SBST_CD = [01] If TRANS_TYPE_CD = [1,2] and M0100_ASSMT_REASON = [03] then ITM_SBST_CD = [03] If TRANS_TYPE_CD = [1,2] and M0100_ASSMT_REASON = [04] then ITM_SBST_CD = [04] If TRANS_TYPE_CD = [1,2] and M0100_ASSMT_REASON = [05] then ITM_SBST_CD = [05] If TRANS_TYPE_CD = [1,2] and M0100_ASSMT_REASON = [06] then ITM_SBST_CD = [06] If TRANS_TYPE_CD = [1,2] and M0100_ASSMT_REASON = [07] then ITM_SBST_CD = [07] If TRANS_TYPE_CD = [1,2] and M0100_ASSMT_REASON = [08] then ITM_SBST_CD = [08]</p>

Data Submission Specifications for the OASIS Item Set (V2.30.1)

Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
			<p>If TRANS_TYPE_CD = [1,2] and M0100_ASSMT_REASON = [09] then ITM_SBST_CD = [09] If TRANS_TYPE_CD = [3] and M0100_ASSMT_REASON = [01-09] then ITM_SBST_CD = [XX] For a more complete explanation of the meaning and use of the ISC codes, please refer to the documentation that accompanies these data specifications.</p> <p>Items: TRANS_TYPE_CD Transaction type code ITM_SBST_CD Item subset code M0100_ASSMT_REASON Reason for assessment</p>
-9170	Information	None	<p>SUBMITTING ICD-10 DIAGNOSIS CODES If the ICD-10 item is active, it must be submitted as an 8 character, fixed-format string with all blanks replaced with [^], and with a decimal point as the 4th character. The only exception to this rule is that an entirely blank ICD-10 item must be submitted as a single [^]. For example: -The ICD-10 code "A12." would be submitted as [A12.^^^^]. -The ICD-10 code "A12.3" would be submitted as [A12.3^^^^]. -The ICD-10 code "A12.34" would be submitted as [A12.34^^]. -The ICD-10 code "A12.345" would be submitted as [A12.345^] -The ICD-10 code "A12.3456" would be submitted as [A12.3456] -An entirely blank ICD-10 code would be submitted as [^].</p> <p>Items: M1021_PRIMARY_DIAG_ICD Primary diagnosis ICD code M1023_OTH_DIAG1_ICD Other diagnosis 1: ICD code M1023_OTH_DIAG2_ICD Other diagnosis 2: ICD code M1023_OTH_DIAG3_ICD Other diagnosis 3: ICD code M1023_OTH_DIAG4_ICD Other diagnosis 4: ICD code M1023_OTH_DIAG5_ICD Other diagnosis 5: ICD code</p>
-9180	Information	None	<p>When a record is submitted, the ASAP system will determine if the provider has been certified. If the provider is not certified, then the submitted record is considered (processed as) a test record. If the provider is certified, then the submitted record is considered (processed as) a production record. If the record is a production record, then a system edit will reject the record if M0010_CCN is equal to [^].</p> <p>Items: M0010_CCN Facility CMS certification number (CCN)</p>
-9190	Information	None	<p>Rounding of Integer Items: This item should be rounded to the nearest integer. If the value in the tenths decimal place is equal to 0 through 4, round the value down to the nearest integer (i.e., discard the fractional portion of the number). If the value in the tenths decimal place is equal to 5 through 9, round the value up to the next largest integer.</p>

Data Submission Specifications for the OASIS Item Set (V2.30.1)
Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items	
			Items: M1060_HEIGHT_A	Height (in inches)
			M1060_WEIGHT_B	Weight (in pounds)