

Data Submission Specifications for the OASIS Item Set (V2.30.1)

Detailed Data Specifications Report

Section: Emergent Care

Item ID: M2301_EMER_USE_AFTR_LAST_ASMT	2
Item ID: M2310_ECR_MEDICATION	6
Item ID: M2310_ECR_HYPOGLYC	11
Item ID: M2310_ECR_OTHER	16
Item ID: M2310_ECR_UNKNOWN	21

Data Submission Specifications for the OASIS Item Set (V2.30.1)

Detailed Data Specifications Report

Section: Emergent Care

Item ID: M2301_EMER_USE_AFTR_LAST_ASMT

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Emergent care: use since most recent SOC/ROC	Asmt		Code	2	1613-1614

Item Subsets

Active:	06,07,09
Inactive:	01,03,04,05,08,XX

Item Values

Value	LOINC Code	Value Text
00		No
01		Yes, used hospital emergency department WITHOUT hospital admission
02		Yes, used hospital emergency department WITH hospital admission
UK		Unknown

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3060	Format	Fatal	VALUES OF CODE AND CHECKLIST ITEMS Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-4531	Skip pattern	Fatal	If M2301_EMER_USE_AFTR_LAST_ASMT=[00,UK], then all active items from M2310_ECR_MEDICATION through M2310_ECR_UNKNOWN must equal [^].
-4541	Skip pattern	Fatal	If M2301_EMER_USE_AFTR_LAST_ASMT=[01,02], then all active items from M2310_ECR_MEDICATION through M2310_ECR_UNKNOWN must not equal [^].

Changes for Version

Type	ID	Description
Format	-3060	[V2.30.0]-Added mappings to all items in new sections GG and J, as well as new item M1028_ACTV_DIAG_NOA. Removed mappings to the following deleted items: M1011_14_DAY_INP_NA M1017_CHGREG_ICD_NA M1018_PRIOR_CATH M1018_PRIOR_DISRUPTIVE M1018_PRIOR_IMPR_DECSN M1018_PRIOR_INTRACT_PAIN M1018_PRIOR_MEM_LOSS M1018_PRIOR_NOCHG_14D M1018_PRIOR_NONE M1018_PRIOR_UNKNOWN

Data Submission Specifications for the OASIS Item Set (V2.30.1)

Detailed Data Specifications Report

Section: Emergent Care

M1018_PRIOR_UR_INCON
M1034_PTNT_OVRAL_STUS
M1036_RSK_ALCOHOLISM
M1036_RSK_DRUGS
M1036_RSK_NONE
M1036_RSK_OBESITY
M1036_RSK_SMOKING
M1036_RSK_UNKNOWN
M1210_HEARG_ABLTY
M1220_UNDRSTG_VERBAL_CNTNT
M1230_SPEECH
M1240_FRML_PAIN_ASMT
M1300_PRSR_ULCR_RISK_ASMT
M1302_RISK_OF_PRSR_ULCR
M1320_STUS_PRBLM_PRSR_ULCR
M1350_LESION_OPEN_WND
M1410_RESPTX_OXYGEN
M1410_RESPTX_AIRPRESS
M1410_RESPTX_NONE
M1410_RESPTX_VENTILATOR
M1501_SYMTM_HRT_FAILR_PTNTS
M1511_HRT_FAILR_CARE_PLAN_CHG
M1511_HRT_FAILR_CLNCL_INTRVTN
M1511_HRT_FAILR_ER_TRTMT
M1511_HRT_FAILR_NO_ACTN
M1511_HRT_FAILR_PHYSN_CNTCT
M1511_HRT_FAILR_PHYSN_TRTMT
M1615_INCNTNT_TIMING
M1750_REC_PSYCH_NURS
M1880_CRNT_PREP_LT_MEALS
M1890_CRNT_PHONE_USE
M1900_PRIOR_ADLIADL_AMBLTN
M1900_PRIOR_ADLIADL_HSEHOLD
M1900_PRIOR_ADLIADL_SELF
M1900_PRIOR_ADLIADL_TRNSFR
M2040_PRIOR_MGMT_INJCTN_MDCTN
M2040_PRIOR_MGMT_ORAL_MDCTN
M2102_CARE_TYPE_SRC_ADVCY
M2102_CARE_TYPE_SRC_EQUIP
M2102_CARE_TYPE_SRC_IADL
M2110_ADL_IADL_ASTNC_FREQ
M2250_PLAN_SMRY_DBTS_FT_CARE

Data Submission Specifications for the OASIS Item Set (V2.30.1)

Detailed Data Specifications Report

Section: Emergent Care

M2250_PLAN_SMRY_DPRSN_INTRVTN
M2250_PLAN_SMRY_FALL_PRVNT
M2250_PLAN_SMRY_PAIN_INTRVTN
M2250_PLAN_SMRY_PRSULC_PRVNT
M2250_PLAN_SMRY_PRSULC_TRTMT
M2250_PLAN_SMRY_PTNT_SPECF
M2310_ECR_CRDC_DSRTHM
M2310_ECR_CTHTR_CMPLCTN
M2310_ECR_DHYDRTN_MALNTR
M2310_ECR_DVT_PULMNRY
M2310_ECR_GI_PRBLM
M2310_ECR_HRT_FAILR
M2310_ECR_INJRY_BY_FALL
M2310_ECR_MENTL_BHVRL_PRBLM
M2310_ECR_MI_CHST_PAIN
M2310_ECR_OTHR_HRT_DEASE
M2310_ECR_RSPRTRY_INFCTN
M2310_ECR_RSPRTRY_OTHR
M2310_ECR_STROKE_TIA
M2310_ECR_UNCNTLD_PAIN
M2310_ECR_UTI
M2310_ECR_WND_INFCTN_DTRORTN
M2430_HOSP_CRDC_DSRTHM
M2430_HOSP_CTHTR_CMPLCTN
M2430_HOSP_DHYDRTN_MALNTR
M2430_HOSP_DVT_PULMNRY
M2430_HOSP_GI_PRBLM
M2430_HOSP_HRT_FAILR
M2430_HOSP_HYPOGLYC
M2430_HOSP_INJRY_BY_FALL
M2430_HOSP_MED
M2430_HOSP_MENTL_BHVRL_PRBLM
M2430_HOSP_MI_CHST_PAIN
M2430_HOSP_OTHER
M2430_HOSP_OTHR_HRT_DEASE
M2430_HOSP_PAIN
M2430_HOSP_RSPRTRY_INFCTN
M2430_HOSP_RSPRTRY_OTHR
M2430_HOSP_SCHLD_TRTMT
M2430_HOSP_STROKE_TIA
M2430_HOSP_UK
M2430_HOSP_UR_TRACT

Data Submission Specifications for the OASIS Item Set (V2.30.1)

Detailed Data Specifications Report

Section: Emergent Care

Skip pattern	-4531	M2430_HOSP_WND_INFCTN [V2.30.0]-Mappings were removed to the following deleted items: M2310_ECR_CRDC_DSRTM M2310_ECR_CTHTR_CMPLCTN M2310_ECR_DHYDRTN_MALNTR M2310_ECR_DVT_PULMNRY M2310_ECR_GI_PRBLM M2310_ECR_HRT_FAILR M2310_ECR_INJRY_BY_FALL M2310_ECR_MENTL_BHVRL_PRBLM M2310_ECR_MI_CHST_PAIN M2310_ECR_OTHR_HRT_DEASE M2310_ECR_RSPRTRY_INFCTN M2310_ECR_RSPRTRY_OTHR M2310_ECR_STROKE_TIA M2310_ECR_UNCNTLD_PAIN M2310_ECR_UTI M2310_ECR_WND_INFCTN_DTRORTN
Skip pattern	-4541	[V2.30.0]-Mappings were removed to the following deleted items: M2310_ECR_CRDC_DSRTM M2310_ECR_CTHTR_CMPLCTN M2310_ECR_DHYDRTN_MALNTR M2310_ECR_DVT_PULMNRY M2310_ECR_GI_PRBLM M2310_ECR_HRT_FAILR M2310_ECR_INJRY_BY_FALL M2310_ECR_MENTL_BHVRL_PRBLM M2310_ECR_MI_CHST_PAIN M2310_ECR_OTHR_HRT_DEASE M2310_ECR_RSPRTRY_INFCTN M2310_ECR_RSPRTRY_OTHR M2310_ECR_STROKE_TIA M2310_ECR_UNCNTLD_PAIN M2310_ECR_UTI M2310_ECR_WND_INFCTN_DTRORTN

Data Submission Specifications for the OASIS Item Set (V2.30.1)

Detailed Data Specifications Report

Section: Emergent Care

Item ID: M2310_ECR_MEDICATION

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Emergent care reason: medication	Asmt		Code	1	981-981

Item Subsets

Active:	06,07,09
Inactive:	01,03,04,05,08,XX

Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3060	Format	Fatal	VALUES OF CODE AND CHECKLIST ITEMS Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-4550	Consistency	Fatal	If M2310_ECR_UNKNOWN=[0], then at least one active item from M2310_ECR_MEDICATION through M2310_ECR_OTHER must equal [1].
-4560	Consistency	Fatal	If M2310_ECR_UNKNOWN=[1], then all active items from M2310_ECR_MEDICATION through M2310_ECR_OTHER must equal [0].
-4531	Skip pattern	Fatal	If M2301_EMER_USE_AFTR_LAST_ASMT=[00,UK], then all active items from M2310_ECR_MEDICATION through M2310_ECR_UNKNOWN must equal [^].
-4541	Skip pattern	Fatal	If M2301_EMER_USE_AFTR_LAST_ASMT=[01,02], then all active items from M2310_ECR_MEDICATION through M2310_ECR_UNKNOWN must not equal [^].

Changes for Version

Type	ID	Description
Format	-3060	[V2.30.0]-Added mappings to all items in new sections GG and J, as well as new item M1028_ACTV_DIAG_NOA. Removed mappings to the following deleted items: M1011_14_DAY_INP_NA M1017_CHGREG_ICD_NA M1018_PRIOR_CATH M1018_PRIOR_DISRUPTIVE M1018_PRIOR_IMPR_DECSN M1018_PRIOR_INTRACT_PAIN M1018_PRIOR_MEM_LOSS

Data Submission Specifications for the OASIS Item Set (V2.30.1)

Detailed Data Specifications Report

Section: Emergent Care

M1018_PRIOR_NOCHG_14D
M1018_PRIOR_NONE
M1018_PRIOR_UNKNOWN
M1018_PRIOR_UR_INCON
M1034_PTNT_OVRAL_STUS
M1036_RSK_ALCOHOLISM
M1036_RSK_DRUGS
M1036_RSK_NONE
M1036_RSK_OBESITY
M1036_RSK_SMOKING
M1036_RSK_UNKNOWN
M1210_HEARG_ABLTY
M1220_UNDRSTG_VERBAL_CNTNT
M1230_SPEECH
M1240_FRML_PAIN_ASMT
M1300_PRSR_ULCR_RISK_ASMT
M1302_RISK_OF_PRSR_ULCR
M1320_STUS_PRBLM_PRSR_ULCR
M1350_LESION_OPEN_WND
M1410_RESPTX_OXYGEN
M1410_RESPTX_AIRPRESS
M1410_RESPTX_NONE
M1410_RESPTX_VENTILATOR
M1501_SYMTM_HRT_FAILR_PTNTS
M1511_HRT_FAILR_CARE_PLAN_CHG
M1511_HRT_FAILR_CLNCL_INTRVTN
M1511_HRT_FAILR_ER_TRTMT
M1511_HRT_FAILR_NO_ACTN
M1511_HRT_FAILR_PHYSN_CNTCT
M1511_HRT_FAILR_PHYSN_TRTMT
M1615_INCNTNT_TIMING
M1750_REC_PSYCH_NURS
M1880_CRNT_PREP_LT_MEALS
M1890_CRNT_PHONE_USE
M1900_PRIOR_ADLIADL_AMBLTN
M1900_PRIOR_ADLIADL_HSEHOLD
M1900_PRIOR_ADLIADL_SELF
M1900_PRIOR_ADLIADL_TRNSFR
M2040_PRIOR_MGMT_INJCTN_MDCTN
M2040_PRIOR_MGMT_ORAL_MDCTN
M2102_CARE_TYPE_SRC_ADVCY
M2102_CARE_TYPE_SRC_EQUIP

Data Submission Specifications for the OASIS Item Set (V2.30.1)

Detailed Data Specifications Report

Section: Emergent Care

M2102_CARE_TYPE_SRC_IADL
M2110_ADL_IADL_ASTNC_FREQ
M2250_PLAN_SMRY_DBTS_FT_CARE
M2250_PLAN_SMRY_DPRSN_INTRVTN
M2250_PLAN_SMRY_FALL_PRVNT
M2250_PLAN_SMRY_PAIN_INTRVTN
M2250_PLAN_SMRY_PRSULC_PRVNT
M2250_PLAN_SMRY_PRSULC_TRTMT
M2250_PLAN_SMRY_PTNT_SPECF
M2310_ECR_CRDC_DSRTHM
M2310_ECR_CTHTR_CMPLCTN
M2310_ECR_DHYDRTN_MALNTR
M2310_ECR_DVT_PULMNRY
M2310_ECR_GI_PRBLM
M2310_ECR_HRT_FAILR
M2310_ECR_INJRY_BY_FALL
M2310_ECR_MENTL_BHVRL_PRBLM
M2310_ECR_MI_CHST_PAIN
M2310_ECR_OTHR_HRT_DEASE
M2310_ECR_RSPRTRY_INFCTN
M2310_ECR_RSPRTRY_OTHR
M2310_ECR_STROKE_TIA
M2310_ECR_UNCNTLD_PAIN
M2310_ECR_UTI
M2310_ECR_WND_INFCTN_DTRORTN
M2430_HOSP_CRDC_DSRTHM
M2430_HOSP_CTHTR_CMPLCTN
M2430_HOSP_DHYDRTN_MALNTR
M2430_HOSP_DVT_PULMNRY
M2430_HOSP_GI_PRBLM
M2430_HOSP_HRT_FAILR
M2430_HOSP_HYPOGLYC
M2430_HOSP_INJRY_BY_FALL
M2430_HOSP_MED
M2430_HOSP_MENTL_BHVRL_PRBLM
M2430_HOSP_MI_CHST_PAIN
M2430_HOSP_OTHER
M2430_HOSP_OTHR_HRT_DEASE
M2430_HOSP_PAIN
M2430_HOSP_RSPRTRY_INFCTN
M2430_HOSP_RSPRTRY_OTHR
M2430_HOSP_SCHLD_TRTMT

Data Submission Specifications for the OASIS Item Set (V2.30.1)

Detailed Data Specifications Report

Section: Emergent Care

Consistency	-4550	M2430_HOSP_STROKE_TIA M2430_HOSP_UK M2430_HOSP_UR_TRACT M2430_HOSP_WND_INFCTN
		[V2.30.0]-Mappings were removed to the following deleted items: M2310_ECR_CRDC_DSRTM M2310_ECR_CTHTR_CMPLCTN M2310_ECR_DHYDRTN_MALNTR M2310_ECR_DVT_PULMNRY M2310_ECR_GI_PRBLM M2310_ECR_HRT_FAILR M2310_ECR_INJRY_BY_FALL M2310_ECR_MENTL_BHVRL_PRBLM M2310_ECR_MI_CHST_PAIN M2310_ECR_OTHR_HRT_DEASE M2310_ECR_RSPRTRY_INFCTN M2310_ECR_RSPRTRY_OTHR M2310_ECR_STROKE_TIA M2310_ECR_UNCNTLD_PAIN M2310_ECR_UTI
Consistency	-4560	M2310_ECR_WND_INFCTN_DTRORTN
		[V2.30.0]-Mappings were removed to the following deleted items: M2310_ECR_CRDC_DSRTM M2310_ECR_CTHTR_CMPLCTN M2310_ECR_DHYDRTN_MALNTR M2310_ECR_DVT_PULMNRY M2310_ECR_GI_PRBLM M2310_ECR_HRT_FAILR M2310_ECR_INJRY_BY_FALL M2310_ECR_MENTL_BHVRL_PRBLM M2310_ECR_MI_CHST_PAIN M2310_ECR_OTHR_HRT_DEASE M2310_ECR_RSPRTRY_INFCTN M2310_ECR_RSPRTRY_OTHR M2310_ECR_STROKE_TIA M2310_ECR_UNCNTLD_PAIN M2310_ECR_UTI M2310_ECR_WND_INFCTN_DTRORTN

Data Submission Specifications for the OASIS Item Set (V2.30.1)

Detailed Data Specifications Report

Section: Emergent Care

Skip pattern	-4531	[V2.30.0]-Mappings were removed to the following deleted items: M2310_ECR_CRDC_DSRTM M2310_ECR_CTHTR_CMPLCTN M2310_ECR_DHYDRTN_MALNTR M2310_ECR_DVT_PULMNRY M2310_ECR_GI_PRBLM M2310_ECR_HRT_FAILR M2310_ECR_INJRY_BY_FALL M2310_ECR_MENTL_BHVRL_PRBLM M2310_ECR_MI_CHST_PAIN M2310_ECR_OTHR_HRT_DEASE M2310_ECR_RSPRTRY_INFCTN M2310_ECR_RSPRTRY_OTHR M2310_ECR_STROKE_TIA M2310_ECR_UNCNTLD_PAIN M2310_ECR_UTI M2310_ECR_WND_INFCTN_DTRORTN
Skip pattern	-4541	[V2.30.0]-Mappings were removed to the following deleted items: M2310_ECR_CRDC_DSRTM M2310_ECR_CTHTR_CMPLCTN M2310_ECR_DHYDRTN_MALNTR M2310_ECR_DVT_PULMNRY M2310_ECR_GI_PRBLM M2310_ECR_HRT_FAILR M2310_ECR_INJRY_BY_FALL M2310_ECR_MENTL_BHVRL_PRBLM M2310_ECR_MI_CHST_PAIN M2310_ECR_OTHR_HRT_DEASE M2310_ECR_RSPRTRY_INFCTN M2310_ECR_RSPRTRY_OTHR M2310_ECR_STROKE_TIA M2310_ECR_UNCNTLD_PAIN M2310_ECR_UTI M2310_ECR_WND_INFCTN_DTRORTN

Data Submission Specifications for the OASIS Item Set (V2.30.1)

Detailed Data Specifications Report

Section: Emergent Care

Item ID: M2310_ECR_HYPOGLYC

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Emergent care reason: hypoglycemia/hyperglycemia	Asmt		Code	1	990-990

Item Subsets

Active:	06,07,09
Inactive:	01,03,04,05,08,XX

Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3060	Format	Fatal	VALUES OF CODE AND CHECKLIST ITEMS Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-4550	Consistency	Fatal	If M2310_ECR_UNKNOWN=[0], then at least one active item from M2310_ECR_MEDICATION through M2310_ECR_OTHER must equal [1].
-4560	Consistency	Fatal	If M2310_ECR_UNKNOWN=[1], then all active items from M2310_ECR_MEDICATION through M2310_ECR_OTHER must equal [0].
-4531	Skip pattern	Fatal	If M2301 Emergent Care Use After Last Assessment=[00,UK], then all active items from M2310_ECR_MEDICATION through M2310_ECR_UNKNOWN must equal [^].
-4541	Skip pattern	Fatal	If M2301 Emergent Care Use After Last Assessment=[01,02], then all active items from M2310_ECR_MEDICATION through M2310_ECR_UNKNOWN must not equal [^].

Changes for Version

Type	ID	Description
Format	-3060	[V2.30.0]-Added mappings to all items in new sections GG and J, as well as new item M1028_Activ_Diag_NOA. Removed mappings to the following deleted items: M1011_14_DAY_INP_NA M1017_CHGREG_ICD_NA M1018_PRIOR_CATH M1018_PRIOR_DISRUPTIVE M1018_PRIOR_IMPR_DECSN M1018_PRIOR_INTRACT_PAIN M1018_PRIOR_MEM_LOSS

Data Submission Specifications for the OASIS Item Set (V2.30.1)

Detailed Data Specifications Report

Section: Emergent Care

M1018_PRIOR_NOCHG_14D
M1018_PRIOR_NONE
M1018_PRIOR_UNKNOWN
M1018_PRIOR_UR_INCON
M1034_PTNT_OVRAL_STUS
M1036_RSK_ALCOHOLISM
M1036_RSK_DRUGS
M1036_RSK_NONE
M1036_RSK_OBESITY
M1036_RSK_SMOKING
M1036_RSK_UNKNOWN
M1210_HEARG_ABLTY
M1220_UNDRSTG_VERBAL_CNTNT
M1230_SPEECH
M1240_FRML_PAIN_ASMT
M1300_PRSR_ULCR_RISK_ASMT
M1302_RISK_OF_PRSR_ULCR
M1320_STUS_PRBLM_PRSR_ULCR
M1350_LESION_OPEN_WND
M1410_RESPTX_OXYGEN
M1410_RESPTX_AIRPRESS
M1410_RESPTX_NONE
M1410_RESPTX_VENTILATOR
M1501_SYMTM_HRT_FAILR_PTNTS
M1511_HRT_FAILR_CARE_PLAN_CHG
M1511_HRT_FAILR_CLNCL_INTRVTN
M1511_HRT_FAILR_ER_TRTMT
M1511_HRT_FAILR_NO_ACTN
M1511_HRT_FAILR_PHYSN_CNTCT
M1511_HRT_FAILR_PHYSN_TRTMT
M1615_INCNTNT_TIMING
M1750_REC_PSYCH_NURS
M1880_CRNT_PREP_LT_MEALS
M1890_CRNT_PHONE_USE
M1900_PRIOR_ADLIADL_AMBLTN
M1900_PRIOR_ADLIADL_HSEHOLD
M1900_PRIOR_ADLIADL_SELF
M1900_PRIOR_ADLIADL_TRNSFR
M2040_PRIOR_MGMT_INJCTN_MDCTN
M2040_PRIOR_MGMT_ORAL_MDCTN
M2102_CARE_TYPE_SRC_ADVCY
M2102_CARE_TYPE_SRC_EQUIP

Data Submission Specifications for the OASIS Item Set (V2.30.1)

Detailed Data Specifications Report

Section: Emergent Care

M2102_CARE_TYPE_SRC_IADL
M2110_ADL_IADL_ASTNC_FREQ
M2250_PLAN_SMRY_DBTS_FT_CARE
M2250_PLAN_SMRY_DPRSN_INTRVTN
M2250_PLAN_SMRY_FALL_PRVNT
M2250_PLAN_SMRY_PAIN_INTRVTN
M2250_PLAN_SMRY_PRSULC_PRVNT
M2250_PLAN_SMRY_PRSULC_TRTMT
M2250_PLAN_SMRY_PTNT_SPECF
M2310_ECR_CRDC_DSRTHM
M2310_ECR_CTHTR_CMPLCTN
M2310_ECR_DHYDRTN_MALNTR
M2310_ECR_DVT_PULMNRY
M2310_ECR_GI_PRBLM
M2310_ECR_HRT_FAILR
M2310_ECR_INJRY_BY_FALL
M2310_ECR_MENTL_BHVRL_PRBLM
M2310_ECR_MI_CHST_PAIN
M2310_ECR_OTHR_HRT_DEASE
M2310_ECR_RSPRTRY_INFCTN
M2310_ECR_RSPRTRY_OTHR
M2310_ECR_STROKE_TIA
M2310_ECR_UNCNTLD_PAIN
M2310_ECR_UTI
M2310_ECR_WND_INFCTN_DTRORTN
M2430_HOSP_CRDC_DSRTHM
M2430_HOSP_CTHTR_CMPLCTN
M2430_HOSP_DHYDRTN_MALNTR
M2430_HOSP_DVT_PULMNRY
M2430_HOSP_GI_PRBLM
M2430_HOSP_HRT_FAILR
M2430_HOSP_HYPOGLYC
M2430_HOSP_INJRY_BY_FALL
M2430_HOSP_MED
M2430_HOSP_MENTL_BHVRL_PRBLM
M2430_HOSP_MI_CHST_PAIN
M2430_HOSP_OTHER
M2430_HOSP_OTHR_HRT_DEASE
M2430_HOSP_PAIN
M2430_HOSP_RSPRTRY_INFCTN
M2430_HOSP_RSPRTRY_OTHR
M2430_HOSP_SCHLD_TRTMT

Data Submission Specifications for the OASIS Item Set (V2.30.1)

Detailed Data Specifications Report

Section: Emergent Care

		M2430_HOSP_STROKE_TIA
		M2430_HOSP_UK
		M2430_HOSP_UR_TRACT
		M2430_HOSP_WND_INFCTN
Consistency	-4550	[V2.30.0]-Mappings were removed to the following deleted items:
		M2310_ECR_CRDC_DSRTM
		M2310_ECR_CTHTR_CMPLCTN
		M2310_ECR_DHYDRTN_MALNTR
		M2310_ECR_DVT_PULMNRY
		M2310_ECR_GI_PRBLM
		M2310_ECR_HRT_FAILR
		M2310_ECR_INJRY_BY_FALL
		M2310_ECR_MENTL_BHVRL_PRBLM
		M2310_ECR_MI_CHST_PAIN
		M2310_ECR_OTHR_HRT_DEASE
		M2310_ECR_RSPRTRY_INFCTN
		M2310_ECR_RSPRTRY_OTHR
		M2310_ECR_STROKE_TIA
		M2310_ECR_UNCNTLD_PAIN
		M2310_ECR_UTI
		M2310_ECR_WND_INFCTN_DTRORTN
Consistency	-4560	[V2.30.0]-Mappings were removed to the following deleted items:
		M2310_ECR_CRDC_DSRTM
		M2310_ECR_CTHTR_CMPLCTN
		M2310_ECR_DHYDRTN_MALNTR
		M2310_ECR_DVT_PULMNRY
		M2310_ECR_GI_PRBLM
		M2310_ECR_HRT_FAILR
		M2310_ECR_INJRY_BY_FALL
		M2310_ECR_MENTL_BHVRL_PRBLM
		M2310_ECR_MI_CHST_PAIN
		M2310_ECR_OTHR_HRT_DEASE
		M2310_ECR_RSPRTRY_INFCTN
		M2310_ECR_RSPRTRY_OTHR
		M2310_ECR_STROKE_TIA
		M2310_ECR_UNCNTLD_PAIN
		M2310_ECR_UTI
		M2310_ECR_WND_INFCTN_DTRORTN
Skip pattern	-4531	[V2.30.0]-Mappings were removed to the following deleted items:
		M2310_ECR_CRDC_DSRTM
		M2310_ECR_CTHTR_CMPLCTN
		M2310_ECR_DHYDRTN_MALNTR

Data Submission Specifications for the OASIS Item Set (V2.30.1)

Detailed Data Specifications Report

Section: Emergent Care

M2310_ECR_DVT_PULMNRY
M2310_ECR_GI_PRBLM
M2310_ECR_HRT_FAILR
M2310_ECR_INJRY_BY_FALL
M2310_ECR_MENTL_BHVRL_PRBLM
M2310_ECR_MI_CHST_PAIN
M2310_ECR_OTHR_HRT_DEASE
M2310_ECR_RSPRTRY_INFCTN
M2310_ECR_RSPRTRY_OTHR
M2310_ECR_STROKE_TIA
M2310_ECR_UNCNTLD_PAIN
M2310_ECR_UTI
M2310_ECR_WND_INFCTN_DTRORTN
M2310_ECR_CRDC_DSRTHM
M2310_ECR_CTHTR_CMPLCTN
M2310_ECR_DHYDRTN_MALNTR
M2310_ECR_DVT_PULMNRY
M2310_ECR_GI_PRBLM
M2310_ECR_HRT_FAILR
M2310_ECR_INJRY_BY_FALL
M2310_ECR_MENTL_BHVRL_PRBLM
M2310_ECR_MI_CHST_PAIN
M2310_ECR_OTHR_HRT_DEASE
M2310_ECR_RSPRTRY_INFCTN
M2310_ECR_RSPRTRY_OTHR
M2310_ECR_STROKE_TIA
M2310_ECR_UNCNTLD_PAIN
M2310_ECR_UTI
M2310_ECR_WND_INFCTN_DTRORTN

Skip pattern

-4541

[V2.30.0]-Mappings were removed to the following deleted items:

Data Submission Specifications for the OASIS Item Set (V2.30.1)

Detailed Data Specifications Report

Section: Emergent Care

Item ID: M2310_ECR_OTHER

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Emergent care reason: other than above	Asmt		Code	1	999-999

Item Subsets

Active: 06,07,09
Inactive: 01,03,04,05,08,XX

Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3060	Format	Fatal	VALUES OF CODE AND CHECKLIST ITEMS Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-4550	Consistency	Fatal	If M2310_ECR_UNKNOWN=[0], then at least one active item from M2310_ECR_MEDICATION through M2310_ECR_OTHER must equal [1].
-4560	Consistency	Fatal	If M2310_ECR_UNKNOWN=[1], then all active items from M2310_ECR_MEDICATION through M2310_ECR_OTHER must equal [0].
-4531	Skip pattern	Fatal	If M2301 Emergent Use After Last Asmt=[00,UK], then all active items from M2310_ECR_MEDICATION through M2310_ECR_UNKNOWN must equal [^].
-4541	Skip pattern	Fatal	If M2301 Emergent Use After Last Asmt=[01,02], then all active items from M2310_ECR_MEDICATION through M2310_ECR_UNKNOWN must not equal [^].

Changes for Version

Type	ID	Description
Format	-3060	[V2.30.0]-Added mappings to all items in new sections GG and J, as well as new item M1028_Activ_Diag_NOA. Removed mappings to the following deleted items: M1011_14_DAY_INP_NA M1017_CHGREG_ICD_NA M1018_PRIOR_CATH M1018_PRIOR_DISRUPTIVE M1018_PRIOR_IMPR_DECSN M1018_PRIOR_INTRACT_PAIN M1018_PRIOR_MEM_LOSS

Data Submission Specifications for the OASIS Item Set (V2.30.1)

Detailed Data Specifications Report

Section: Emergent Care

M1018_PRIOR_NOCHG_14D
M1018_PRIOR_NONE
M1018_PRIOR_UNKNOWN
M1018_PRIOR_UR_INCON
M1034_PTNT_OVRAL_STUS
M1036_RSK_ALCOHOLISM
M1036_RSK_DRUGS
M1036_RSK_NONE
M1036_RSK_OBESITY
M1036_RSK_SMOKING
M1036_RSK_UNKNOWN
M1210_HEARG_ABLTY
M1220_UNDRSTG_VERBAL_CNTNT
M1230_SPEECH
M1240_FRML_PAIN_ASMT
M1300_PRSR_ULCR_RISK_ASMT
M1302_RISK_OF_PRSR_ULCR
M1320_STUS_PRBLM_PRSR_ULCR
M1350_LESION_OPEN_WND
M1410_RESPTX_OXYGEN
M1410_RESPTX_AIRPRESS
M1410_RESPTX_NONE
M1410_RESPTX_VENTILATOR
M1501_SYMTM_HRT_FAILR_PTNTS
M1511_HRT_FAILR_CARE_PLAN_CHG
M1511_HRT_FAILR_CLNCL_INTRVTN
M1511_HRT_FAILR_ER_TRTMT
M1511_HRT_FAILR_NO_ACTN
M1511_HRT_FAILR_PHYSN_CNTCT
M1511_HRT_FAILR_PHYSN_TRTMT
M1615_INCNTNT_TIMING
M1750_REC_PSYCH_NURS
M1880_CRNT_PREP_LT_MEALS
M1890_CRNT_PHONE_USE
M1900_PRIOR_ADLIADL_AMBLTN
M1900_PRIOR_ADLIADL_HSEHOLD
M1900_PRIOR_ADLIADL_SELF
M1900_PRIOR_ADLIADL_TRNSFR
M2040_PRIOR_MGMT_INJCTN_MDCTN
M2040_PRIOR_MGMT_ORAL_MDCTN
M2102_CARE_TYPE_SRC_ADVCY
M2102_CARE_TYPE_SRC_EQUIP

Data Submission Specifications for the OASIS Item Set (V2.30.1)

Detailed Data Specifications Report

Section: Emergent Care

M2102_CARE_TYPE_SRC_IADL
M2110_ADL_IADL_ASTNC_FREQ
M2250_PLAN_SMRY_DBTS_FT_CARE
M2250_PLAN_SMRY_DPRSN_INTRVTN
M2250_PLAN_SMRY_FALL_PRVNT
M2250_PLAN_SMRY_PAIN_INTRVTN
M2250_PLAN_SMRY_PRSULC_PRVNT
M2250_PLAN_SMRY_PRSULC_TRTMT
M2250_PLAN_SMRY_PTNT_SPECF
M2310_ECR_CRDC_DSRTHM
M2310_ECR_CTHTR_CMPLCTN
M2310_ECR_DHYDRTN_MALNTR
M2310_ECR_DVT_PULMNRY
M2310_ECR_GI_PRBLM
M2310_ECR_HRT_FAILR
M2310_ECR_INJRY_BY_FALL
M2310_ECR_MENTL_BHVRL_PRBLM
M2310_ECR_MI_CHST_PAIN
M2310_ECR_OTHR_HRT_DEASE
M2310_ECR_RSPRTRY_INFCTN
M2310_ECR_RSPRTRY_OTHR
M2310_ECR_STROKE_TIA
M2310_ECR_UNCNTLD_PAIN
M2310_ECR_UTI
M2310_ECR_WND_INFCTN_DTRORTN
M2430_HOSP_CRDC_DSRTHM
M2430_HOSP_CTHTR_CMPLCTN
M2430_HOSP_DHYDRTN_MALNTR
M2430_HOSP_DVT_PULMNRY
M2430_HOSP_GI_PRBLM
M2430_HOSP_HRT_FAILR
M2430_HOSP_HYPOGLYC
M2430_HOSP_INJRY_BY_FALL
M2430_HOSP_MED
M2430_HOSP_MENTL_BHVRL_PRBLM
M2430_HOSP_MI_CHST_PAIN
M2430_HOSP_OTHER
M2430_HOSP_OTHR_HRT_DEASE
M2430_HOSP_PAIN
M2430_HOSP_RSPRTRY_INFCTN
M2430_HOSP_RSPRTRY_OTHR
M2430_HOSP_SCHLD_TRTMT

Data Submission Specifications for the OASIS Item Set (V2.30.1)

Detailed Data Specifications Report

Section: Emergent Care

Consistency	-4550	M2430_HOSP_STROKE_TIA M2430_HOSP_UK M2430_HOSP_UR_TRACT M2430_HOSP_WND_INFCTN
		[V2.30.0]-Mappings were removed to the following deleted items: M2310_ECR_CRDC_DSRTM M2310_ECR_CTHTR_CMPLCTN M2310_ECR_DHYDRTN_MALNTR M2310_ECR_DVT_PULMNRY M2310_ECR_GI_PRBLM M2310_ECR_HRT_FAILR M2310_ECR_INJRY_BY_FALL M2310_ECR_MENTL_BHVRL_PRBLM M2310_ECR_MI_CHST_PAIN M2310_ECR_OTHR_HRT_DEASE M2310_ECR_RSPRTRY_INFCTN M2310_ECR_RSPRTRY_OTHR M2310_ECR_STROKE_TIA M2310_ECR_UNCNTLD_PAIN M2310_ECR_UTI M2310_ECR_WND_INFCTN_DTRORTN
Consistency	-4560	[V2.30.0]-Mappings were removed to the following deleted items: M2310_ECR_CRDC_DSRTM M2310_ECR_CTHTR_CMPLCTN M2310_ECR_DHYDRTN_MALNTR M2310_ECR_DVT_PULMNRY M2310_ECR_GI_PRBLM M2310_ECR_HRT_FAILR M2310_ECR_INJRY_BY_FALL M2310_ECR_MENTL_BHVRL_PRBLM M2310_ECR_MI_CHST_PAIN M2310_ECR_OTHR_HRT_DEASE M2310_ECR_RSPRTRY_INFCTN M2310_ECR_RSPRTRY_OTHR M2310_ECR_STROKE_TIA M2310_ECR_UNCNTLD_PAIN M2310_ECR_UTI M2310_ECR_WND_INFCTN_DTRORTN
		[V2.30.0]-Mappings were removed to the following deleted items: M2310_ECR_CRDC_DSRTM M2310_ECR_CTHTR_CMPLCTN M2310_ECR_DHYDRTN_MALNTR
Skip pattern	-4531	

Data Submission Specifications for the OASIS Item Set (V2.30.1)

Detailed Data Specifications Report

Section: Emergent Care

M2310_ECR_DVT_PULMNRY
M2310_ECR_GI_PRBLM
M2310_ECR_HRT_FAILR
M2310_ECR_INJRY_BY_FALL
M2310_ECR_MENTL_BHVRL_PRBLM
M2310_ECR_MI_CHST_PAIN
M2310_ECR_OTHR_HRT_DEASE
M2310_ECR_RSPRTRY_INFCTN
M2310_ECR_RSPRTRY_OTHR
M2310_ECR_STROKE_TIA
M2310_ECR_UNCNTLD_PAIN
M2310_ECR_UTI
M2310_ECR_WND_INFCTN_DTRORTN

Skip pattern

-4541

[V2.30.0]-Mappings were removed to the following deleted items:

M2310_ECR_CRDC_DSRTHM
M2310_ECR_CTHTR_CMPLCTN
M2310_ECR_DHYDRTN_MALNTR
M2310_ECR_DVT_PULMNRY
M2310_ECR_GI_PRBLM
M2310_ECR_HRT_FAILR
M2310_ECR_INJRY_BY_FALL
M2310_ECR_MENTL_BHVRL_PRBLM
M2310_ECR_MI_CHST_PAIN
M2310_ECR_OTHR_HRT_DEASE
M2310_ECR_RSPRTRY_INFCTN
M2310_ECR_RSPRTRY_OTHR
M2310_ECR_STROKE_TIA
M2310_ECR_UNCNTLD_PAIN
M2310_ECR_UTI
M2310_ECR_WND_INFCTN_DTRORTN

Data Submission Specifications for the OASIS Item Set (V2.30.1)

Detailed Data Specifications Report

Section: Emergent Care

Item ID: M2310_ECR_UNKNOWN

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Emergent care reason: unknown	Asmt		Code	1	1000-1000

Item Subsets

Active: 06,07,09
Inactive: 01,03,04,05,08,XX

Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3060	Format	Fatal	VALUES OF CODE AND CHECKLIST ITEMS Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-4550	Consistency	Fatal	If M2310_ECR_UNKNOWN=[0], then at least one active item from M2310_ECR_MEDICATION through M2310_ECR_OTHER must equal [1].
-4560	Consistency	Fatal	If M2310_ECR_UNKNOWN=[1], then all active items from M2310_ECR_MEDICATION through M2310_ECR_OTHER must equal [0].
-4531	Skip pattern	Fatal	If M2301_EMER_USE_AFTR_LAST_ASMT=[00,UK], then all active items from M2310_ECR_MEDICATION through M2310_ECR_UNKNOWN must equal [^].
-4541	Skip pattern	Fatal	If M2301_EMER_USE_AFTR_LAST_ASMT=[01,02], then all active items from M2310_ECR_MEDICATION through M2310_ECR_UNKNOWN must not equal [^].

Changes for Version

Type	ID	Description
Format	-3060	[V2.30.0]-Added mappings to all items in new sections GG and J, as well as new item M1028_ACTV_DIAG_NOA. Removed mappings to the following deleted items: M1011_14_DAY_INP_NA M1017_CHGREG_ICD_NA M1018_PRIOR_CATH M1018_PRIOR_DISRUPTIVE M1018_PRIOR_IMPR_DECSN M1018_PRIOR_INTRACT_PAIN M1018_PRIOR_MEM_LOSS

Data Submission Specifications for the OASIS Item Set (V2.30.1)

Detailed Data Specifications Report

Section: Emergent Care

M1018_PRIOR_NOCHG_14D
M1018_PRIOR_NONE
M1018_PRIOR_UNKNOWN
M1018_PRIOR_UR_INCON
M1034_PTNT_OVRAL_STUS
M1036_RSK_ALCOHOLISM
M1036_RSK_DRUGS
M1036_RSK_NONE
M1036_RSK_OBESITY
M1036_RSK_SMOKING
M1036_RSK_UNKNOWN
M1210_HEARG_ABLTY
M1220_UNDRSTG_VERBAL_CNTNT
M1230_SPEECH
M1240_FRML_PAIN_ASMT
M1300_PRSR_ULCR_RISK_ASMT
M1302_RISK_OF_PRSR_ULCR
M1320_STUS_PRBLM_PRSR_ULCR
M1350_LESION_OPEN_WND
M1410_RESPTX_OXYGEN
M1410_RESPTX_AIRPRESS
M1410_RESPTX_NONE
M1410_RESPTX_VENTILATOR
M1501_SYMTM_HRT_FAILR_PTNTS
M1511_HRT_FAILR_CARE_PLAN_CHG
M1511_HRT_FAILR_CLNCL_INTRVTN
M1511_HRT_FAILR_ER_TRTMT
M1511_HRT_FAILR_NO_ACTN
M1511_HRT_FAILR_PHYSN_CNTCT
M1511_HRT_FAILR_PHYSN_TRTMT
M1615_INCNTNT_TIMING
M1750_REC_PSYCH_NURS
M1880_CRNT_PREP_LT_MEALS
M1890_CRNT_PHONE_USE
M1900_PRIOR_ADLIADL_AMBLTN
M1900_PRIOR_ADLIADL_HSEHOLD
M1900_PRIOR_ADLIADL_SELF
M1900_PRIOR_ADLIADL_TRNSFR
M2040_PRIOR_MGMT_INJCTN_MDCTN
M2040_PRIOR_MGMT_ORAL_MDCTN
M2102_CARE_TYPE_SRC_ADVCY
M2102_CARE_TYPE_SRC_EQUIP

Data Submission Specifications for the OASIS Item Set (V2.30.1)

Detailed Data Specifications Report

Section: Emergent Care

M2102_CARE_TYPE_SRC_IADL
M2110_ADL_IADL_ASTNC_FREQ
M2250_PLAN_SMRY_DBTS_FT_CARE
M2250_PLAN_SMRY_DPRSN_INTRVTN
M2250_PLAN_SMRY_FALL_PRVNT
M2250_PLAN_SMRY_PAIN_INTRVTN
M2250_PLAN_SMRY_PRSULC_PRVNT
M2250_PLAN_SMRY_PRSULC_TRTMT
M2250_PLAN_SMRY_PTNT_SPECF
M2310_ECR_CRDC_DSRTHM
M2310_ECR_CTHTR_CMPLCTN
M2310_ECR_DHYDRTN_MALNTR
M2310_ECR_DVT_PULMNRY
M2310_ECR_GI_PRBLM
M2310_ECR_HRT_FAILR
M2310_ECR_INJRY_BY_FALL
M2310_ECR_MENTL_BHVRL_PRBLM
M2310_ECR_MI_CHST_PAIN
M2310_ECR_OTHR_HRT_DEASE
M2310_ECR_RSPRTRY_INFCTN
M2310_ECR_RSPRTRY_OTHR
M2310_ECR_STROKE_TIA
M2310_ECR_UNCNTLD_PAIN
M2310_ECR_UTI
M2310_ECR_WND_INFCTN_DTRORTN
M2430_HOSP_CRDC_DSRTHM
M2430_HOSP_CTHTR_CMPLCTN
M2430_HOSP_DHYDRTN_MALNTR
M2430_HOSP_DVT_PULMNRY
M2430_HOSP_GI_PRBLM
M2430_HOSP_HRT_FAILR
M2430_HOSP_HYPOGLYC
M2430_HOSP_INJRY_BY_FALL
M2430_HOSP_MED
M2430_HOSP_MENTL_BHVRL_PRBLM
M2430_HOSP_MI_CHST_PAIN
M2430_HOSP_OTHER
M2430_HOSP_OTHR_HRT_DEASE
M2430_HOSP_PAIN
M2430_HOSP_RSPRTRY_INFCTN
M2430_HOSP_RSPRTRY_OTHR
M2430_HOSP_SCHLD_TRTMT

Data Submission Specifications for the OASIS Item Set (V2.30.1)

Detailed Data Specifications Report

Section: Emergent Care

Consistency	-4550	M2430_HOSP_STROKE_TIA M2430_HOSP_UK M2430_HOSP_UR_TRACT M2430_HOSP_WND_INFCTN
		[V2.30.0]-Mappings were removed to the following deleted items: M2310_ECR_CRDC_DSRTM M2310_ECR_CTHTR_CMPLCTN M2310_ECR_DHYDRTN_MALNTR M2310_ECR_DVT_PULMNRY M2310_ECR_GI_PRBLM M2310_ECR_HRT_FAILR M2310_ECR_INJRY_BY_FALL M2310_ECR_MENTL_BHVRL_PRBLM M2310_ECR_MI_CHST_PAIN M2310_ECR_OTHR_HRT_DEASE M2310_ECR_RSPRTRY_INFCTN M2310_ECR_RSPRTRY_OTHR M2310_ECR_STROKE_TIA M2310_ECR_UNCNTLD_PAIN M2310_ECR_UTI M2310_ECR_WND_INFCTN_DTRORTN
Consistency	-4560	[V2.30.0]-Mappings were removed to the following deleted items: M2310_ECR_CRDC_DSRTM M2310_ECR_CTHTR_CMPLCTN M2310_ECR_DHYDRTN_MALNTR M2310_ECR_DVT_PULMNRY M2310_ECR_GI_PRBLM M2310_ECR_HRT_FAILR M2310_ECR_INJRY_BY_FALL M2310_ECR_MENTL_BHVRL_PRBLM M2310_ECR_MI_CHST_PAIN M2310_ECR_OTHR_HRT_DEASE M2310_ECR_RSPRTRY_INFCTN M2310_ECR_RSPRTRY_OTHR M2310_ECR_STROKE_TIA M2310_ECR_UNCNTLD_PAIN M2310_ECR_UTI M2310_ECR_WND_INFCTN_DTRORTN
		[V2.30.0]-Mappings were removed to the following deleted items: M2310_ECR_CRDC_DSRTM M2310_ECR_CTHTR_CMPLCTN M2310_ECR_DHYDRTN_MALNTR
Skip pattern	-4531	

Data Submission Specifications for the OASIS Item Set (V2.30.1)

Detailed Data Specifications Report

Section: Emergent Care

M2310_ECR_DVT_PULMNRY
M2310_ECR_GI_PRBLM
M2310_ECR_HRT_FAILR
M2310_ECR_INJRY_BY_FALL
M2310_ECR_MENTL_BHVRL_PRBLM
M2310_ECR_MI_CHST_PAIN
M2310_ECR_OTHR_HRT_DEASE
M2310_ECR_RSPRTRY_INFCTN
M2310_ECR_RSPRTRY_OTHR
M2310_ECR_STROKE_TIA
M2310_ECR_UNCNTLD_PAIN
M2310_ECR_UTI
M2310_ECR_WND_INFCTN_DTRORTN
M2310_ECR_CRDC_DSRTHM
M2310_ECR_CTHTR_CMPLCTN
M2310_ECR_DHYDRTN_MALNTR
M2310_ECR_DVT_PULMNRY
M2310_ECR_GI_PRBLM
M2310_ECR_HRT_FAILR
M2310_ECR_INJRY_BY_FALL
M2310_ECR_MENTL_BHVRL_PRBLM
M2310_ECR_MI_CHST_PAIN
M2310_ECR_OTHR_HRT_DEASE
M2310_ECR_RSPRTRY_INFCTN
M2310_ECR_RSPRTRY_OTHR
M2310_ECR_STROKE_TIA
M2310_ECR_UNCNTLD_PAIN
M2310_ECR_UTI
M2310_ECR_WND_INFCTN_DTRORTN

Skip pattern

-4541

[V2.30.0]-Mappings were removed to the following deleted items: