

Data Submission Specifications for the OASIS Item Set (V2.30.1)

Detailed Data Specifications Report

Section: Integumentary Status

Item ID: M1306_UNHLD_STG2_PRSR_ULCR.....	2
Item ID: M1307_OLDST_STG2_AT_DSCHRG.....	6
Item ID: M1307_OLDST_STG2_ONST_DT	10
Item ID: M1311_NBR_PRSULC_STG2_A1.....	12
Item ID: M1311_NBR_ULC_SOCROC_STG2_A2	15
Item ID: M1311_NBR_PRSULC_STG3_B1.....	17
Item ID: M1311_NBR_ULC_SOCROC_STG3_B2	20
Item ID: M1311_NBR_PRSULC_STG4_C1.....	22
Item ID: M1311_NBR_ULC_SOCROC_STG4_C2	25
Item ID: M1311_NSTG_DRSG_D1	27
Item ID: M1311_NSTG_DRSG_SOCROC_D2.....	30
Item ID: M1311_NSTG_CVRG_E1.....	32
Item ID: M1311_NSTG_CVRG_SOCROC_E2	35
Item ID: M1311_NSTG_DEEP_TSUE_F1	37
Item ID: M1311_NSTG_DEEP_TSUE_SOCROC_F2.....	40
Item ID: M1322_NBR_PRSULC_STG1.....	42
Item ID: M1324_STG_PRBLM_ULCER	46
Item ID: M1330_STAS_ULCR_PRSNT.....	50
Item ID: M1332_NBR_STAS_ULCR	54
Item ID: M1334_STUS_PRBLM_STAS_ULCR	58
Item ID: M1340_SRGL_WND_PRSNT	62
Item ID: M1342_STUS_PRBLM_SRGL_WND	65

Data Submission Specifications for the OASIS Item Set (V2.30.1)

Detailed Data Specifications Report

Section: Integumentary Status

Item ID: M1306_UNHLD_STG2_PRSR_ULCR

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Patient has 1+ unhealed PU/injury at stage 2+	Asmt		Code	1	786-786

Item Subsets

Active: 01,03,04,05,09
Inactive: 06,07,08,XX

Item Values

Value	LOINC Code	Value Text
0		No
1		Yes

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3060	Format	Fatal	VALUES OF CODE AND CHECKLIST ITEMS Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-5131	Consistency	Fatal	If M1306_UNHLD_STG2_PRSR_ULCR=[1], then at least one of the following items must be greater than [00]: M1311_NBR_PRSULC_STG2_A1, M1311_NBR_PRSULC_STG3_B1, M1311_NBR_PRSULC_STG4_C1, M1311_NSTG_DRSG_D1, M1311_NSTG_CVRG_E1, M1311_NSTG_DEEP_TSUE_F1.
-5141	Consistency	Fatal	***THIS EDIT WAS DELETED IN V2.30.0***
-5151	Consistency	Fatal	***THIS EDIT WAS DELETED IN V2.30.0***
-5161	Consistency	Fatal	***THIS EDIT WAS DELETED IN V2.30.0***
-5311	Consistency	Fatal	***THIS EDIT WAS DELETED IN V2.30.0***
-5430	Consistency	Fatal	***THIS EDIT WAS DELETED IN V2.30.0***
-5450	Consistency	Fatal	***THIS EDIT WAS DELETED IN V2.30.0***
-5110	Skip pattern	Fatal	***THIS EDIT WAS DELETED IN V2.30.0***
-5111	Skip pattern	Fatal	If M1306_UNHLD_STG2_PRSR_ULCR=[0], then all active items from M1307_OLDST_STG2_AT_DSCHRG through M1311_NSTG_DEEP_TSUE_SOCROC_F2 must equal [^].
-5121	Skip pattern	Fatal	***THIS EDIT WAS DELETED IN V2.30.0***
-5122	Skip pattern	Fatal	If M1306_UNHLD_STG2_PRSR_ULCR=[1], then the following items must not equal [^]: M1307_OLDST_STG2_AT_DSCHRG, M1311_NBR_PRSULC_STG2_A1, M1311_NBR_PRSULC_STG3_B1, M1311_NBR_PRSULC_STG4_C1, M1311_NSTG_DRSG_D1, M1311_NSTG_CVRG_E1, M1311_NSTG_DEEP_TSUE_F1.

Data Submission Specifications for the OASIS Item Set (V2.30.1)

Detailed Data Specifications Report

Section: Integumentary Status

Changes for Version

Type	ID	Description
Item	M1306_UNHLD_STG2_PRSR_ULCR	[V2.30.0]-Revised item label.
Format	-3060	[V2.30.0]-Added mappings to all items in new sections GG and J, as well as new item M1028_ACTV_DIAG_NOA. Removed mappings to the following deleted items: M1011_14_DAY_INP_NA M1017_CHGREG_ICD_NA M1018_PRIOR_CATH M1018_PRIOR_DISRUPTIVE M1018_PRIOR_IMPR_DECSN M1018_PRIOR_INTRACT_PAIN M1018_PRIOR_MEM_LOSS M1018_PRIOR_NOCHG_14D M1018_PRIOR_NONE M1018_PRIOR_UNKNOWN M1018_PRIOR_UR_INCON M1034_PTNT_OVRAL_STUS M1036_RSK_ALCOHOLISM M1036_RSK_DRUGS M1036_RSK_NONE M1036_RSK_OBESITY M1036_RSK_SMOKING M1036_RSK_UNKNOWN M1210_HEARG_ABLTY M1220_UNDRSTG_VERBAL_CNTNT M1230_SPEECH M1240_FRML_PAIN_ASMT M1300_PRSR_ULCR_RISK_ASMT M1302_RISK_OF_PRSR_ULCR M1320_STUS_PRBLM_PRSR_ULCR M1350_LESION_OPEN_WND M1410_RESPTX_OXYGEN M1410_RESPTX_AIRPRESS M1410_RESPTX_NONE M1410_RESPTX_VENTILATOR M1501_SYMTM_HRT_FAILR_PTNTS M1511_HRT_FAILR_CARE_PLAN_CHG M1511_HRT_FAILR_CLNCL_INTRVTN M1511_HRT_FAILR_ER_TRTMT M1511_HRT_FAILR_NO_ACTN

Data Submission Specifications for the OASIS Item Set (V2.30.1)

Detailed Data Specifications Report

Section: Integumentary Status

M1511_HRT_FAILR_PHYSN_CNTCT
M1511_HRT_FAILR_PHYSN_TRTMT
M1615_INCNTNT_TIMING
M1750_REC_PSYCH_NURS
M1880_CRNT_PREP_LT_MEALS
M1890_CRNT_PHONE_USE
M1900_PRIOR_ADLIADL_AMBLTN
M1900_PRIOR_ADLIADL_HSEHOLD
M1900_PRIOR_ADLIADL_SELF
M1900_PRIOR_ADLIADL_TRNSFR
M2040_PRIOR_MGMT_INJCTN_MDCTN
M2040_PRIOR_MGMT_ORAL_MDCTN
M2102_CARE_TYPE_SRC_ADVCY
M2102_CARE_TYPE_SRC_EQUIP
M2102_CARE_TYPE_SRC_IADL
M2110_ADL_IADL_ASTNC_FREQ
M2250_PLAN_SMRY_DBTS_FT_CARE
M2250_PLAN_SMRY_DPRSN_INTRVTN
M2250_PLAN_SMRY_FALL_PRVNT
M2250_PLAN_SMRY_PAIN_INTRVTN
M2250_PLAN_SMRY_PRSULC_PRVNT
M2250_PLAN_SMRY_PRSULC_TRTMT
M2250_PLAN_SMRY_PTNT_SPECF
M2310_ECR_CRDC_DSRTHM
M2310_ECR_CTHTR_CMPLCTN
M2310_ECR_DHYDRTN_MALNTR
M2310_ECR_DVT_PULMNRY
M2310_ECR_GI_PRBLM
M2310_ECR_HRT_FAILR
M2310_ECR_INJRY_BY_FALL
M2310_ECR_MENTL_BHVRL_PRBLM
M2310_ECR_MI_CHST_PAIN
M2310_ECR_OTHR_HRT_DEASE
M2310_ECR_RSPRTRY_INFCTN
M2310_ECR_RSPRTRY_OTHR
M2310_ECR_STROKE_TIA
M2310_ECR_UNCNTLD_PAIN
M2310_ECR_UTI
M2310_ECR_WND_INFCTN_DTRORTN
M2430_HOSP_CRDC_DSRTHM
M2430_HOSP_CTHTR_CMPLCTN
M2430_HOSP_DHYDRTN_MALNTR

Data Submission Specifications for the OASIS Item Set (V2.30.1)

Detailed Data Specifications Report

Section: Integumentary Status

M2430_HOSP_DVT_PULMNR
M2430_HOSP_GI_PRBLM
M2430_HOSP_HRT_FAILR
M2430_HOSP_HYPOGLYC
M2430_HOSP_INJRY_BY_FALL
M2430_HOSP_MED
M2430_HOSP_MENTL_BHVRL_PRBLM
M2430_HOSP_MI_CHST_PAIN
M2430_HOSP_OTHER
M2430_HOSP_OTHR_HRT_DEASE
M2430_HOSP_PAIN
M2430_HOSP_RSPRTRY_INFCTN
M2430_HOSP_RSPRTRY_OTHR
M2430_HOSP_SCHLD_TRTMT
M2430_HOSP_STROKE_TIA
M2430_HOSP_UK
M2430_HOSP_UR_TRACT
M2430_HOSP_WND_INFCTN

Consistency	-5141	[V2.30.0]-This edit was deleted, since M1313_NW_WS_PRSULC_STG2_A was deleted.
Consistency	-5151	[V2.30.0]-This edit was deleted, since M1313_NW_WS_PRSULC_STG3_B was deleted.
Consistency	-5161	[V2.30.0]-This edit was deleted, since M1313_NW_WS_PRSULC_STG4_C was deleted.
Consistency	-5311	[V2.30.0]-This edit was deleted, since M1313_NW_WS_PRSULC_NSTG_CVRG_E was deleted.
Consistency	-5430	[V2.30.0]-This edit was deleted, since M1313_NW_WS_PRSULC_NSTG_DRSG_D was deleted.
Consistency	-5450	[V2.30.0]-This edit was deleted, since M1313_NW_WS_PRSULC_NSTG_TSUE_F was deleted.
Skip pattern	-5110	[V2.30.0]-This edit was deleted and replaced by edit -5111.
Skip pattern	-5111	[V2.30.0]-New edit. Replaces edit -5110.
Skip pattern	-5121	[V2.30.0]-This edit was deleted and replaced by edit -5122.
Skip pattern	-5122	[V2.30.0]-New edit. Replaces edit -5121.

Data Submission Specifications for the OASIS Item Set (V2.30.1)

Detailed Data Specifications Report

Section: Integumentary Status

Item ID: M1307_OLDST_STG2_AT_DSCHRG

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Status of oldest stage 2 pressure ulcer at disch	Asmt		Code	2	787-788

Item Subsets

Active:	09
Inactive:	01,03,04,05,06,07,08,XX

Item Values

Value	LOINC Code	Value Text
01		Was present at the most recent SOC/ROC assessment
02		Developed since the most recent SOC/ROC assessment
NA		No Stage 2 pressure ulcers are present at discharge
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3060	Format	Fatal	VALUES OF CODE AND CHECKLIST ITEMS Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-4030	Skip pattern	Fatal	If M1307_OLDST_STG2_AT_DSCHRG=[01,NA], then if M1307_OLDST_STG2_ONST_DT is active it must equal [^].
-4040	Skip pattern	Fatal	If M1307_OLDST_STG2_AT_DSCHRG=[02], then if M1307_OLDST_STG2_ONST_DT is active it must not equal [^].
-5110	Skip pattern	Fatal	***THIS EDIT WAS DELETED IN V2.30.0***
-5111	Skip pattern	Fatal	If M1306_UNHLD_STG2_PRSR_ULCR=[0], then all active items from M1307_OLDST_STG2_AT_DSCHRG through M1311_NSTG_DEEP_TSUE_SOCROC_F2 must equal [^].
-5121	Skip pattern	Fatal	***THIS EDIT WAS DELETED IN V2.30.0***
-5122	Skip pattern	Fatal	If M1306_UNHLD_STG2_PRSR_ULCR=[1], then the following items must not equal [^]: M1307_OLDST_STG2_AT_DSCHRG, M1311_NBR_PRSULC_STG2_A1, M1311_NBR_PRSULC_STG3_B1, M1311_NBR_PRSULC_STG4_C1, M1311_NSTG_DRSG_D1, M1311_NSTG_CVRG_E1, M1311_NSTG_DEEP_TSUE_F1.

Changes for Version

Type	ID	Description
Format	-3060	[V2.30.0]-Added mappings to all items in new sections GG and J, as well as new item M1028_ACTV_DIAG_NOA. Removed mappings to the following deleted items: M1011_14_DAY_INP_NA M1017_CHGREG_ICD_NA

Data Submission Specifications for the OASIS Item Set (V2.30.1)

Detailed Data Specifications Report

Section: Integumentary Status

M1018_PRIOR_CATH
M1018_PRIOR_DISRUPTIVE
M1018_PRIOR_IMPR_DECSN
M1018_PRIOR_INTRACT_PAIN
M1018_PRIOR_MEM_LOSS
M1018_PRIOR_NOCHG_14D
M1018_PRIOR_NONE
M1018_PRIOR_UNKNOWN
M1018_PRIOR_UR_INCON
M1034_PTNT_OVRAL_STUS
M1036_RSK_ALCOHOLISM
M1036_RSK_DRUGS
M1036_RSK_NONE
M1036_RSK_OBESITY
M1036_RSK_SMOKING
M1036_RSK_UNKNOWN
M1210_HEARG_ABLTY
M1220_UNDRSTG_VERBAL_CNTNT
M1230_SPEECH
M1240_FRML_PAIN_ASMT
M1300_PRSR_ULCR_RISK_ASMT
M1302_RISK_OF_PRSR_ULCR
M1320_STUS_PRBLM_PRSR_ULCR
M1350_LESION_OPEN_WND
M1410_RESPTX_OXYGEN
M1410_RESPTX_AIRPRESS
M1410_RESPTX_NONE
M1410_RESPTX_VENTILATOR
M1501_SYMTM_HRT_FAILR_PTNTS
M1511_HRT_FAILR_CARE_PLAN_CHG
M1511_HRT_FAILR_CLNCL_INTRVTN
M1511_HRT_FAILR_ER_TRTMT
M1511_HRT_FAILR_NO_ACTN
M1511_HRT_FAILR_PHYSN_CNTCT
M1511_HRT_FAILR_PHYSN_TRTMT
M1615_INCNTNT_TIMING
M1750_REC_PSYCH_NURS
M1880_CRNT_PREP_LT_MEALS
M1890_CRNT_PHONE_USE
M1900_PRIOR_ADLIADL_AMBLTN
M1900_PRIOR_ADLIADL_HSEHOLD

Data Submission Specifications for the OASIS Item Set (V2.30.1)

Detailed Data Specifications Report

Section: Integumentary Status

M1900_PRIOR_ADLIADL_SELF
M1900_PRIOR_ADLIADL_TRNSFR
M2040_PRIOR_MGMT_INJCTN_MDCTN
M2040_PRIOR_MGMT_ORAL_MDCTN
M2102_CARE_TYPE_SRC_ADVCY
M2102_CARE_TYPE_SRC_EQUIP
M2102_CARE_TYPE_SRC_IADL
M2110_ADL_IADL_ASTNC_FREQ
M2250_PLAN_SMRY_DBTS_FT_CARE
M2250_PLAN_SMRY_DPRSN_INTRVTN
M2250_PLAN_SMRY_FALL_PRVNT
M2250_PLAN_SMRY_PAIN_INTRVTN
M2250_PLAN_SMRY_PRSULC_PRVNT
M2250_PLAN_SMRY_PRSULC_TRTMT
M2250_PLAN_SMRY_PTNT_SPECIF
M2310_ECR_CRDC_DSRTHM
M2310_ECR_CTHTR_CMPLCTN
M2310_ECR_DHYDRTN_MALNTR
M2310_ECR_DVT_PULMNRY
M2310_ECR_GI_PRBLM
M2310_ECR_HRT_FAILR
M2310_ECR_INJRY_BY_FALL
M2310_ECR_MENTL_BHVRL_PRBLM
M2310_ECR_MI_CHST_PAIN
M2310_ECR_OTHR_HRT_DEASE
M2310_ECR_RSPRTRY_INFCTN
M2310_ECR_RSPRTRY_OTHR
M2310_ECR_STROKE_TIA
M2310_ECR_UNCNTLD_PAIN
M2310_ECR_UTI
M2310_ECR_WND_INFCTN_DTRORTN
M2430_HOSP_CRDC_DSRTHM
M2430_HOSP_CTHTR_CMPLCTN
M2430_HOSP_DHYDRTN_MALNTR
M2430_HOSP_DVT_PULMNRY
M2430_HOSP_GI_PRBLM
M2430_HOSP_HRT_FAILR
M2430_HOSP_HYPOGLYC
M2430_HOSP_INJRY_BY_FALL
M2430_HOSP_MED
M2430_HOSP_MENTL_BHVRL_PRBLM
M2430_HOSP_MI_CHST_PAIN

Data Submission Specifications for the OASIS Item Set (V2.30.1)

Detailed Data Specifications Report

Section: Integumentary Status

M2430_HOSP_OTHER

M2430_HOSP_OTHR_HRT_DEASE

M2430_HOSP_PAIN

M2430_HOSP_RSPRTRY_INFCTN

M2430_HOSP_RSPRTRY_OTHR

M2430_HOSP_SCHLD_TRTMT

M2430_HOSP_STROKE_TIA

M2430_HOSP_UK

M2430_HOSP_UR_TRACT

M2430_HOSP_WND_INFCTN

Skip pattern -5110

[V2.30.0]-This edit was deleted and replaced by edit -5111.

Skip pattern -5111

[V2.30.0]-New edit. Replaces edit -5110.

Skip pattern -5121

[V2.30.0]-This edit was deleted and replaced by edit -5122.

Skip pattern -5122

[V2.30.0]-New edit. Replaces edit -5121.

Data Submission Specifications for the OASIS Item Set (V2.30.1)

Detailed Data Specifications Report

Section: Integumentary Status

Item ID: M1307_OLDST_STG2_ONST_DT

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Date of onset of oldest stage 2 pressure ulcer	Asmt		Date	8	789-796

Item Subsets

Active:	09
Inactive:	01,03,04,05,06,07,08,XX

Item Values

Value	LOINC Code	Value Text
YYYYMMDD		Date of onset of oldest stage 2 pressure ulcer
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3070	Format	Fatal	<p>VALUES OF DATE ITEMS</p> <p>This item must contain either (a) a valid date in YYYYMMDD format, or (b) one of the special values (if any) that are listed in the "Item Values" table of the Detailed Data Specifications Report.</p> <p>Note that if a date in YYYYMMDD format is submitted, it must be 8 characters in length and each of the 8 characters must contain the digits 0 (zero) through 9. YYYY, MM, and DD must be zero filled, where necessary. For example, January 1, 2014 must be submitted as "20140101".</p>
-3260	Consistency	Fatal	***THIS EDIT WAS DELETED IN V2.30.0***
-3261	Consistency	Fatal	<p>DATE ITEM CONSISTENCY: PATTERN 1</p> <p>Each active item in the list below that contains a valid date (not blank) must be in the specified order. If M0032_ROC_DT is equal to [^], then the following rules apply:</p> <p>M0066_PAT_BIRTH_DT < M1005_INP_DISCHARGE_DT <= M0102_PHYSN_ORDRD_SOCROC_DT <= M0030_START_CARE_DT <= M1307_OLDST_STG2_ONST_DT <= M0906_DC_TRAN_DTH_DT <= M0090_INFO_COMPLETED_DT <= Current date</p>
-3270	Consistency	Fatal	***THIS EDIT WAS DELETED IN V2.30.0***

Data Submission Specifications for the OASIS Item Set (V2.30.1)

Detailed Data Specifications Report

Section: Integumentary Status

-3271	Consistency	Fatal	<p>DATE ITEM CONSISTENCY: PATTERN 2</p> <p>Each active item in the list below that contains a valid date (not blank) must be in the specified order. If M0032_ROC_DT is NOT equal to [^], then the following rules apply:</p> <p>M0066_PAT_BIRTH_DT < M0030_START_CARE_DT <= M1005_INP_DISCHARGE_DT <= M0102_PHYSN_ORDRD_SOCROC_DT <= M0032_ROC_DT <= M1307_OLDST_STG2_ONST_DT <= M0906_DC_TRAN_DTH_DT <= M0090_INFO_COMPLETED_DT <= Current date</p>
-4030	Skip pattern	Fatal	If M1307_OLDST_STG2_AT_DSCHRG=[01,NA], then if M1307_OLDST_STG2_ONST_DT is active it must equal [^].
-4040	Skip pattern	Fatal	If M1307_OLDST_STG2_AT_DSCHRG=[02], then if M1307_OLDST_STG2_ONST_DT is active it must not equal [^].
-5110	Skip pattern	Fatal	***THIS EDIT WAS DELETED IN V2.30.0***
-5111	Skip pattern	Fatal	If M1306_UNHLD_STG2_PRSR_ULCR=[0], then all active items from M1307_OLDST_STG2_AT_DSCHRG through M1311_NSTG_DEEP_TSUE_SOCROC_F2 must equal [^].

Changes for Version

Type	ID	Description
Format	-3070	[V2.30.0]-Removed mapping to M0903_LAST_HOME_VISIT, which was deleted.
Consistency	-3261	[V2.30.0]-New edit. Replaces edit -3260.
Consistency	-3271	[V2.30.0]-New edit. Replaces edit -3270.
Skip pattern	-5110	[V2.30.0]-This edit was deleted and replaced by edit -5111.
Skip pattern	-5111	[V2.30.0]-New edit. Replaces edit -5110.

Data Submission Specifications for the OASIS Item Set (V2.30.1)

Detailed Data Specifications Report

Section: Integumentary Status

Item ID: M1311_NBR_PRSULC_STG2_A1

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Number of Stage 2 Pressure Ulcers	Asmt		Number	2	1560-1561

Item Subsets

Active:	01,03,04,05,09
Inactive:	06,07,08,XX

Item Values

Value	LOINC Code	Value Text
00		Minimum value
99		Maximum value
-		Not assessed (no information)
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3090	Format	Fatal	VALUES OF NUMERIC ITEMS Only the values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item. The submitted value must be greater than or equal to the minimum value listed in the table and less than or equal to the maximum value listed in the table, or it must match one of the remaining special values (if any) that are listed in the table. The length of the submitted value must not exceed the allowed maximum length for the item. Signed numbers (with a leading plus or minus sign) will not be accepted.
-3100	Format	Fatal	FORMATTING OF POSITIVE INTEGER NUMERIC ITEMS Only positive integer values and the special values (if any) that are listed in the "Item Values" table of the Detailed Data Specifications Report will be accepted for this item. Leading zeroes may be included or omitted from the submitted value as long as the resulting length of the string does not exceed the allowed maximum length for the item. A decimal point and decimal values are not allowed. A sign will not be accepted. The following examples are allowable if the value to be submitted is equal to [1] and the maximum length is equal to 2: [1], [01]. The following values are NOT allowed and will lead to a fatal error: [1.], [1.0], [01.], [01.0], [1.1], [01.1], [1.01], [+1], [-2], [+1.3], [-4.5].
-4131	Consistency	Fatal	***THIS EDIT WAS DELETED IN V2.30.0***
-4141	Consistency	Fatal	***THIS EDIT WAS DELETED IN V2.30.0***
-4161	Consistency	Fatal	***THIS EDIT WAS DELETED IN V2.30.0***
-4181	Consistency	Fatal	If M1324_STG_PRBLM_ULCER=[02], then if M1311_NBR_PRSULC_STG2_A1 is active it must not equal [^] and it must be greater than [00].
-4211	Consistency	Fatal	***THIS EDIT WAS DELETED IN V2.30.1***

Data Submission Specifications for the OASIS Item Set (V2.30.1)

Detailed Data Specifications Report

Section: Integumentary Status

-5131	Consistency	Fatal	If M1306_UNHLD_STG2_PRSR_ULCR=[1], then at least one of the following items must be greater than [00]: M1311_NBR_PRSULC_STG2_A1, M1311_NBR_PRSULC_STG3_B1, M1311_NBR_PRSULC_STG4_C1, M1311_NSTG_DRSG_D1, M1311_NSTG_CVRG_E1, M1311_NSTG_DEEP_TSUE_F1.
-5141	Consistency	Fatal	***THIS EDIT WAS DELETED IN V2.30.0***
-5370	Consistency	Fatal	***THIS EDIT WAS DELETED IN V2.30.1***
-5372	Consistency	Fatal	If M1311_NBR_PRSULC_STG2_A1 is greater than 0, and M1311_NBR_ULC_SOCROC_STG2_A2 is active, then M1311_NBR_ULC_SOCROC_STG2_A2 must be (a) less than or equal to M1311_NBR_PRSULC_STG2_A1, or (b) equal to dash [-].
-5373	Consistency	Fatal	If M1311_NBR_PRSULC_STG2_A1=[-], then if M1311_NBR_ULC_SOCROC_STG2_A2 is active, it must be equal to [-].
-5660	Consistency	Fatal	If M0100_ASSMT_REASON=[01,03,04,05], then none of the following items can be equal to [-]: M1311_NBR_PRSULC_STG2_A1, M1311_NBR_PRSULC_STG3_B1, M1311_NBR_PRSULC_STG4_C1, M1311_NSTG_DRSG_D1, M1311_NSTG_CVRG_E1, and M1311_NSTG_DEEP_TSUE_F1.
-5680	Consistency	Fatal	(a) If M0100_ASSMT_REASON=[01,03,04,05] and M1322_NBR_PRSULC_STG1 = [00], and if M1311_NBR_PRSULC_STG2_A1, M1311_NBR_PRSULC_STG3_B1 and M1311_NBR_PRSULC_STG4_C1 are all equal to [00,^], then M1324_STG_PRBLM_ULCER must be equal to [NA]. (b) If M0100_ASSMT_REASON=[09], and if M1311_NBR_PRSULC_STG2_A1, M1311_NBR_PRSULC_STG3_B1 and M1311_NBR_PRSULC_STG4_C1 are all equal to [00,-,^], then M1324_STG_PRBLM_ULCER must be equal to [1, NA].
-5110	Skip pattern	Fatal	***THIS EDIT WAS DELETED IN V2.30.0***
-5111	Skip pattern	Fatal	If M1306_UNHLD_STG2_PRSR_ULCR=[0], then all active items from M1307_OLDST_STG2_AT_DSCHRG through M1311_NSTG_DEEP_TSUE_SOCROC_F2 must equal [^].
-5121	Skip pattern	Fatal	***THIS EDIT WAS DELETED IN V2.30.0***
-5122	Skip pattern	Fatal	If M1306_UNHLD_STG2_PRSR_ULCR=[1], then the following items must not equal [^]: M1307_OLDST_STG2_AT_DSCHRG, M1311_NBR_PRSULC_STG2_A1, M1311_NBR_PRSULC_STG3_B1, M1311_NBR_PRSULC_STG4_C1, M1311_NSTG_DRSG_D1, M1311_NSTG_CVRG_E1, M1311_NSTG_DEEP_TSUE_F1.
-5371	Skip pattern	Fatal	(a) If M1311_NBR_PRSULC_STG2_A1=0, then if M1311_NBR_ULC_SOCROC_STG2_A2 is active, it must be equal to [^]. (b) If M1311_NBR_PRSULC_STG2_A1>0, then if M1311_NBR_ULC_SOCROC_STG2_A2 is active, it must not be equal to [^].

Changes for Version

Type	ID	Description
Item	M1311_NBR_PRSULC_STG2_A1	[V2.30.0]-Added new item value [-].
Format	-3090	[V2.30.0]-Removed mappings to the following deleted items: M1313_NW_WS_PRSULC_NSTG_CVRG_E M1313_NW_WS_PRSULC_NSTG_DRSG_D M1313_NW_WS_PRSULC_NSTG_TSUE_F M1313_NW_WS_PRSULC_STG2_A M1313_NW_WS_PRSULC_STG3_B M1313_NW_WS_PRSULC_STG4_C

Data Submission Specifications for the OASIS Item Set (V2.30.1)

Detailed Data Specifications Report

Section: Integumentary Status

Format	-3100	[V2.30.0]-Removed mappings to the following deleted items: M1313_NW_WS_PRSULC_NSTG_CVRG_E M1313_NW_WS_PRSULC_NSTG_DRSG_D M1313_NW_WS_PRSULC_NSTG_TSUE_F M1313_NW_WS_PRSULC_STG2_A M1313_NW_WS_PRSULC_STG3_B M1313_NW_WS_PRSULC_STG4_C
Consistency	-4131	[V2.30.0]-This edit was deleted because M1320_STUS_PRBLM_PRSR_ULCR was deleted.
Consistency	-4141	[V2.30.0]-This edit was deleted because M1320_STUS_PRBLM_PRSR_ULCR was deleted.
Consistency	-4161	[V2.30.0]-This edit was deleted because M1320_STUS_PRBLM_PRSR_ULCR was deleted.
Consistency	-4211	[V2.30.1]-This edit was deleted and replaced by edit -5680.
Consistency	-5141	[V2.30.0]-This edit was deleted, since M1313_NW_WS_PRSULC_STG2_A was deleted.
Consistency	-5370	[V2.30.1]-This edit was deleted and replaced by edit -5372.
Consistency	-5372	[V2.30.1]-New edit. Replaces edit -5370.
Consistency	-5373	[V2.30.1]-New edit.
Consistency	-5660	[V2.30.0]-New edit.
Consistency	-5680	[V2.30.1]-New edit. Replaces edit -4211.
Skip pattern	-5110	[V2.30.0]-This edit was deleted and replaced by edit -5111.
Skip pattern	-5111	[V2.30.0]-New edit. Replaces edit -5110.
Skip pattern	-5121	[V2.30.0]-This edit was deleted and replaced by edit -5122.
Skip pattern	-5122	[V2.30.0]-New edit. Replaces edit -5121.

Data Submission Specifications for the OASIS Item Set (V2.30.1)

Detailed Data Specifications Report

Section: Integumentary Status

Item ID: M1311_NBR_ULC_SOCROC_STG2_A2

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Number of Stage 2 pressure ulcers at SOC/ROC	Asmt		Number	2	1562-1563

Item Subsets

Active:	09
Inactive:	01,03,04,05,06,07,08,XX

Item Values

Value	LOINC Code	Value Text
00		Minimum value
99		Maximum value
-		Not assessed (no information)
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3090	Format	Fatal	VALUES OF NUMERIC ITEMS Only the values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item. The submitted value must be greater than or equal to the minimum value listed in the table and less than or equal to the maximum value listed in the table, or it must match one of the remaining special values (if any) that are listed in the table. The length of the submitted value must not exceed the allowed maximum length for the item. Signed numbers (with a leading plus or minus sign) will not be accepted.
-3100	Format	Fatal	FORMATTING OF POSITIVE INTEGER NUMERIC ITEMS Only positive integer values and the special values (if any) that are listed in the "Item Values" table of the Detailed Data Specifications Report will be accepted for this item. Leading zeroes may be included or omitted from the submitted value as long as the resulting length of the string does not exceed the allowed maximum length for the item. A decimal point and decimal values are not allowed. A sign will not be accepted. The following examples are allowable if the value to be submitted is equal to [1] and the maximum length is equal to 2: [1], [01]. The following values are NOT allowed and will lead to a fatal error: [1.], [1.0], [01.], [01.0], [1.1], [01.1], [1.01], [+1], [-2], [+1.3], [-4.5].
-5370	Consistency	Fatal	***THIS EDIT WAS DELETED IN V2.30.1***
-5372	Consistency	Fatal	If M1311_NBR_PRSULC_STG2_A1 is greater than 0, and M1311_NBR_ULC_SOCROC_STG2_A2 is active, then M1311_NBR_ULC_SOCROC_STG2_A2 must be (a) less than or equal to M1311_NBR_PRSULC_STG2_A1, or (b) equal to dash [-].
-5373	Consistency	Fatal	If M1311_NBR_PRSULC_STG2_A1=[-], then if M1311_NBR_ULC_SOCROC_STG2_A2 is active, it must be equal to [-].
-5110	Skip pattern	Fatal	***THIS EDIT WAS DELETED IN V2.30.0***

Data Submission Specifications for the OASIS Item Set (V2.30.1)

Detailed Data Specifications Report

Section: Integumentary Status

-5111	Skip pattern	Fatal	If M1306_UNHLD_STG2_PRSR_ULCR=[0], then all active items from M1307_OLDST_STG2_AT_DSCHRG through M1311_NSTG_DEEP_TSUE_SOCROC_F2 must equal [^].
-5371	Skip pattern	Fatal	(a) If M1311_NBR_PRSULC_STG2_A1=0, then if M1311_NBR_ULC_SOCROC_STG2_A2 is active, it must be equal to [^]. (b) If M1311_NBR_PRSULC_STG2_A1>0, then if M1311_NBR_ULC_SOCROC_STG2_A2 is active, it must not be equal to [^].

Changes for Version

Type	ID	Description
Item	M1311_NBR_ULC_SOCROC_STG2_A2	[V2.30.0]-Added new item value [-]. Removed item from RFAs 4 and 5.
Format	-3090	[V2.30.0]-Removed mappings to the following deleted items: M1313_NW_WS_PRSULC_NSTG_CVRG_E M1313_NW_WS_PRSULC_NSTG_DRSG_D M1313_NW_WS_PRSULC_NSTG_TSUE_F M1313_NW_WS_PRSULC_STG2_A M1313_NW_WS_PRSULC_STG3_B M1313_NW_WS_PRSULC_STG4_C
Format	-3100	[V2.30.0]-Removed mappings to the following deleted items: M1313_NW_WS_PRSULC_NSTG_CVRG_E M1313_NW_WS_PRSULC_NSTG_DRSG_D M1313_NW_WS_PRSULC_NSTG_TSUE_F M1313_NW_WS_PRSULC_STG2_A M1313_NW_WS_PRSULC_STG3_B M1313_NW_WS_PRSULC_STG4_C
Consistency	-5370	[V2.30.1]-This edit was deleted and replaced by edit -5372.
Consistency	-5372	[V2.30.1]-New edit. Replaces edit -5370.
Consistency	-5373	[V2.30.1]-New edit.
Skip pattern	-5110	[V2.30.0]-This edit was deleted and replaced by edit -5111.
Skip pattern	-5111	[V2.30.0]-New edit. Replaces edit -5110.

Data Submission Specifications for the OASIS Item Set (V2.30.1)

Detailed Data Specifications Report

Section: Integumentary Status

Item ID: M1311_NBR_PRSULC_STG3_B1

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Number of Stage 3 Pressure Ulcers	Asmt		Number	2	1564-1565

Item Subsets

Active:	01,03,04,05,09
Inactive:	06,07,08,XX

Item Values

Value	LOINC Code	Value Text
00		Minimum value
99		Maximum value
-		Not assessed (no information)
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3090	Format	Fatal	VALUES OF NUMERIC ITEMS Only the values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item. The submitted value must be greater than or equal to the minimum value listed in the table and less than or equal to the maximum value listed in the table, or it must match one of the remaining special values (if any) that are listed in the table. The length of the submitted value must not exceed the allowed maximum length for the item. Signed numbers (with a leading plus or minus sign) will not be accepted.
-3100	Format	Fatal	FORMATTING OF POSITIVE INTEGER NUMERIC ITEMS Only positive integer values and the special values (if any) that are listed in the "Item Values" table of the Detailed Data Specifications Report will be accepted for this item. Leading zeroes may be included or omitted from the submitted value as long as the resulting length of the string does not exceed the allowed maximum length for the item. A decimal point and decimal values are not allowed. A sign will not be accepted. The following examples are allowable if the value to be submitted is equal to [1] and the maximum length is equal to 2: [1], [01]. The following values are NOT allowed and will lead to a fatal error: [1.], [1.0], [01.], [01.0], [1.1], [01.1], [1.01], [+1], [-2], [+1.3], [-4.5].
-4131	Consistency	Fatal	***THIS EDIT WAS DELETED IN V2.30.0***
-4141	Consistency	Fatal	***THIS EDIT WAS DELETED IN V2.30.0***
-4151	Consistency	Fatal	***THIS EDIT WAS DELETED IN V2.30.0***
-4161	Consistency	Fatal	***THIS EDIT WAS DELETED IN V2.30.0***
-4191	Consistency	Fatal	If M1324_STG_PRBLM_ULCER=[03], then if M1311_NBR_PRSULC_STG3_B1 is active it must not equal [^] and it must be greater than [00].
-4211	Consistency	Fatal	***THIS EDIT WAS DELETED IN V2.30.1***

Data Submission Specifications for the OASIS Item Set (V2.30.1)

Detailed Data Specifications Report

Section: Integumentary Status

-5131	Consistency	Fatal	If M1306_UNHLD_STG2_PRSR_ULCR=[1], then at least one of the following items must be greater than [00]: M1311_NBR_PRSULC_STG2_A1, M1311_NBR_PRSULC_STG3_B1, M1311_NBR_PRSULC_STG4_C1, M1311_NSTG_DRSG_D1, M1311_NSTG_CVRG_E1, M1311_NSTG_DEEP_TSUE_F1.
-5151	Consistency	Fatal	***THIS EDIT WAS DELETED IN V2.30.0***
-5380	Consistency	Fatal	***THIS EDIT WAS DELETED IN V2.30.1***
-5382	Consistency	Fatal	If M1311_NBR_PRSULC_STG3_B1 is greater than 0, and M1311_NBR_ULC_SOCROC_STG3_B2 is active, then M1311_NBR_ULC_SOCROC_STG3_B2 must be (a) less than or equal to M1311_NBR_PRSULC_STG3_B1, or (b) equal to dash [-].
-5383	Consistency	Fatal	If M1311_NBR_PRSULC_STG3_B1=[-], then if M1311_NBR_ULC_SOCROC_STG3_B2 is active, it must be equal to [-].
-5660	Consistency	Fatal	If M0100_ASSMT_REASON=[01,03,04,05], then none of the following items can be equal to [-]: M1311_NBR_PRSULC_STG2_A1, M1311_NBR_PRSULC_STG3_B1, M1311_NBR_PRSULC_STG4_C1, M1311_NSTG_DRSG_D1, M1311_NSTG_CVRG_E1, and M1311_NSTG_DEEP_TSUE_F1.
-5680	Consistency	Fatal	(a) If M0100_ASSMT_REASON=[01,03,04,05] and M1322_NBR_PRSULC_STG1 = [00], and if M1311_NBR_PRSULC_STG2_A1, M1311_NBR_PRSULC_STG3_B1 and M1311_NBR_PRSULC_STG4_C1 are all equal to [00,^], then M1324_STG_PRBLM_ULCER must be equal to [NA]. (b) If M0100_ASSMT_REASON=[09], and if M1311_NBR_PRSULC_STG2_A1, M1311_NBR_PRSULC_STG3_B1 and M1311_NBR_PRSULC_STG4_C1 are all equal to [00,-,^], then M1324_STG_PRBLM_ULCER must be equal to [1, NA].
-5110	Skip pattern	Fatal	***THIS EDIT WAS DELETED IN V2.30.0***
-5111	Skip pattern	Fatal	If M1306_UNHLD_STG2_PRSR_ULCR=[0], then all active items from M1307_OLDST_STG2_AT_DSCHRG through M1311_NSTG_DEEP_TSUE_SOCROC_F2 must equal [^].
-5121	Skip pattern	Fatal	***THIS EDIT WAS DELETED IN V2.30.0***
-5122	Skip pattern	Fatal	If M1306_UNHLD_STG2_PRSR_ULCR=[1], then the following items must not equal [^]: M1307_OLDST_STG2_AT_DSCHRG, M1311_NBR_PRSULC_STG2_A1, M1311_NBR_PRSULC_STG3_B1, M1311_NBR_PRSULC_STG4_C1, M1311_NSTG_DRSG_D1, M1311_NSTG_CVRG_E1, M1311_NSTG_DEEP_TSUE_F1.
-5381	Skip pattern	Fatal	(a) If M1311_NBR_PRSULC_STG3_B1=0, then if M1311_NBR_ULC_SOCROC_STG3_B2 is active, it must be equal to [^]. (b) If M1311_NBR_PRSULC_STG3_B1>0, then if M1311_NBR_ULC_SOCROC_STG3_B2 is active, it must not be equal to [^].

Changes for Version

Type	ID	Description
Item	M1311_NBR_PRSULC_STG3_B1	[V2.30.0]-Added new item value [-].
Format	-3090	[V2.30.0]-Removed mappings to the following deleted items: M1313_NW_WS_PRSULC_NSTG_CVRG_E M1313_NW_WS_PRSULC_NSTG_DRSG_D M1313_NW_WS_PRSULC_NSTG_TSUE_F M1313_NW_WS_PRSULC_STG2_A M1313_NW_WS_PRSULC_STG3_B M1313_NW_WS_PRSULC_STG4_C

Data Submission Specifications for the OASIS Item Set (V2.30.1)

Detailed Data Specifications Report

Section: Integumentary Status

Format	-3100	[V2.30.0]-Removed mappings to the following deleted items: M1313_NW_WS_PRSULC_NSTG_CVRG_E M1313_NW_WS_PRSULC_NSTG_DRSG_D M1313_NW_WS_PRSULC_NSTG_TSUE_F M1313_NW_WS_PRSULC_STG2_A M1313_NW_WS_PRSULC_STG3_B M1313_NW_WS_PRSULC_STG4_C
Consistency	-4131	[V2.30.0]-This edit was deleted because M1320_STUS_PRBLM_PRSR_ULCR was deleted.
Consistency	-4141	[V2.30.0]-This edit was deleted because M1320_STUS_PRBLM_PRSR_ULCR was deleted.
Consistency	-4151	[V2.30.0]-This edit was deleted because M1320_STUS_PRBLM_PRSR_ULCR was deleted.
Consistency	-4161	[V2.30.0]-This edit was deleted because M1320_STUS_PRBLM_PRSR_ULCR was deleted.
Consistency	-4211	[V2.30.1]-This edit was deleted and replaced by edit -5680.
Consistency	-5151	[V2.30.0]-This edit was deleted, since M1313_NW_WS_PRSULC_STG3_B was deleted.
Consistency	-5380	[V2.30.1]-This edit was deleted and replaced by edit -5382.
Consistency	-5382	[V2.30.1]-New edit. Replaces edit -5380.
Consistency	-5383	[V2.30.1]-New edit.
Consistency	-5660	[V2.30.0]-New edit.
Consistency	-5680	[V2.30.1]-New edit. Replaces edit -4211.
Skip pattern	-5110	[V2.30.0]-This edit was deleted and replaced by edit -5111.
Skip pattern	-5111	[V2.30.0]-New edit. Replaces edit -5110.
Skip pattern	-5121	[V2.30.0]-This edit was deleted and replaced by edit -5122.
Skip pattern	-5122	[V2.30.0]-New edit. Replaces edit -5121.

Data Submission Specifications for the OASIS Item Set (V2.30.1)

Detailed Data Specifications Report

Section: Integumentary Status

Item ID: M1311_NBR_ULC_SOCROC_STG3_B2

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Number of Stage 3 pressure ulcers at SOC/ROC	Asmt		Number	2	1566-1567

Item Subsets

Active:	09
Inactive:	01,03,04,05,06,07,08,XX

Item Values

Value	LOINC Code	Value Text
00		Minimum value
99		Maximum value
-		Not assessed (no information)
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3090	Format	Fatal	VALUES OF NUMERIC ITEMS Only the values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item. The submitted value must be greater than or equal to the minimum value listed in the table and less than or equal to the maximum value listed in the table, or it must match one of the remaining special values (if any) that are listed in the table. The length of the submitted value must not exceed the allowed maximum length for the item. Signed numbers (with a leading plus or minus sign) will not be accepted.
-3100	Format	Fatal	FORMATTING OF POSITIVE INTEGER NUMERIC ITEMS Only positive integer values and the special values (if any) that are listed in the "Item Values" table of the Detailed Data Specifications Report will be accepted for this item. Leading zeroes may be included or omitted from the submitted value as long as the resulting length of the string does not exceed the allowed maximum length for the item. A decimal point and decimal values are not allowed. A sign will not be accepted. The following examples are allowable if the value to be submitted is equal to [1] and the maximum length is equal to 2: [1], [01]. The following values are NOT allowed and will lead to a fatal error: [1.], [1.0], [01.], [01.0], [1.1], [01.1], [1.01], [+1], [-2], [+1.3], [-4.5].
-5380	Consistency	Fatal	***THIS EDIT WAS DELETED IN V2.30.1***
-5382	Consistency	Fatal	If M1311_NBR_PRSULC_STG3_B1 is greater than 0, and M1311_NBR_ULC_SOCROC_STG3_B2 is active, then M1311_NBR_ULC_SOCROC_STG3_B2 must be (a) less than or equal to M1311_NBR_PRSULC_STG3_B1, or (b) equal to dash [-].
-5383	Consistency	Fatal	If M1311_NBR_PRSULC_STG3_B1=[-], then if M1311_NBR_ULC_SOCROC_STG3_B2 is active, it must be equal to [-].
-5110	Skip pattern	Fatal	***THIS EDIT WAS DELETED IN V2.30.0***

Data Submission Specifications for the OASIS Item Set (V2.30.1)

Detailed Data Specifications Report

Section: Integumentary Status

-5111	Skip pattern	Fatal	If M1306_UNHLD_STG2_PRSR_ULCR=[0], then all active items from M1307_OLDST_STG2_AT_DSCHRG through M1311_NSTG_DEEP_TSUE_SOCROC_F2 must equal [^].
-5381	Skip pattern	Fatal	(a) If M1311_NBR_PRSULC_STG3_B1=0, then if M1311_NBR_ULC_SOCROC_STG3_B2 is active, it must be equal to [^]. (b) If M1311_NBR_PRSULC_STG3_B1>0, then if M1311_NBR_ULC_SOCROC_STG3_B2 is active, it must not be equal to [^].

Changes for Version

Type	ID	Description
Item	M1311_NBR_ULC_SOCROC_STG3_B2	[V2.30.0]-Added new item value [-]. Removed item from RFAs 4 and 5.
Format	-3090	[V2.30.0]-Removed mappings to the following deleted items: M1313_NW_WS_PRSULC_NSTG_CVRG_E M1313_NW_WS_PRSULC_NSTG_DRSG_D M1313_NW_WS_PRSULC_NSTG_TSUE_F M1313_NW_WS_PRSULC_STG2_A M1313_NW_WS_PRSULC_STG3_B M1313_NW_WS_PRSULC_STG4_C
Format	-3100	[V2.30.0]-Removed mappings to the following deleted items: M1313_NW_WS_PRSULC_NSTG_CVRG_E M1313_NW_WS_PRSULC_NSTG_DRSG_D M1313_NW_WS_PRSULC_NSTG_TSUE_F M1313_NW_WS_PRSULC_STG2_A M1313_NW_WS_PRSULC_STG3_B M1313_NW_WS_PRSULC_STG4_C
Consistency	-5380	[V2.30.1]-This edit was deleted and replaced by edit -5382.
Consistency	-5382	[V2.30.1]-New edit. Replaces edit -5380.
Consistency	-5383	[V2.30.1]-New edit.
Skip pattern	-5110	[V2.30.0]-This edit was deleted and replaced by edit -5111.
Skip pattern	-5111	[V2.30.0]-New edit. Replaces edit -5110.

Data Submission Specifications for the OASIS Item Set (V2.30.1)

Detailed Data Specifications Report

Section: Integumentary Status

Item ID: M1311_NBR_PRSULC_STG4_C1

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Number of Stage 4 Pressure Ulcers	Asmt		Number	2	1568-1569

Item Subsets

Active:	01,03,04,05,09
Inactive:	06,07,08,XX

Item Values

Value	LOINC Code	Value Text
00		Minimum value
99		Maximum value
-		Not assessed (no information)
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3090	Format	Fatal	VALUES OF NUMERIC ITEMS Only the values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item. The submitted value must be greater than or equal to the minimum value listed in the table and less than or equal to the maximum value listed in the table, or it must match one of the remaining special values (if any) that are listed in the table. The length of the submitted value must not exceed the allowed maximum length for the item. Signed numbers (with a leading plus or minus sign) will not be accepted.
-3100	Format	Fatal	FORMATTING OF POSITIVE INTEGER NUMERIC ITEMS Only positive integer values and the special values (if any) that are listed in the "Item Values" table of the Detailed Data Specifications Report will be accepted for this item. Leading zeroes may be included or omitted from the submitted value as long as the resulting length of the string does not exceed the allowed maximum length for the item. A decimal point and decimal values are not allowed. A sign will not be accepted. The following examples are allowable if the value to be submitted is equal to [1] and the maximum length is equal to 2: [1], [01]. The following values are NOT allowed and will lead to a fatal error: [1.], [1.0], [01.], [01.0], [1.1], [01.1], [1.01], [+1], [-2], [+1.3], [-4.5].
-4131	Consistency	Fatal	***THIS EDIT WAS DELETED IN V2.30.0***
-4141	Consistency	Fatal	***THIS EDIT WAS DELETED IN V2.30.0***
-4151	Consistency	Fatal	***THIS EDIT WAS DELETED IN V2.30.0***
-4161	Consistency	Fatal	***THIS EDIT WAS DELETED IN V2.30.0***
-4201	Consistency	Fatal	If M1324_STG_PRBLM_ULCER=[04], then if M1311_NBR_PRSULC_STG4_C1 is active it must not equal [^] and it must be greater than [00].
-4211	Consistency	Fatal	***THIS EDIT WAS DELETED IN V2.30.1***

Data Submission Specifications for the OASIS Item Set (V2.30.1)

Detailed Data Specifications Report

Section: Integumentary Status

-5131	Consistency	Fatal	If M1306_UNHLD_STG2_PRSR_ULCR=[1], then at least one of the following items must be greater than [00]: M1311_NBR_PRSULC_STG2_A1, M1311_NBR_PRSULC_STG3_B1, M1311_NBR_PRSULC_STG4_C1, M1311_NSTG_DRSG_D1, M1311_NSTG_CVRG_E1, M1311_NSTG_DEEP_TSUE_F1.
-5161	Consistency	Fatal	***THIS EDIT WAS DELETED IN V2.30.0***
-5390	Consistency	Fatal	***THIS EDIT WAS DELETED IN V2.30.1***
-5392	Consistency	Fatal	If M1311_NBR_PRSULC_STG4_C1 is greater than 0, and M1311_NBR_ULC_SOCROC_STG4_C2 is active, then M1311_NBR_ULC_SOCROC_STG4_C2 must be (a) less than or equal to M1311_NBR_PRSULC_STG4_C1, or (b) equal to dash [-].
-5393	Consistency	Fatal	If M1311_NBR_PRSULC_STG4_C1=[-], then if M1311_NBR_ULC_SOCROC_STG4_C2 is active, it must be equal to [-].
-5660	Consistency	Fatal	If M0100_ASSMT_REASON=[01,03,04,05], then none of the following items can be equal to [-]: M1311_NBR_PRSULC_STG2_A1, M1311_NBR_PRSULC_STG3_B1, M1311_NBR_PRSULC_STG4_C1, M1311_NSTG_DRSG_D1, M1311_NSTG_CVRG_E1, and M1311_NSTG_DEEP_TSUE_F1.
-5680	Consistency	Fatal	(a) If M0100_ASSMT_REASON=[01,03,04,05] and M1322_NBR_PRSULC_STG1 = [00], and if M1311_NBR_PRSULC_STG2_A1, M1311_NBR_PRSULC_STG3_B1 and M1311_NBR_PRSULC_STG4_C1 are all equal to [00,^], then M1324_STG_PRBLM_ULCER must be equal to [NA]. (b) If M0100_ASSMT_REASON=[09], and if M1311_NBR_PRSULC_STG2_A1, M1311_NBR_PRSULC_STG3_B1 and M1311_NBR_PRSULC_STG4_C1 are all equal to [00,-,^], then M1324_STG_PRBLM_ULCER must be equal to [1, NA].
-5110	Skip pattern	Fatal	***THIS EDIT WAS DELETED IN V2.30.0***
-5111	Skip pattern	Fatal	If M1306_UNHLD_STG2_PRSR_ULCR=[0], then all active items from M1307_OLDST_STG2_AT_DSCHRG through M1311_NSTG_DEEP_TSUE_SOCROC_F2 must equal [^].
-5121	Skip pattern	Fatal	***THIS EDIT WAS DELETED IN V2.30.0***
-5122	Skip pattern	Fatal	If M1306_UNHLD_STG2_PRSR_ULCR=[1], then the following items must not equal [^]: M1307_OLDST_STG2_AT_DSCHRG, M1311_NBR_PRSULC_STG2_A1, M1311_NBR_PRSULC_STG3_B1, M1311_NBR_PRSULC_STG4_C1, M1311_NSTG_DRSG_D1, M1311_NSTG_CVRG_E1, M1311_NSTG_DEEP_TSUE_F1.
-5391	Skip pattern	Fatal	(a) If M1311_NBR_PRSULC_STG4_C1=0, then if M1311_NBR_ULC_SOCROC_STG4_C2 is active, it must be equal to [^]. (b) If M1311_NBR_PRSULC_STG4_C1>0, then if M1311_NBR_ULC_SOCROC_STG4_C2 is active, it must not be equal to [^].

Changes for Version

Type	ID	Description
Item	M1311_NBR_PRSULC_STG4_C1	[V2.30.0]-Added new item value [-].
Format	-3090	[V2.30.0]-Removed mappings to the following deleted items: M1313_NW_WS_PRSULC_NSTG_CVRG_E M1313_NW_WS_PRSULC_NSTG_DRSG_D M1313_NW_WS_PRSULC_NSTG_TSUE_F M1313_NW_WS_PRSULC_STG2_A M1313_NW_WS_PRSULC_STG3_B M1313_NW_WS_PRSULC_STG4_C

Data Submission Specifications for the OASIS Item Set (V2.30.1)

Detailed Data Specifications Report

Section: Integumentary Status

Format	-3100	[V2.30.0]-Removed mappings to the following deleted items: M1313_NW_WS_PRSULC_NSTG_CVRG_E M1313_NW_WS_PRSULC_NSTG_DRSG_D M1313_NW_WS_PRSULC_NSTG_TSUE_F M1313_NW_WS_PRSULC_STG2_A M1313_NW_WS_PRSULC_STG3_B M1313_NW_WS_PRSULC_STG4_C
Consistency	-4131	[V2.30.0]-This edit was deleted because M1320_STUS_PRBLM_PRSR_ULCR was deleted.
Consistency	-4141	[V2.30.0]-This edit was deleted because M1320_STUS_PRBLM_PRSR_ULCR was deleted.
Consistency	-4151	[V2.30.0]-This edit was deleted because M1320_STUS_PRBLM_PRSR_ULCR was deleted.
Consistency	-4161	[V2.30.0]-This edit was deleted because M1320_STUS_PRBLM_PRSR_ULCR was deleted.
Consistency	-4211	[V2.30.1]-This edit was deleted and replaced by edit -5680.
Consistency	-5161	[V2.30.0]-This edit was deleted, since M1313_NW_WS_PRSULC_STG4_C was deleted.
Consistency	-5390	[V2.30.1]-This edit was deleted and replaced by edit -5392.
Consistency	-5392	[V2.30.1]-New edit. Replaces edit -5390.
Consistency	-5393	[V2.30.1]-New edit.
Consistency	-5660	[V2.30.0]-New edit.
Consistency	-5680	[V2.30.1]-New edit. Replaces edit -4211.
Skip pattern	-5110	[V2.30.0]-This edit was deleted and replaced by edit -5111.
Skip pattern	-5111	[V2.30.0]-New edit. Replaces edit -5110.
Skip pattern	-5121	[V2.30.0]-This edit was deleted and replaced by edit -5122.
Skip pattern	-5122	[V2.30.0]-New edit. Replaces edit -5121.

Data Submission Specifications for the OASIS Item Set (V2.30.1)

Detailed Data Specifications Report

Section: Integumentary Status

Item ID: M1311_NBR_ULC_SOCROC_STG4_C2

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Number of Stage 4 pressure ulcers at SOC/ROC	Asmt		Number	2	1570-1571

Item Subsets

Active:	09
Inactive:	01,03,04,05,06,07,08,XX

Item Values

Value	LOINC Code	Value Text
00		Minimum value
99		Maximum value
-		Not assessed (no information)
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3090	Format	Fatal	VALUES OF NUMERIC ITEMS Only the values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item. The submitted value must be greater than or equal to the minimum value listed in the table and less than or equal to the maximum value listed in the table, or it must match one of the remaining special values (if any) that are listed in the table. The length of the submitted value must not exceed the allowed maximum length for the item. Signed numbers (with a leading plus or minus sign) will not be accepted.
-3100	Format	Fatal	FORMATTING OF POSITIVE INTEGER NUMERIC ITEMS Only positive integer values and the special values (if any) that are listed in the "Item Values" table of the Detailed Data Specifications Report will be accepted for this item. Leading zeroes may be included or omitted from the submitted value as long as the resulting length of the string does not exceed the allowed maximum length for the item. A decimal point and decimal values are not allowed. A sign will not be accepted. The following examples are allowable if the value to be submitted is equal to [1] and the maximum length is equal to 2: [1], [01]. The following values are NOT allowed and will lead to a fatal error: [1.], [1.0], [01.], [01.0], [1.1], [01.1], [1.01], [+1], [-2], [+1.3], [-4.5].
-5390	Consistency	Fatal	***THIS EDIT WAS DELETED IN V2.30.1***
-5392	Consistency	Fatal	If M1311_NBR_PRSULC_STG4_C1 is greater than 0, and M1311_NBR_ULC_SOCROC_STG4_C2 is active, then M1311_NBR_ULC_SOCROC_STG4_C2 must be (a) less than or equal to M1311_NBR_PRSULC_STG4_C1, or (b) equal to dash [-].
-5393	Consistency	Fatal	If M1311_NBR_PRSULC_STG4_C1=[-], then if M1311_NBR_ULC_SOCROC_STG4_C2 is active, it must be equal to [-].
-5110	Skip pattern	Fatal	***THIS EDIT WAS DELETED IN V2.30.0***

Data Submission Specifications for the OASIS Item Set (V2.30.1)

Detailed Data Specifications Report

Section: Integumentary Status

-5111	Skip pattern	Fatal	If M1306_UNHLD_STG2_PRSR_ULCR=[0], then all active items from M1307_OLDST_STG2_AT_DSCHRG through M1311_NSTG_DEEP_TSUE_SOCROC_F2 must equal [^].
-5391	Skip pattern	Fatal	(a) If M1311_NBR_PRSULC_STG4_C1=0, then if M1311_NBR_ULC_SOCROC_STG4_C2 is active, it must be equal to [^]. (b) If M1311_NBR_PRSULC_STG4_C1>0, then if M1311_NBR_ULC_SOCROC_STG4_C2 is active, it must not be equal to [^].

Changes for Version

Type	ID	Description
Item	M1311_NBR_ULC_SOCROC_STG4_C2	[V2.30.0]-Added new item value [-]. Removed item from RFAs 4 and 5.
Format	-3090	[V2.30.0]-Removed mappings to the following deleted items: M1313_NW_WS_PRSULC_NSTG_CVRG_E M1313_NW_WS_PRSULC_NSTG_DRSG_D M1313_NW_WS_PRSULC_NSTG_TSUE_F M1313_NW_WS_PRSULC_STG2_A M1313_NW_WS_PRSULC_STG3_B M1313_NW_WS_PRSULC_STG4_C
Format	-3100	[V2.30.0]-Removed mappings to the following deleted items: M1313_NW_WS_PRSULC_NSTG_CVRG_E M1313_NW_WS_PRSULC_NSTG_DRSG_D M1313_NW_WS_PRSULC_NSTG_TSUE_F M1313_NW_WS_PRSULC_STG2_A M1313_NW_WS_PRSULC_STG3_B M1313_NW_WS_PRSULC_STG4_C.
Consistency	-5390	[V2.30.1]-This edit was deleted and replaced by edit -5392.
Consistency	-5392	[V2.30.1]-New edit. Replaces edit -5390.
Consistency	-5393	[V2.30.1]-New edit.
Skip pattern	-5110	[V2.30.0]-This edit was deleted and replaced by edit -5111.
Skip pattern	-5111	[V2.30.0]-New edit. Replaces edit -5110.

Data Submission Specifications for the OASIS Item Set (V2.30.1)

Detailed Data Specifications Report

Section: Integumentary Status

Item ID: M1311_NSTG_DRSG_D1

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Num unstage pressure ulcer non-remov dress	Asmt		Number	2	1572-1573

Item Subsets

Active: 01,03,04,05,09
Inactive: 06,07,08,XX

Item Values

Value	LOINC Code	Value Text
00		Minimum value
99		Maximum value
-		Not assessed (no information)
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3090	Format	Fatal	VALUES OF NUMERIC ITEMS Only the values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item. The submitted value must be greater than or equal to the minimum value listed in the table and less than or equal to the maximum value listed in the table, or it must match one of the remaining special values (if any) that are listed in the table. The length of the submitted value must not exceed the allowed maximum length for the item. Signed numbers (with a leading plus or minus sign) will not be accepted.
-3100	Format	Fatal	FORMATTING OF POSITIVE INTEGER NUMERIC ITEMS Only positive integer values and the special values (if any) that are listed in the "Item Values" table of the Detailed Data Specifications Report will be accepted for this item. Leading zeroes may be included or omitted from the submitted value as long as the resulting length of the string does not exceed the allowed maximum length for the item. A decimal point and decimal values are not allowed. A sign will not be accepted. The following examples are allowable if the value to be submitted is equal to [1] and the maximum length is equal to 2: [1], [01]. The following values are NOT allowed and will lead to a fatal error: [1.], [1.0], [01.], [01.0], [1.1], [01.1], [1.01], [+1], [-2], [+1.3], [-4.5].
-5131	Consistency	Fatal	If M1306_UNHLD_STG2_PRSR_ULCR=[1], then at least one of the following items must be greater than [00]: M1311_NBR_PRSULC_STG2_A1, M1311_NBR_PRSULC_STG3_B1, M1311_NBR_PRSULC_STG4_C1, M1311_NSTG_DRSG_D1, M1311_NSTG_CVRG_E1, M1311_NSTG_DEEP_TSUE_F1.
-5400	Consistency	Fatal	***THIS EDIT WAS DELETED IN V2.30.1***
-5402	Consistency	Fatal	If M1311_NSTG_DRSG_D1 is greater than 0, and M1311_NSTG_DRSG_SOCROC_D2 is active, then M1311_NSTG_DRSG_SOCROC_D2 must be (a) less than or equal to M1311_NSTG_DRSG_D1, or (b) equal to dash [-].

Data Submission Specifications for the OASIS Item Set (V2.30.1)

Detailed Data Specifications Report

Section: Integumentary Status

-5403	Consistency	Fatal	If M1311_NSTG_DRSG_D1=[-], then if M1311_NSTG_DRSG_SOCROC_D2 is active, it must be equal to [-].
-5430	Consistency	Fatal	***THIS EDIT WAS DELETED IN V2.30.0***
-5660	Consistency	Fatal	If M0100_ASSMT_REASON=[01,03,04,05], then none of the following items can be equal to [-]: M1311_NBR_PRSULC_STG2_A1, M1311_NBR_PRSULC_STG3_B1, M1311_NBR_PRSULC_STG4_C1, M1311_NSTG_DRSG_D1, M1311_NSTG_CVRG_E1, and M1311_NSTG_DEEP_TSUE_F1.
-5110	Skip pattern	Fatal	***THIS EDIT WAS DELETED IN V2.30.0***
-5111	Skip pattern	Fatal	If M1306_UNHLD_STG2_PRSR_ULCR=[0], then all active items from M1307_OLDST_STG2_AT_DSCHRG through M1311_NSTG_DEEP_TSUE_SOCROC_F2 must equal [^].
-5121	Skip pattern	Fatal	***THIS EDIT WAS DELETED IN V2.30.0***
-5122	Skip pattern	Fatal	If M1306_UNHLD_STG2_PRSR_ULCR=[1], then the following items must not equal [^]: M1307_OLDST_STG2_AT_DSCHRG, M1311_NBR_PRSULC_STG2_A1, M1311_NBR_PRSULC_STG3_B1, M1311_NBR_PRSULC_STG4_C1, M1311_NSTG_DRSG_D1, M1311_NSTG_CVRG_E1, M1311_NSTG_DEEP_TSUE_F1.
-5401	Skip pattern	Fatal	(a) If M1311_NSTG_DRSG_D1=0, then if M1311_NSTG_DRSG_SOCROC_D2 is active, it must be equal to [^]. (b) If M1311_NSTG_DRSG_D1>0, then if M1311_NSTG_DRSG_SOCROC_D2 is active, it must not be equal to [^].

Changes for Version

Type	ID	Description
Item	M1311_NSTG_DRSG_D1	[V2.30.0]-Added new item value [-].
Format	-3090	[V2.30.0]-Removed mappings to the following deleted items: M1313_NW_WS_PRSULC_NSTG_CVRG_E M1313_NW_WS_PRSULC_NSTG_DRSG_D M1313_NW_WS_PRSULC_NSTG_TSUE_F M1313_NW_WS_PRSULC_STG2_A M1313_NW_WS_PRSULC_STG3_B M1313_NW_WS_PRSULC_STG4_C
Format	-3100	[V2.30.0]-Removed mappings to the following deleted items: M1313_NW_WS_PRSULC_NSTG_CVRG_E M1313_NW_WS_PRSULC_NSTG_DRSG_D M1313_NW_WS_PRSULC_NSTG_TSUE_F M1313_NW_WS_PRSULC_STG2_A M1313_NW_WS_PRSULC_STG3_B M1313_NW_WS_PRSULC_STG4_C
Consistency	-5400	[V2.30.1]-This edit was deleted and replaced by edit -5402.
Consistency	-5402	[V2.30.1]-New edit. Replaces edit -5400.
Consistency	-5403	[V2.30.1]-New edit.
Consistency	-5430	[V2.30.0]-This edit was deleted, since M1313_NW_WS_PRSULC_NSTG_DRSG_D was deleted.
Consistency	-5660	[V2.30.0]-New edit.
Skip pattern	-5110	[V2.30.0]-This edit was deleted and replaced by edit -5111.
Skip pattern	-5111	[V2.30.0]-New edit. Replaces edit -5110.
Skip pattern	-5121	[V2.30.0]-This edit was deleted and replaced by edit -5122.

Data Submission Specifications for the OASIS Item Set (V2.30.1)
Detailed Data Specifications Report
Section: Integumentary Status

Skip pattern -5122

[V2.30.0]-New edit. Replaces edit -5121.

Data Submission Specifications for the OASIS Item Set (V2.30.1)

Detailed Data Specifications Report

Section: Integumentary Status

Item ID: M1311_NSTG_DRSG_SOCROC_D2

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Num unstage pressure ulcer non-remov dress SOC/ROC	Asmt		Number	2	1574-1575

Item Subsets

Active:	09
Inactive:	01,03,04,05,06,07,08,XX

Item Values

Value	LOINC Code	Value Text
00		Minimum value
99		Maximum value
-		Not assessed (no information)
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3090	Format	Fatal	VALUES OF NUMERIC ITEMS Only the values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item. The submitted value must be greater than or equal to the minimum value listed in the table and less than or equal to the maximum value listed in the table, or it must match one of the remaining special values (if any) that are listed in the table. The length of the submitted value must not exceed the allowed maximum length for the item. Signed numbers (with a leading plus or minus sign) will not be accepted.
-3100	Format	Fatal	FORMATTING OF POSITIVE INTEGER NUMERIC ITEMS Only positive integer values and the special values (if any) that are listed in the "Item Values" table of the Detailed Data Specifications Report will be accepted for this item. Leading zeroes may be included or omitted from the submitted value as long as the resulting length of the string does not exceed the allowed maximum length for the item. A decimal point and decimal values are not allowed. A sign will not be accepted. The following examples are allowable if the value to be submitted is equal to [1] and the maximum length is equal to 2: [1], [01]. The following values are NOT allowed and will lead to a fatal error: [1.], [1.0], [01.], [01.0], [1.1], [01.1], [1.01], [+1], [-2], [+1.3], [-4.5].
-5400	Consistency	Fatal	***THIS EDIT WAS DELETED IN V2.30.1***
-5402	Consistency	Fatal	If M1311_NSTG_DRSG_D1 is greater than 0, and M1311_NSTG_DRSG_SOCROC_D2 is active, then M1311_NSTG_DRSG_SOCROC_D2 must be (a) less than or equal to M1311_NSTG_DRSG_D1, or (b) equal to dash [-].
-5403	Consistency	Fatal	If M1311_NSTG_DRSG_D1=[-], then if M1311_NSTG_DRSG_SOCROC_D2 is active, it must be equal to [-].
-5110	Skip pattern	Fatal	***THIS EDIT WAS DELETED IN V2.30.0***
-5111	Skip pattern	Fatal	If M1306_UNHLD_STG2_PRSR_ULCR=[0], then all active items from M1307_OLDST_STG2_AT_DSCHRG through M1311_NSTG_DEEP_TSUE_SOCROC_F2 must equal [^].

Data Submission Specifications for the OASIS Item Set (V2.30.1)

Detailed Data Specifications Report

Section: Integumentary Status

-5401 Skip pattern Fatal (a) If M1311_NSTG_DRSG_D1=0, then if M1311_NSTG_DRSG_SOCROC_D2 is active, it must be equal to [^].
(b) If M1311_NSTG_DRSG_D1>0, then if M1311_NSTG_DRSG_SOCROC_D2 is active, it must not be equal to [^].

Changes for Version

Type	ID	Description
Item	M1311_NSTG_DRSG_SOCROC_D2	[V2.30.0]-Added new item value [-]. Removed item from RFAs 4 and 5.
Format	-3090	[V2.30.0]-Removed mappings to the following deleted items: M1313_NW_WS_PRSULC_NSTG_CVRG_E M1313_NW_WS_PRSULC_NSTG_DRSG_D M1313_NW_WS_PRSULC_NSTG_TSUE_F M1313_NW_WS_PRSULC_STG2_A M1313_NW_WS_PRSULC_STG3_B M1313_NW_WS_PRSULC_STG4_C
Format	-3100	[V2.30.0]-Removed mappings to the following deleted items: M1313_NW_WS_PRSULC_NSTG_CVRG_E M1313_NW_WS_PRSULC_NSTG_DRSG_D M1313_NW_WS_PRSULC_NSTG_TSUE_F M1313_NW_WS_PRSULC_STG2_A M1313_NW_WS_PRSULC_STG3_B M1313_NW_WS_PRSULC_STG4_C
Consistency	-5400	[V2.30.1]-This edit was deleted and replaced by edit -5402.
Consistency	-5402	[V2.30.1]-New edit. Replaces edit -5400.
Consistency	-5403	[V2.30.1]-New edit.
Skip pattern	-5110	[V2.30.0]-This edit was deleted and replaced by edit -5111.
Skip pattern	-5111	[V2.30.0]-New edit. Replaces edit -5110.

Data Submission Specifications for the OASIS Item Set (V2.30.1)

Detailed Data Specifications Report

Section: Integumentary Status

Item ID: M1311_NSTG_CVRG_E1

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Unstageable: coverage by slough or eschar	Asmt		Number	2	1576-1577

Item Subsets

Active:	01,03,04,05,09
Inactive:	06,07,08,XX

Item Values

Value	LOINC Code	Value Text
00		Minimum value
99		Maximum value
-		Not assessed (no information)
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3090	Format	Fatal	VALUES OF NUMERIC ITEMS Only the values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item. The submitted value must be greater than or equal to the minimum value listed in the table and less than or equal to the maximum value listed in the table, or it must match one of the remaining special values (if any) that are listed in the table. The length of the submitted value must not exceed the allowed maximum length for the item. Signed numbers (with a leading plus or minus sign) will not be accepted.
-3100	Format	Fatal	FORMATTING OF POSITIVE INTEGER NUMERIC ITEMS Only positive integer values and the special values (if any) that are listed in the "Item Values" table of the Detailed Data Specifications Report will be accepted for this item. Leading zeroes may be included or omitted from the submitted value as long as the resulting length of the string does not exceed the allowed maximum length for the item. A decimal point and decimal values are not allowed. A sign will not be accepted. The following examples are allowable if the value to be submitted is equal to [1] and the maximum length is equal to 2: [1], [01]. The following values are NOT allowed and will lead to a fatal error: [1.], [1.0], [01.], [01.0], [1.1], [01.1], [1.01], [+1], [-2], [+1.3], [-4.5].
-4131	Consistency	Fatal	***THIS EDIT WAS DELETED IN V2.30.0***
-4141	Consistency	Fatal	***THIS EDIT WAS DELETED IN V2.30.0***
-4161	Consistency	Fatal	***THIS EDIT WAS DELETED IN V2.30.0***
-5131	Consistency	Fatal	If M1306_UNHLD_STG2_PRSR_ULCR=[1], then at least one of the following items must be greater than [00]: M1311_NBR_PRSULC_STG2_A1, M1311_NBR_PRSULC_STG3_B1, M1311_NBR_PRSULC_STG4_C1, M1311_NSTG_DRSG_D1, M1311_NSTG_CVRG_E1, M1311_NSTG_DEEP_TSUE_F1.
-5311	Consistency	Fatal	***THIS EDIT WAS DELETED IN V2.30.0***

Data Submission Specifications for the OASIS Item Set (V2.30.1)

Detailed Data Specifications Report

Section: Integumentary Status

-5410	Consistency	Fatal	***THIS EDIT WAS DELETED IN V2.30.1***
-5412	Consistency	Fatal	If M1311_NSTG_CVRG_E1 is greater than 0, and M1311_NSTG_CVRG_SOCROC_E2 is active, then M1311_NSTG_CVRG_SOCROC_E2 must be (a) less than or equal to M1311_NSTG_CVRG_E1, or (b) equal to dash [-].
-5413	Consistency	Fatal	If M1311_NSTG_CVRG_E1=[-], then if M1311_NSTG_CVRG_SOCROC_E2 is active, it must be equal to [-].
-5660	Consistency	Fatal	If M0100_ASSMT_REASON=[01,03,04,05], then none of the following items can be equal to [-]: M1311_NBR_PRSULC_STG2_A1, M1311_NBR_PRSULC_STG3_B1, M1311_NBR_PRSULC_STG4_C1, M1311_NSTG_DRSG_D1, M1311_NSTG_CVRG_E1, and M1311_NSTG_DEEP_TSUE_F1.
-5110	Skip pattern	Fatal	***THIS EDIT WAS DELETED IN V2.30.0***
-5111	Skip pattern	Fatal	If M1306_UNHLD_STG2_PRSR_ULCR=[0], then all active items from M1307_OLDST_STG2_AT_DSCHRG through M1311_NSTG_DEEP_TSUE_SOCROC_F2 must equal [^].
-5121	Skip pattern	Fatal	***THIS EDIT WAS DELETED IN V2.30.0***
-5122	Skip pattern	Fatal	If M1306_UNHLD_STG2_PRSR_ULCR=[1], then the following items must not equal [^]: M1307_OLDST_STG2_AT_DSCHRG, M1311_NBR_PRSULC_STG2_A1, M1311_NBR_PRSULC_STG3_B1, M1311_NBR_PRSULC_STG4_C1, M1311_NSTG_DRSG_D1, M1311_NSTG_CVRG_E1, M1311_NSTG_DEEP_TSUE_F1.
-5411	Skip pattern	Fatal	(a) If M1311_NSTG_CVRG_E1=0, then if M1311_NSTG_CVRG_SOCROC_E2 is active, it must be equal to [^]. (b) If M1311_NSTG_CVRG_E1 >0, then if M1311_NSTG_CVRG_SOCROC_E2 is active, it must not be equal to [^].

Changes for Version

Type	ID	Description
Item	M1311_NSTG_CVRG_E1	[V2.30.0]-Added new item value [-].
Format	-3090	[V2.30.0]-Removed mappings to the following deleted items: M1313_NW_WS_PRSULC_NSTG_CVRG_E M1313_NW_WS_PRSULC_NSTG_DRSG_D M1313_NW_WS_PRSULC_NSTG_TSUE_F M1313_NW_WS_PRSULC_STG2_A M1313_NW_WS_PRSULC_STG3_B M1313_NW_WS_PRSULC_STG4_C
Format	-3100	[V2.30.0]-Removed mappings to the following deleted items: M1313_NW_WS_PRSULC_NSTG_CVRG_E M1313_NW_WS_PRSULC_NSTG_DRSG_D M1313_NW_WS_PRSULC_NSTG_TSUE_F M1313_NW_WS_PRSULC_STG2_A M1313_NW_WS_PRSULC_STG3_B M1313_NW_WS_PRSULC_STG4_C
Consistency	-4131	[V2.30.0]-This edit was deleted because M1320_STUS_PRBLM_PRSR_ULCR was deleted.
Consistency	-4141	[V2.30.0]-This edit was deleted because M1320_STUS_PRBLM_PRSR_ULCR was deleted.
Consistency	-4161	[V2.30.0]-This edit was deleted because M1320_STUS_PRBLM_PRSR_ULCR was deleted.
Consistency	-5311	[V2.30.0]-This edit was deleted, since M1313_NW_WS_PRSULC_NSTG_CVRG_E was deleted.
Consistency	-5410	[V2.30.1]-This edit was deleted and replaced by edit -5412.
Consistency	-5412	[V2.30.1]-New edit. Replaces edit -5410.

Data Submission Specifications for the OASIS Item Set (V2.30.1)

Detailed Data Specifications Report

Section: Integumentary Status

Consistency	-5413	[V2.30.1]-New edit.
Consistency	-5660	[V2.30.0]-New edit.
Skip pattern	-5110	[V2.30.0]-This edit was deleted and replaced by edit -5111.
Skip pattern	-5111	[V2.30.0]-New edit. Replaces edit -5110.
Skip pattern	-5121	[V2.30.0]-This edit was deleted and replaced by edit -5122.
Skip pattern	-5122	[V2.30.0]-New edit. Replaces edit -5121.

Data Submission Specifications for the OASIS Item Set (V2.30.1)

Detailed Data Specifications Report

Section: Integumentary Status

Item ID: M1311_NSTG_CVRG_SOCROC_E2

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Unstageable: coverage by slough or eschar SOC/ROC	Asmt		Number	2	1578-1579

Item Subsets

Active:	09
Inactive:	01,03,04,05,06,07,08,XX

Item Values

Value	LOINC Code	Value Text
00		Minimum value
99		Maximum value
-		Not assessed (no information)
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3090	Format	Fatal	VALUES OF NUMERIC ITEMS Only the values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item. The submitted value must be greater than or equal to the minimum value listed in the table and less than or equal to the maximum value listed in the table, or it must match one of the remaining special values (if any) that are listed in the table. The length of the submitted value must not exceed the allowed maximum length for the item. Signed numbers (with a leading plus or minus sign) will not be accepted.
-3100	Format	Fatal	FORMATTING OF POSITIVE INTEGER NUMERIC ITEMS Only positive integer values and the special values (if any) that are listed in the "Item Values" table of the Detailed Data Specifications Report will be accepted for this item. Leading zeroes may be included or omitted from the submitted value as long as the resulting length of the string does not exceed the allowed maximum length for the item. A decimal point and decimal values are not allowed. A sign will not be accepted. The following examples are allowable if the value to be submitted is equal to [1] and the maximum length is equal to 2: [1], [01]. The following values are NOT allowed and will lead to a fatal error: [1.], [1.0], [01.], [01.0], [1.1], [01.1], [1.01], [+1], [-2], [+1.3], [-4.5].
-5410	Consistency	Fatal	***THIS EDIT WAS DELETED IN V2.30.1***
-5412	Consistency	Fatal	If M1311_NSTG_CVRG_E1 is greater than 0, and M1311_NSTG_CVRG_SOCROC_E2 is active, then M1311_NSTG_CVRG_SOCROC_E2 must be (a) less than or equal to M1311_NSTG_CVRG_E1, or (b) equal to dash [-].
-5413	Consistency	Fatal	If M1311_NSTG_CVRG_E1=[-], then if M1311_NSTG_CVRG_SOCROC_E2 is active, it must be equal to [-].
-5110	Skip pattern	Fatal	***THIS EDIT WAS DELETED IN V2.30.0***
-5111	Skip pattern	Fatal	If M1306_UNHLD_STG2_PRSR_ULCR=[0], then all active items from M1307_OLDST_STG2_AT_DSCHRG through M1311_NSTG_DEEP_TSUE_SOCROC_F2 must equal [^].

Data Submission Specifications for the OASIS Item Set (V2.30.1)

Detailed Data Specifications Report

Section: Integumentary Status

-5411 Skip pattern Fatal (a) If M1311_NSTG_CVRG_E1=0, then if M1311_NSTG_CVRG_SOCROC_E2 is active, it must be equal to [^].
(b) If M1311_NSTG_CVRG_E1 >0, then if M1311_NSTG_CVRG_SOCROC_E2 is active, it must not be equal to [^].

Changes for Version

Type	ID	Description
Item	M1311_NSTG_CVRG_SOCROC_E2	[V2.30.0]-Added new item value [-]. Removed item from RFAs 4 and 5.
Format	-3090	[V2.30.0]-Removed mappings to the following deleted items: M1313_NW_WS_PRSULC_NSTG_CVRG_E M1313_NW_WS_PRSULC_NSTG_DRSG_D M1313_NW_WS_PRSULC_NSTG_TSUE_F M1313_NW_WS_PRSULC_STG2_A M1313_NW_WS_PRSULC_STG3_B M1313_NW_WS_PRSULC_STG4_C
Format	-3100	[V2.30.0]-Removed mappings to the following deleted items: M1313_NW_WS_PRSULC_NSTG_CVRG_E M1313_NW_WS_PRSULC_NSTG_DRSG_D M1313_NW_WS_PRSULC_NSTG_TSUE_F M1313_NW_WS_PRSULC_STG2_A M1313_NW_WS_PRSULC_STG3_B M1313_NW_WS_PRSULC_STG4_C
Consistency	-5410	[V2.30.1]-This edit was deleted and replaced by edit -5412.
Consistency	-5412	[V2.30.1]-New edit. Replaces edit -5410.
Consistency	-5413	[V2.30.1]-New edit.
Skip pattern	-5110	[V2.30.0]-This edit was deleted and replaced by edit -5111.
Skip pattern	-5111	[V2.30.0]-New edit. Replaces edit -5110.

Data Submission Specifications for the OASIS Item Set (V2.30.1)

Detailed Data Specifications Report

Section: Integumentary Status

Item ID: M1311_NSTG_DEEP_TSUE_F1

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Unstageable: deep tissue injury	Asmt		Number	2	1580-1581

Item Subsets

Active:	01,03,04,05,09
Inactive:	06,07,08,XX

Item Values

Value	LOINC Code	Value Text
00		Minimum value
99		Maximum value
-		Not assessed (no information)
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3090	Format	Fatal	VALUES OF NUMERIC ITEMS Only the values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item. The submitted value must be greater than or equal to the minimum value listed in the table and less than or equal to the maximum value listed in the table, or it must match one of the remaining special values (if any) that are listed in the table. The length of the submitted value must not exceed the allowed maximum length for the item. Signed numbers (with a leading plus or minus sign) will not be accepted.
-3100	Format	Fatal	FORMATTING OF POSITIVE INTEGER NUMERIC ITEMS Only positive integer values and the special values (if any) that are listed in the "Item Values" table of the Detailed Data Specifications Report will be accepted for this item. Leading zeroes may be included or omitted from the submitted value as long as the resulting length of the string does not exceed the allowed maximum length for the item. A decimal point and decimal values are not allowed. A sign will not be accepted. The following examples are allowable if the value to be submitted is equal to [1] and the maximum length is equal to 2: [1], [01]. The following values are NOT allowed and will lead to a fatal error: [1.], [1.0], [01.], [01.0], [1.1], [01.1], [1.01], [+1], [-2], [+1.3], [-4.5].
-4131	Consistency	Fatal	***THIS EDIT WAS DELETED IN V2.30.0***
-4141	Consistency	Fatal	***THIS EDIT WAS DELETED IN V2.30.0***
-4161	Consistency	Fatal	***THIS EDIT WAS DELETED IN V2.30.0***
-5131	Consistency	Fatal	If M1306_UNHLD_STG2_PRSR_ULCR=[1], then at least one of the following items must be greater than [00]: M1311_NBR_PRSULC_STG2_A1, M1311_NBR_PRSULC_STG3_B1, M1311_NBR_PRSULC_STG4_C1, M1311_NSTG_DRSG_D1, M1311_NSTG_CVRG_E1, M1311_NSTG_DEEP_TSUE_F1.
-5420	Consistency	Fatal	***THIS EDIT WAS DELETED IN V2.30.1***

Data Submission Specifications for the OASIS Item Set (V2.30.1)

Detailed Data Specifications Report

Section: Integumentary Status

-5422	Consistency	Fatal	If M1311_NSTG_DEEP_TSUE_F1 is greater than 0, and M1311_NSTG_DEEP_TSUE_SOCROC_F2 is active, then M1311_NSTG_DEEP_TSUE_SOCROC_F2 must be (a) less than or equal to M1311_NSTG_DEEP_TSUE_F1, or (b) equal to dash [-].
-5423	Consistency	Fatal	If M1311_NSTG_DEEP_TSUE_F1=[-], then if M1311_NSTG_DEEP_TSUE_SOCROC_F2 is active, it must be equal to [-].
-5450	Consistency	Fatal	***THIS EDIT WAS DELETED IN V2.30.0***
-5660	Consistency	Fatal	If M0100_ASSMT_REASON=[01,03,04,05], then none of the following items can be equal to [-]: M1311_NBR_PRSULC_STG2_A1, M1311_NBR_PRSULC_STG3_B1, M1311_NBR_PRSULC_STG4_C1, M1311_NSTG_DRSG_D1, M1311_NSTG_CVRG_E1, and M1311_NSTG_DEEP_TSUE_F1.
-5110	Skip pattern	Fatal	***THIS EDIT WAS DELETED IN V2.30.0***
-5111	Skip pattern	Fatal	If M1306_UNHLD_STG2_PRSR_ULCR=[0], then all active items from M1307_OLDST_STG2_AT_DSCHRG through M1311_NSTG_DEEP_TSUE_SOCROC_F2 must equal [^].
-5121	Skip pattern	Fatal	***THIS EDIT WAS DELETED IN V2.30.0***
-5122	Skip pattern	Fatal	If M1306_UNHLD_STG2_PRSR_ULCR=[1], then the following items must not equal [^]: M1307_OLDST_STG2_AT_DSCHRG, M1311_NBR_PRSULC_STG2_A1, M1311_NBR_PRSULC_STG3_B1, M1311_NBR_PRSULC_STG4_C1, M1311_NSTG_DRSG_D1, M1311_NSTG_CVRG_E1, M1311_NSTG_DEEP_TSUE_F1.
-5421	Skip pattern	Fatal	(a) If M1311_NSTG_DEEP_TSUE_F=0, then if M1311_NSTG_DEEP_TSUE_SOCROC_F2 is active, it must be equal to [^]. (b) If M1311_NSTG_DEEP_TSUE_F1 >0, then if M1311_NSTG_DEEP_TSUE_SOCROC_F2 is active, it must not be equal to [^].

Changes for Version

Type	ID	Description
Item	M1311_NSTG_DEEP_TSUE_F1	[V2.30.0]-Added new item value [-]. [V2.30.1]-Revised item label to exclude the word "suspect".
Format	-3090	[V2.30.0]-Removed mappings to the following deleted items: M1313_NW_WS_PRSULC_NSTG_CVRG_E M1313_NW_WS_PRSULC_NSTG_DRSG_D M1313_NW_WS_PRSULC_NSTG_TSUE_F M1313_NW_WS_PRSULC_STG2_A M1313_NW_WS_PRSULC_STG3_B M1313_NW_WS_PRSULC_STG4_C
Format	-3100	[V2.30.0]-Removed mappings to the following deleted items: M1313_NW_WS_PRSULC_NSTG_CVRG_E M1313_NW_WS_PRSULC_NSTG_DRSG_D M1313_NW_WS_PRSULC_NSTG_TSUE_F M1313_NW_WS_PRSULC_STG2_A M1313_NW_WS_PRSULC_STG3_B M1313_NW_WS_PRSULC_STG4_C
Consistency	-4131	[V2.30.0]-This edit was deleted because M1320_STUS_PRBLM_PRSR_ULCR was deleted.
Consistency	-4141	[V2.30.0]-This edit was deleted because M1320_STUS_PRBLM_PRSR_ULCR was deleted.
Consistency	-4161	[V2.30.0]-This edit was deleted because M1320_STUS_PRBLM_PRSR_ULCR was deleted.

Data Submission Specifications for the OASIS Item Set (V2.30.1)

Detailed Data Specifications Report

Section: Integumentary Status

Consistency	-5420	[V2.30.1]-This edit was deleted and replaced by edit -5422.
Consistency	-5422	[V2.30.1]-New edit. Replaces edit -5420.
Consistency	-5423	[V2.30.1]-New edit.
Consistency	-5450	[V2.30.0]-This edit was deleted, since M1313_NW_WS_PRSULC_NSTG_TSUE_F was deleted.
Consistency	-5660	[V2.30.0]-New edit.
Skip pattern	-5110	[V2.30.0]-This edit was deleted and replaced by edit -5111.
Skip pattern	-5111	[V2.30.0]-New edit. Replaces edit -5110.
Skip pattern	-5121	[V2.30.0]-This edit was deleted and replaced by edit -5122.
Skip pattern	-5122	[V2.30.0]-New edit. Replaces edit -5121.

Data Submission Specifications for the OASIS Item Set (V2.30.1)

Detailed Data Specifications Report

Section: Integumentary Status

Item ID: M1311_NSTG_DEEP_TSUE_SOCROC_F2

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Unstageable: deep tissue injury SOC/ROC	Asmt		Number	2	1582-1583

Item Subsets

Active:	09
Inactive:	01,03,04,05,06,07,08,XX

Item Values

Value	LOINC Code	Value Text
00		Minimum value
99		Maximum value
-		Not assessed (no information)
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3090	Format	Fatal	VALUES OF NUMERIC ITEMS Only the values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item. The submitted value must be greater than or equal to the minimum value listed in the table and less than or equal to the maximum value listed in the table, or it must match one of the remaining special values (if any) that are listed in the table. The length of the submitted value must not exceed the allowed maximum length for the item. Signed numbers (with a leading plus or minus sign) will not be accepted.
-3100	Format	Fatal	FORMATTING OF POSITIVE INTEGER NUMERIC ITEMS Only positive integer values and the special values (if any) that are listed in the "Item Values" table of the Detailed Data Specifications Report will be accepted for this item. Leading zeroes may be included or omitted from the submitted value as long as the resulting length of the string does not exceed the allowed maximum length for the item. A decimal point and decimal values are not allowed. A sign will not be accepted. The following examples are allowable if the value to be submitted is equal to [1] and the maximum length is equal to 2: [1], [01]. The following values are NOT allowed and will lead to a fatal error: [1.], [1.0], [01.], [01.0], [1.1], [01.1], [1.01], [+1], [-2], [+1.3], [-4.5].
-5420	Consistency	Fatal	***THIS EDIT WAS DELETED IN V2.30.1***
-5422	Consistency	Fatal	If M1311_NSTG_DEEP_TSUE_F1 is greater than 0, and M1311_NSTG_DEEP_TSUE_SOCROC_F2 is active, then M1311_NSTG_DEEP_TSUE_SOCROC_F2 must be (a) less than or equal to M1311_NSTG_DEEP_TSUE_F1, or (b) equal to dash [-].
-5423	Consistency	Fatal	If M1311_NSTG_DEEP_TSUE_F1=[-], then if M1311_NSTG_DEEP_TSUE_SOCROC_F2 is active, it must be equal to [-].
-5110	Skip pattern	Fatal	***THIS EDIT WAS DELETED IN V2.30.0***

Data Submission Specifications for the OASIS Item Set (V2.30.1)

Detailed Data Specifications Report

Section: Integumentary Status

-5111	Skip pattern	Fatal	If M1306_UNHLD_STG2_PRSR_ULCR=[0], then all active items from M1307_OLDST_STG2_AT_DSCHRG through M1311_NSTG_DEEP_TSUE_SOCROC_F2 must equal [^].
-5421	Skip pattern	Fatal	(a) If M1311_NSTG_DEEP_TSUE_F=0, then if M1311_NSTG_DEEP_TSUE_SOCROC_F2 is active, it must be equal to [^]. (b) If M1311_NSTG_DEEP_TSUE_F1 >0, then if M1311_NSTG_DEEP_TSUE_SOCROC_F2 is active, it must not be equal to [^].

Changes for Version

Type	ID	Description
Item	M1311_NSTG_DEEP_TSUE_SOCROC_F2	[V2.30.0]-Added new item value [-]. Removed item from RFAs 4 and 5.
Format	-3090	[V2.30.1]-Revised item label to exclude the word "suspect". [V2.30.0]-Removed mappings to the following deleted items: M1313_NW_WS_PRSULC_NSTG_CVRG_E M1313_NW_WS_PRSULC_NSTG_DRSG_D M1313_NW_WS_PRSULC_NSTG_TSUE_F M1313_NW_WS_PRSULC_STG2_A M1313_NW_WS_PRSULC_STG3_B M1313_NW_WS_PRSULC_STG4_C.
Format	-3100	[V2.30.0]-Removed mappings to the following deleted items: M1313_NW_WS_PRSULC_NSTG_CVRG_E M1313_NW_WS_PRSULC_NSTG_DRSG_D M1313_NW_WS_PRSULC_NSTG_TSUE_F M1313_NW_WS_PRSULC_STG2_A M1313_NW_WS_PRSULC_STG3_B M1313_NW_WS_PRSULC_STG4_C
Consistency	-5420	[V2.30.1]-This edit was deleted and replaced by edit -5422.
Consistency	-5422	[V2.30.1]-New edit. Replaces edit -5420.
Consistency	-5423	[V2.30.1]-New edit.
Skip pattern	-5110	[V2.30.0]-This edit was deleted and replaced by edit -5111.
Skip pattern	-5111	[V2.30.0]-New edit. Replaces edit -5110.

Data Submission Specifications for the OASIS Item Set (V2.30.1)

Detailed Data Specifications Report

Section: Integumentary Status

Item ID: M1322_NBR_PRSULC_STG1

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Number of stage 1 pressure injuries	Asmt		Code	2	835-836

Item Subsets

Active:	01,03,04,05
Inactive:	06,07,08,09,XX

Item Values

Value	LOINC Code	Value Text
00		0
01		1
02		2
03		3
04		4 or more

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3060	Format	Fatal	VALUES OF CODE AND CHECKLIST ITEMS Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-4170	Consistency	Fatal	If M1324_STG_PRBLM_ULCER=[01], then if M1322_NBR_PRSULC_STG1 is active it must be greater than [00].
-4211	Consistency	Fatal	***THIS EDIT WAS DELETED IN V2.30.1***
-5680	Consistency	Fatal	(a) If M0100_ASSMT_REASON=[01,03,04,05] and M1322_NBR_PRSULC_STG1 = [00], and if M1311_NBR_PRSULC_STG2_A1, M1311_NBR_PRSULC_STG3_B1 and M1311_NBR_PRSULC_STG4_C1 are all equal to [00,^], then M1324_STG_PRBLM_ULCER must be equal to [NA]. (b) If M0100_ASSMT_REASON=[09], and if M1311_NBR_PRSULC_STG2_A1, M1311_NBR_PRSULC_STG3_B1 and M1311_NBR_PRSULC_STG4_C1 are all equal to [00,-,^], then M1324_STG_PRBLM_ULCER must be equal to [1, NA].

Changes for Version

Type	ID	Description
Item	M1322_NBR_PRSULC_STG1	[V2.30.0]-Revised item label to "injuries". Removed item from RFA 9.
Format	-3060	[V2.30.0]-Added mappings to all items in new sections GG and J, as well as new item M1028_ACTV_DIAG_NOA. Removed mappings to the following deleted items: M1011_14_DAY_INP_NA

Data Submission Specifications for the OASIS Item Set (V2.30.1)

Detailed Data Specifications Report

Section: Integumentary Status

M1017_CHGREG_ICD_NA
M1018_PRIOR_CATH
M1018_PRIOR_DISRUPTIVE
M1018_PRIOR_IMPR_DECSN
M1018_PRIOR_INTRACT_PAIN
M1018_PRIOR_MEM_LOSS
M1018_PRIOR_NOCHG_14D
M1018_PRIOR_NONE
M1018_PRIOR_UNKNOWN
M1018_PRIOR_UR_INCON
M1034_PTNT_OVRAL_STUS
M1036_RSK_ALCOHOLISM
M1036_RSK_DRUGS
M1036_RSK_NONE
M1036_RSK_OBESITY
M1036_RSK_SMOKING
M1036_RSK_UNKNOWN
M1210_HEARG_ABLTY
M1220_UNDRSTG_VERBAL_CNTNT
M1230_SPEECH
M1240_FRML_PAIN_ASMT
M1300_PRSR_ULCR_RISK_ASMT
M1302_RISK_OF_PRSR_ULCR
M1320_STUS_PRBLM_PRSR_ULCR
M1350_LESION_OPEN_WND
M1410_RESPTX_OXYGEN
M1410_RESPTX_AIRPRESS
M1410_RESPTX_NONE
M1410_RESPTX_VENTILATOR
M1501_SYMTM_HRT_FAILR_PTNTS
M1511_HRT_FAILR_CARE_PLAN_CHG
M1511_HRT_FAILR_CLNCL_INTRVTN
M1511_HRT_FAILR_ER_TRTMT
M1511_HRT_FAILR_NO_ACTN
M1511_HRT_FAILR_PHYSN_CNTCT
M1511_HRT_FAILR_PHYSN_TRTMT
M1615_INCNTNT_TIMING
M1750_REC_PSYCH_NURS
M1880_CRNT_PREP_LT_MEALS
M1890_CRNT_PHONE_USE
M1900_PRIOR_ADLIADL_AMBLTN

Data Submission Specifications for the OASIS Item Set (V2.30.1)

Detailed Data Specifications Report

Section: Integumentary Status

M1900_PRIOR_ADLIADL_HSEHOLD
M1900_PRIOR_ADLIADL_SELF
M1900_PRIOR_ADLIADL_TRNSFR
M2040_PRIOR_MGMT_INJCTN_MDCTN
M2040_PRIOR_MGMT_ORAL_MDCTN
M2102_CARE_TYPE_SRC_ADVCY
M2102_CARE_TYPE_SRC_EQUIP
M2102_CARE_TYPE_SRC_IADL
M2110_ADL_IADL_ASTNC_FREQ
M2250_PLAN_SMRY_DBTS_FT_CARE
M2250_PLAN_SMRY_DPRSN_INTRVTN
M2250_PLAN_SMRY_FALL_PRVNT
M2250_PLAN_SMRY_PAIN_INTRVTN
M2250_PLAN_SMRY_PRSULC_PRVNT
M2250_PLAN_SMRY_PRSULC_TRTMT
M2250_PLAN_SMRY_PTNT_SPECF
M2310_ECR_CRDC_DSRTHM
M2310_ECR_CTHTR_CMPLCTN
M2310_ECR_DHYDRTN_MALNTR
M2310_ECR_DVT_PULMNRY
M2310_ECR_GI_PRBLM
M2310_ECR_HRT_FAILR
M2310_ECR_INJRY_BY_FALL
M2310_ECR_MENTL_BHVRL_PRBLM
M2310_ECR_MI_CHST_PAIN
M2310_ECR_OTHR_HRT_DEASE
M2310_ECR_RSPRTRY_INFCTN
M2310_ECR_RSPRTRY_OTHR
M2310_ECR_STROKE_TIA
M2310_ECR_UNCNTLD_PAIN
M2310_ECR_UTI
M2310_ECR_WND_INFCTN_DTRORTN
M2430_HOSP_CRDC_DSRTHM
M2430_HOSP_CTHTR_CMPLCTN
M2430_HOSP_DHYDRTN_MALNTR
M2430_HOSP_DVT_PULMNRY
M2430_HOSP_GI_PRBLM
M2430_HOSP_HRT_FAILR
M2430_HOSP_HYPOGLYC
M2430_HOSP_INJRY_BY_FALL
M2430_HOSP_MED

Data Submission Specifications for the OASIS Item Set (V2.30.1)

Detailed Data Specifications Report

Section: Integumentary Status

M2430_HOSP_MENTL_BHVRL_PRBLM
M2430_HOSP_MI_CHST_PAIN
M2430_HOSP_OTHER
M2430_HOSP_OTHR_HRT_DEASE
M2430_HOSP_PAIN
M2430_HOSP_RSPRTRY_INFCTN
M2430_HOSP_RSPRTRY_OTHR
M2430_HOSP_SCHLD_TRTMT
M2430_HOSP_STROKE_TIA
M2430_HOSP_UK
M2430_HOSP_UR_TRACT
M2430_HOSP_WND_INFCTN

Consistency -4211

Consistency -5680

[V2.30.1]-This edit was deleted and replaced by edit -5680.

[V2.30.1]-New edit. Replaces edit -4211.

Data Submission Specifications for the OASIS Item Set (V2.30.1)

Detailed Data Specifications Report

Section: Integumentary Status

Item ID: M1324_STG_PRBLM_ULCER

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Stage of most problematic pressure ulcer/injury	Asmt		Code	2	837-838

Item Subsets

Active:	01,03,04,05,09
Inactive:	06,07,08,XX

Item Values

Value	LOINC Code	Value Text
01		Stage 1
02		Stage 2
03		Stage 3
04		Stage 4
NA		Patient has no pressure ulcers or no stageable pressure ulcers

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3060	Format	Fatal	VALUES OF CODE AND CHECKLIST ITEMS Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-4170	Consistency	Fatal	If M1324_STG_PRBLM_ULCER=[01], then if M1322_NBR_PRSULC_STG1 is active it must be greater than [00].
-4181	Consistency	Fatal	If M1324_STG_PRBLM_ULCER=[02], then if M1311_NBR_PRSULC_STG2_A1 is active it must not equal [^] and it must be greater than [00].
-4191	Consistency	Fatal	If M1324_STG_PRBLM_ULCER=[03], then if M1311_NBR_PRSULC_STG3_B1 is active it must not equal [^] and it must be greater than [00].
-4201	Consistency	Fatal	If M1324_STG_PRBLM_ULCER=[04], then if M1311_NBR_PRSULC_STG4_C1 is active it must not equal [^] and it must be greater than [00].
-4211	Consistency	Fatal	***THIS EDIT WAS DELETED IN V2.30.1***
-5680	Consistency	Fatal	(a) If M0100_ASSMT_REASON=[01,03,04,05] and M1322_NBR_PRSULC_STG1 = [00], and if M1311_NBR_PRSULC_STG2_A1, M1311_NBR_PRSULC_STG3_B1 and M1311_NBR_PRSULC_STG4_C1 are all equal to [00,^], then M1324_STG_PRBLM_ULCER must be equal to [NA]. (b) If M0100_ASSMT_REASON=[09], and if M1311_NBR_PRSULC_STG2_A1, M1311_NBR_PRSULC_STG3_B1 and M1311_NBR_PRSULC_STG4_C1 are all equal to [00,-,^], then M1324_STG_PRBLM_ULCER must be equal to [1, NA].

Changes for Version

Type	ID	Description
Item	M1324_STG_PRBLM_ULCER	[V2.30.0]-Revised item label to include "injury".

Data Submission Specifications for the OASIS Item Set (V2.30.1)

Detailed Data Specifications Report

Section: Integumentary Status

Format	-3060	<p>[V2.30.0]-Added mappings to all items in new sections GG and J, as well as new item M1028_ACTV_DIAG_NOA.</p> <p>Removed mappings to the following deleted items:</p> <p>M1011_14_DAY_INP_NA</p> <p>M1017_CHGREG_ICD_NA</p> <p>M1018_PRIOR_CATH</p> <p>M1018_PRIOR_DISRUPTIVE</p> <p>M1018_PRIOR_IMPR_DECSN</p> <p>M1018_PRIOR_INTRACT_PAIN</p> <p>M1018_PRIOR_MEM_LOSS</p> <p>M1018_PRIOR_NOCHG_14D</p> <p>M1018_PRIOR_NONE</p> <p>M1018_PRIOR_UNKNOWN</p> <p>M1018_PRIOR_UR_INCON</p> <p>M1034_PTNT_OVRAL_STUS</p> <p>M1036_RSK_ALCOHOLISM</p> <p>M1036_RSK_DRUGS</p> <p>M1036_RSK_NONE</p> <p>M1036_RSK_OBESITY</p> <p>M1036_RSK_SMOKING</p> <p>M1036_RSK_UNKNOWN</p> <p>M1210_HEARG_ABLTY</p> <p>M1220_UNDRSTG_VERBAL_CNTNT</p> <p>M1230_SPEECH</p> <p>M1240_FRML_PAIN_ASMT</p> <p>M1300_PRSR_ULCR_RISK_ASMT</p> <p>M1302_RISK_OF_PRSR_ULCR</p> <p>M1320_STUS_PRBLM_PRSR_ULCR</p> <p>M1350_LESION_OPEN_WND</p> <p>M1410_RESPTX_OXYGEN</p> <p>M1410_RESPTX_AIRPRESS</p> <p>M1410_RESPTX_NONE</p> <p>M1410_RESPTX_VENTILATOR</p> <p>M1501_SYMTM_HRT_FAILR_PTNTS</p> <p>M1511_HRT_FAILR_CARE_PLAN_CHG</p> <p>M1511_HRT_FAILR_CLNCL_INTRVTN</p> <p>M1511_HRT_FAILR_ER_TRTMT</p> <p>M1511_HRT_FAILR_NO_ACTN</p> <p>M1511_HRT_FAILR_PHYSN_CNTCT</p> <p>M1511_HRT_FAILR_PHYSN_TRTMT</p> <p>M1615_INCNTNT_TIMING</p>
--------	-------	--

Data Submission Specifications for the OASIS Item Set (V2.30.1)

Detailed Data Specifications Report

Section: Integumentary Status

M1750_REC_PSYCH_NURS
M1880_CRNT_PREP_LT_MEALS
M1890_CRNT_PHONE_USE
M1900_PRIOR_ADLIADL_AMBLTN
M1900_PRIOR_ADLIADL_HSEHOLD
M1900_PRIOR_ADLIADL_SELF
M1900_PRIOR_ADLIADL_TRNSFR
M2040_PRIOR_MGMT_INJCTN_MDCTN
M2040_PRIOR_MGMT_ORAL_MDCTN
M2102_CARE_TYPE_SRC_ADV CY
M2102_CARE_TYPE_SRC_EQUIP
M2102_CARE_TYPE_SRC_IADL
M2110_ADL_IADL_ASTNC_FREQ
M2250_PLAN_SMRY_DBTS_FT_CARE
M2250_PLAN_SMRY_DPRSN_INTRVTN
M2250_PLAN_SMRY_FALL_PRVNT
M2250_PLAN_SMRY_PAIN_INTRVTN
M2250_PLAN_SMRY_PRSULC_PRVNT
M2250_PLAN_SMRY_PRSULC_TRTMT
M2250_PLAN_SMRY_PTNT_SPECF
M2310_ECR_CRDC_DSRTHM
M2310_ECR_CTHTR_CMPLCTN
M2310_ECR_DHYDRTN_MALNTR
M2310_ECR_DVT_PULMNRY
M2310_ECR_GI_PRBLM
M2310_ECR_HRT_FAILR
M2310_ECR_INJRY_BY_FALL
M2310_ECR_MENTL_BHVRL_PRBLM
M2310_ECR_MI_CHST_PAIN
M2310_ECR_OTHR_HRT_DEASE
M2310_ECR_RSPRTRY_INFCTN
M2310_ECR_RSPRTRY_OTHR
M2310_ECR_STROKE_TIA
M2310_ECR_UNCNTLD_PAIN
M2310_ECR_UTI
M2310_ECR_WND_INFCTN_DTRORTN
M2430_HOSP_CRDC_DSRTHM
M2430_HOSP_CTHTR_CMPLCTN
M2430_HOSP_DHYDRTN_MALNTR
M2430_HOSP_DVT_PULMNRY
M2430_HOSP_GI_PRBLM

Data Submission Specifications for the OASIS Item Set (V2.30.1)

Detailed Data Specifications Report

Section: Integumentary Status

M2430_HOSP_HRT_FAILR
M2430_HOSP_HYPOGLYC
M2430_HOSP_INJRY_BY_FALL
M2430_HOSP_MED
M2430_HOSP_MENTL_BHVRL_PRBLM
M2430_HOSP_MI_CHST_PAIN
M2430_HOSP_OTHER
M2430_HOSP_OTHR_HRT_DEASE
M2430_HOSP_PAIN
M2430_HOSP_RSPRTRY_INFCTN
M2430_HOSP_RSPRTRY_OTHR
M2430_HOSP_SCHLD_TRTMT
M2430_HOSP_STROKE_TIA
M2430_HOSP_UK
M2430_HOSP_UR_TRACT
M2430_HOSP_WND_INFCTN
[V2.30.1]-This edit was deleted and replaced by edit -5680.
[V2.30.1]-New edit. Replaces edit -4211.

Consistency -4211
Consistency -5680

Data Submission Specifications for the OASIS Item Set (V2.30.1)

Detailed Data Specifications Report

Section: Integumentary Status

Item ID: M1330_STAS_ULCR_PRSNT

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Does this patient have a stasis ulcer	Asmt		Code	2	839-840

Item Subsets

Active:	01,03,04,05,09
Inactive:	06,07,08,XX

Item Values

Value	LOINC Code	Value Text
00		No
01		Yes, patient has BOTH observable and unobservable stasis ulcers.
02		Yes, patient has observable stasis ulcers ONLY.
03		Yes, patient has unobservable stasis ulcers ONLY (known but not observable due to non- removable dressing/device)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3060	Format	Fatal	VALUES OF CODE AND CHECKLIST ITEMS Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-4220	Skip pattern	Fatal	If M1330_STAS_ULCR_PRSNT=[00,03], then all active items from M1332_NBR_STAS_ULCR through M1334_STUS_PRBLM_STAS_ULCR must equal [^].
-4230	Skip pattern	Fatal	If M1330_STAS_ULCR_PRSNT=[01,02], then all active items from M1332_NBR_STAS_ULCR through M1334_STUS_PRBLM_STAS_ULCR must not equal [^].

Changes for Version

Type	ID	Description
Format	-3060	[V2.30.0]-Added mappings to all items in new sections GG and J, as well as new item M1028_ACTV_DIAG_NOA. Removed mappings to the following deleted items: M1011_14_DAY_INP_NA M1017_CHGREG_ICD_NA M1018_PRIOR_CATH M1018_PRIOR_DISRUPTIVE M1018_PRIOR_IMPR_DECSN M1018_PRIOR_INTRACT_PAIN M1018_PRIOR_MEM_LOSS M1018_PRIOR_NOCHG_14D

Data Submission Specifications for the OASIS Item Set (V2.30.1)

Detailed Data Specifications Report

Section: Integumentary Status

M1018_PRIOR_NONE
M1018_PRIOR_UNKNOWN
M1018_PRIOR_UR_INCON
M1034_PTNT_OVRAL_STUS
M1036_RSK_ALCOHOLISM
M1036_RSK_DRUGS
M1036_RSK_NONE
M1036_RSK_OBESITY
M1036_RSK_SMOKING
M1036_RSK_UNKNOWN
M1210_HEARG_ABLTY
M1220_UNDRSTG_VERBAL_CNTNT
M1230_SPEECH
M1240_FRML_PAIN_ASMT
M1300_PRSR_ULCR_RISK_ASMT
M1302_RISK_OF_PRSR_ULCR
M1320_STUS_PRBLM_PRSR_ULCR
M1350_LESION_OPEN_WND
M1410_RESPTX_OXYGEN
M1410_RESPTX_AIRPRESS
M1410_RESPTX_NONE
M1410_RESPTX_VENTILATOR
M1501_SYMTM_HRT_FAILR_PTNTS
M1511_HRT_FAILR_CARE_PLAN_CHG
M1511_HRT_FAILR_CLNCL_INTRVTN
M1511_HRT_FAILR_ER_TRTMT
M1511_HRT_FAILR_NO_ACTN
M1511_HRT_FAILR_PHYSN_CNTCT
M1511_HRT_FAILR_PHYSN_TRTMT
M1615_INCNTNT_TIMING
M1750_REC_PSYCH_NURS
M1880_CRNT_PREP_LT_MEALS
M1890_CRNT_PHONE_USE
M1900_PRIOR_ADLIADL_AMBLTN
M1900_PRIOR_ADLIADL_HSEHOLD
M1900_PRIOR_ADLIADL_SELF
M1900_PRIOR_ADLIADL_TRNSFR
M2040_PRIOR_MGMT_INJCTN_MDCTN
M2040_PRIOR_MGMT_ORAL_MDCTN
M2102_CARE_TYPE_SRC_ADV CY
M2102_CARE_TYPE_SRC_EQUIP
M2102_CARE_TYPE_SRC_IADL

Data Submission Specifications for the OASIS Item Set (V2.30.1)

Detailed Data Specifications Report

Section: Integumentary Status

M2110_ADL_IADL_ASTNC_FREQ
M2250_PLAN_SMRY_DBTS_FT_CARE
M2250_PLAN_SMRY_DPRSN_INTRVTN
M2250_PLAN_SMRY_FALL_PRVNT
M2250_PLAN_SMRY_PAIN_INTRVTN
M2250_PLAN_SMRY_PRSULC_PRVNT
M2250_PLAN_SMRY_PRSULC_TRTMT
M2250_PLAN_SMRY_PTNT_SPECIF
M2310_ECR_CRDC_DSRTHM
M2310_ECR_CTHTR_CMPLCTN
M2310_ECR_DHYDRTN_MALNTR
M2310_ECR_DVT_PULMNRY
M2310_ECR_GI_PRBLM
M2310_ECR_HRT_FAILR
M2310_ECR_INJRY_BY_FALL
M2310_ECR_MENTL_BHVRL_PRBLM
M2310_ECR_MI_CHST_PAIN
M2310_ECR_OTHR_HRT_DEASE
M2310_ECR_RSPRTRY_INFCTN
M2310_ECR_RSPRTRY_OTHR
M2310_ECR_STROKE_TIA
M2310_ECR_UNCNTLD_PAIN
M2310_ECR_UTI
M2310_ECR_WND_INFCTN_DTRORTN
M2430_HOSP_CRDC_DSRTHM
M2430_HOSP_CTHTR_CMPLCTN
M2430_HOSP_DHYDRTN_MALNTR
M2430_HOSP_DVT_PULMNRY
M2430_HOSP_GI_PRBLM
M2430_HOSP_HRT_FAILR
M2430_HOSP_HYPOGLYC
M2430_HOSP_INJRY_BY_FALL
M2430_HOSP_MED
M2430_HOSP_MENTL_BHVRL_PRBLM
M2430_HOSP_MI_CHST_PAIN
M2430_HOSP_OTHER
M2430_HOSP_OTHR_HRT_DEASE
M2430_HOSP_PAIN
M2430_HOSP_RSPRTRY_INFCTN
M2430_HOSP_RSPRTRY_OTHR
M2430_HOSP_SCHLD_TRTMT
M2430_HOSP_STROKE_TIA

Data Submission Specifications for the OASIS Item Set (V2.30.1)

Detailed Data Specifications Report

Section: Integumentary Status

M2430_HOSP_UK

M2430_HOSP_UR_TRACT

M2430_HOSP_WND_INFCTN

Data Submission Specifications for the OASIS Item Set (V2.30.1)

Detailed Data Specifications Report

Section: Integumentary Status

Item ID: M1332_NBR_STAS_ULCR

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Number of stasis ulcers	Asmt		Code	2	841-842

Item Subsets

Active: 01,03,04,05
Inactive: 06,07,08,09,XX

Item Values

Value	LOINC Code	Value Text
01		One
02		Two
03		Three
04		Four or more
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3060	Format	Fatal	VALUES OF CODE AND CHECKLIST ITEMS Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-4220	Skip pattern	Fatal	If M1330_STAS_ULCR_PRSENT=[00,03], then all active items from M1332_NBR_STAS_ULCR through M1334_STUS_PRBLM_STAS_ULCR must equal [^].
-4230	Skip pattern	Fatal	If M1330_STAS_ULCR_PRSENT=[01,02], then all active items from M1332_NBR_STAS_ULCR through M1334_STUS_PRBLM_STAS_ULCR must not equal [^].

Changes for Version

Type	ID	Description
Item	M1332_NBR_STAS_ULCR	[V2.30.0]-Item removed from RFA 09.
Format	-3060	[V2.30.0]-Added mappings to all items in new sections GG and J, as well as new item M1028_ACTV_DIAG_NOA. Removed mappings to the following deleted items: M1011_14_DAY_INP_NA M1017_CHGREG_ICD_NA M1018_PRIOR_CATH M1018_PRIOR_DISRUPTIVE

Data Submission Specifications for the OASIS Item Set (V2.30.1)

Detailed Data Specifications Report

Section: Integumentary Status

M1018_PRIOR_IMPR_DECSN
M1018_PRIOR_INTRACT_PAIN
M1018_PRIOR_MEM_LOSS
M1018_PRIOR_NOCHG_14D
M1018_PRIOR_NONE
M1018_PRIOR_UNKNOWN
M1018_PRIOR_UR_INCON
M1034_PTNT_OVRAL_STUS
M1036_RSK_ALCOHOLISM
M1036_RSK_DRUGS
M1036_RSK_NONE
M1036_RSK_OBESITY
M1036_RSK_SMOKING
M1036_RSK_UNKNOWN
M1210_HEARG_ABLTY
M1220_UNDRSTG_VERBAL_CNTNT
M1230_SPEECH
M1240_FRML_PAIN_ASMT
M1300_PRSR_ULCR_RISK_ASMT
M1302_RISK_OF_PRSR_ULCR
M1320_STUS_PRBLM_PRSR_ULCR
M1350_LESION_OPEN_WND
M1410_RESPTX_OXYGEN
M1410_RESPTX_AIRPRESS
M1410_RESPTX_NONE
M1410_RESPTX_VENTILATOR
M1501_SYMTM_HRT_FAILR_PTNTS
M1511_HRT_FAILR_CARE_PLAN_CHG
M1511_HRT_FAILR_CLNCL_INTRVTN
M1511_HRT_FAILR_ER_TRTMT
M1511_HRT_FAILR_NO_ACTN
M1511_HRT_FAILR_PHYSN_CNTCT
M1511_HRT_FAILR_PHYSN_TRTMT
M1615_INCNTNT_TIMING
M1750_REC_PSYCH_NURS
M1880_CRNT_PREP_LT_MEALS
M1890_CRNT_PHONE_USE
M1900_PRIOR_ADLIADL_AMBLTN
M1900_PRIOR_ADLIADL_HSEHOLD
M1900_PRIOR_ADLIADL_SELF
M1900_PRIOR_ADLIADL_TRNSFR

Data Submission Specifications for the OASIS Item Set (V2.30.1)

Detailed Data Specifications Report

Section: Integumentary Status

M2040_PRIOR_MGMT_INJCTN_MDCTN
M2040_PRIOR_MGMT_ORAL_MDCTN
M2102_CARE_TYPE_SRC_ADVCY
M2102_CARE_TYPE_SRC_EQUIP
M2102_CARE_TYPE_SRC_IADL
M2110_ADL_IADL_ASTNC_FREQ
M2250_PLAN_SMRY_DBTS_FT_CARE
M2250_PLAN_SMRY_DPRSN_INTRVTN
M2250_PLAN_SMRY_FALL_PRVNT
M2250_PLAN_SMRY_PAIN_INTRVTN
M2250_PLAN_SMRY_PRSULC_PRVNT
M2250_PLAN_SMRY_PRSULC_TRTMT
M2250_PLAN_SMRY_PTNT_SPECF
M2310_ECR_CRDC_DSRTHM
M2310_ECR_CTHTR_CMPLCTN
M2310_ECR_DHYDRTN_MALNTR
M2310_ECR_DVT_PULMNRY
M2310_ECR_GI_PRBLM
M2310_ECR_HRT_FAILR
M2310_ECR_INJRY_BY_FALL
M2310_ECR_MENTL_BHVRL_PRBLM
M2310_ECR_MI_CHST_PAIN
M2310_ECR_OTHR_HRT_DEASE
M2310_ECR_RSPRTRY_INFCTN
M2310_ECR_RSPRTRY_OTHR
M2310_ECR_STROKE_TIA
M2310_ECR_UNCNTLD_PAIN
M2310_ECR_UTI
M2310_ECR_WND_INFCTN_DTRORTN
M2430_HOSP_CRDC_DSRTHM
M2430_HOSP_CTHTR_CMPLCTN
M2430_HOSP_DHYDRTN_MALNTR
M2430_HOSP_DVT_PULMNRY
M2430_HOSP_GI_PRBLM
M2430_HOSP_HRT_FAILR
M2430_HOSP_HYPOGLYC
M2430_HOSP_INJRY_BY_FALL
M2430_HOSP_MED
M2430_HOSP_MENTL_BHVRL_PRBLM
M2430_HOSP_MI_CHST_PAIN
M2430_HOSP_OTHER

Data Submission Specifications for the OASIS Item Set (V2.30.1)

Detailed Data Specifications Report

Section: Integumentary Status

M2430_HOSP_OTHR_HRT_DEASE

M2430_HOSP_PAIN

M2430_HOSP_RSPRTRY_INFCTN

M2430_HOSP_RSPRTRY_OTHR

M2430_HOSP_SCHLD_TRTMT

M2430_HOSP_STROKE_TIA

M2430_HOSP_UK

M2430_HOSP_UR_TRACT

M2430_HOSP_WND_INFCTN

Data Submission Specifications for the OASIS Item Set (V2.30.1)

Detailed Data Specifications Report

Section: Integumentary Status

Item ID: M1334_STUS_PRBLM_STAS_ULCR

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Status of most problematic stasis ulcer	Asmt		Code	2	843-844

Item Subsets

Active: 01,03,04,05,09
Inactive: 06,07,08,XX

Item Values

Value	LOINC Code	Value Text
01		Fully granulating
02		Early/partial granulation
03		Not healing
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3060	Format	Fatal	VALUES OF CODE AND CHECKLIST ITEMS Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-4220	Skip pattern	Fatal	If M1330_STAS_ULCR_PRSENT=[00,03], then all active items from M1332_NBR_STAS_ULCR through M1334_STUS_PRBLM_STAS_ULCR must equal [^].
-4230	Skip pattern	Fatal	If M1330_STAS_ULCR_PRSENT=[01,02], then all active items from M1332_NBR_STAS_ULCR through M1334_STUS_PRBLM_STAS_ULCR must not equal [^].

Changes for Version

Type	ID	Description
Format	-3060	[V2.30.0]-Added mappings to all items in new sections GG and J, as well as new item M1028_ACTV_DIAG_NOA. Removed mappings to the following deleted items: M1011_14_DAY_INP_NA M1017_CHGREG_ICD_NA M1018_PRIOR_CATH M1018_PRIOR_DISRUPTIVE M1018_PRIOR_IMPR_DECSN M1018_PRIOR_INTRACT_PAIN M1018_PRIOR_MEM_LOSS

Data Submission Specifications for the OASIS Item Set (V2.30.1)

Detailed Data Specifications Report

Section: Integumentary Status

M1018_PRIOR_NOCHG_14D
M1018_PRIOR_NONE
M1018_PRIOR_UNKNOWN
M1018_PRIOR_UR_INCON
M1034_PTNT_OVRAL_STUS
M1036_RSK_ALCOHOLISM
M1036_RSK_DRUGS
M1036_RSK_NONE
M1036_RSK_OBESITY
M1036_RSK_SMOKING
M1036_RSK_UNKNOWN
M1210_HEARG_ABLTY
M1220_UNDRSTG_VERBAL_CNTNT
M1230_SPEECH
M1240_FRML_PAIN_ASMT
M1300_PRSR_ULCR_RISK_ASMT
M1302_RISK_OF_PRSR_ULCR
M1320_STUS_PRBLM_PRSR_ULCR
M1350_LESION_OPEN_WND
M1410_RESPTX_OXYGEN
M1410_RESPTX_AIRPRESS
M1410_RESPTX_NONE
M1410_RESPTX_VENTILATOR
M1501_SYMTM_HRT_FAILR_PTNTS
M1511_HRT_FAILR_CARE_PLAN_CHG
M1511_HRT_FAILR_CLNCL_INTRVTN
M1511_HRT_FAILR_ER_TRTMT
M1511_HRT_FAILR_NO_ACTN
M1511_HRT_FAILR_PHYSN_CNTCT
M1511_HRT_FAILR_PHYSN_TRTMT
M1615_INCNTNT_TIMING
M1750_REC_PSYCH_NURS
M1880_CRNT_PREP_LT_MEALS
M1890_CRNT_PHONE_USE
M1900_PRIOR_ADLIADL_AMBLTN
M1900_PRIOR_ADLIADL_HSEHOLD
M1900_PRIOR_ADLIADL_SELF
M1900_PRIOR_ADLIADL_TRNSFR
M2040_PRIOR_MGMT_INJCTN_MDCTN
M2040_PRIOR_MGMT_ORAL_MDCTN
M2102_CARE_TYPE_SRC_ADVCY
M2102_CARE_TYPE_SRC_EQUIP

Data Submission Specifications for the OASIS Item Set (V2.30.1)

Detailed Data Specifications Report

Section: Integumentary Status

M2102_CARE_TYPE_SRC_IADL
M2110_ADL_IADL_ASTNC_FREQ
M2250_PLAN_SMRY_DBTS_FT_CARE
M2250_PLAN_SMRY_DPRSN_INTRVTN
M2250_PLAN_SMRY_FALL_PRVNT
M2250_PLAN_SMRY_PAIN_INTRVTN
M2250_PLAN_SMRY_PRSULC_PRVNT
M2250_PLAN_SMRY_PRSULC_TRTMT
M2250_PLAN_SMRY_PTNT_SPECIF
M2310_ECR_CRDC_DSRTHM
M2310_ECR_CTHTR_CMPLCTN
M2310_ECR_DHYDRTN_MALNTR
M2310_ECR_DVT_PULMNRY
M2310_ECR_GI_PRBLM
M2310_ECR_HRT_FAILR
M2310_ECR_INJRY_BY_FALL
M2310_ECR_MENTL_BHVRL_PRBLM
M2310_ECR_MI_CHST_PAIN
M2310_ECR_OTHR_HRT_DEASE
M2310_ECR_RSPRTRY_INFCTN
M2310_ECR_RSPRTRY_OTHR
M2310_ECR_STROKE_TIA
M2310_ECR_UNCNTLD_PAIN
M2310_ECR_UTI
M2310_ECR_WND_INFCTN_DTRORTN
M2430_HOSP_CRDC_DSRTHM
M2430_HOSP_CTHTR_CMPLCTN
M2430_HOSP_DHYDRTN_MALNTR
M2430_HOSP_DVT_PULMNRY
M2430_HOSP_GI_PRBLM
M2430_HOSP_HRT_FAILR
M2430_HOSP_HYPOGLYC
M2430_HOSP_INJRY_BY_FALL
M2430_HOSP_MED
M2430_HOSP_MENTL_BHVRL_PRBLM
M2430_HOSP_MI_CHST_PAIN
M2430_HOSP_OTHER
M2430_HOSP_OTHR_HRT_DEASE
M2430_HOSP_PAIN
M2430_HOSP_RSPRTRY_INFCTN
M2430_HOSP_RSPRTRY_OTHR
M2430_HOSP_SCHLD_TRTMT

Data Submission Specifications for the OASIS Item Set (V2.30.1)

Detailed Data Specifications Report

Section: Integumentary Status

M2430_HOSP_STROKE_TIA
M2430_HOSP_UK
M2430_HOSP_UR_TRACT
M2430_HOSP_WND_INFCTN

Data Submission Specifications for the OASIS Item Set (V2.30.1)

Detailed Data Specifications Report

Section: Integumentary Status

Item ID: M1340_SRGCL_WND_PRSNT

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Does this patient have a surgical wound	Asmt		Code	2	845-846

Item Subsets

Active: 01,03,04,05,09
Inactive: 06,07,08,XX

Item Values

Value	LOINC Code	Value Text
00		No
01		Yes, patient has at least one observable surgical wound
02		Surgical wound known but not observable due to non-removable dressing/device

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3060	Format	Fatal	VALUES OF CODE AND CHECKLIST ITEMS Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-4240	Skip pattern	Fatal	If M1340_SRGCL_WND_PRSNT=[00,02], then if M1342_STUS_PRBLM_SRGCL_WND is active it must equal [^].
-4250	Skip pattern	Fatal	If M1340_SRGCL_WND_PRSNT=[01], then if M1342_STUS_PRBLM_SRGCL_WND is active it must not equal [^].

Changes for Version

Type	ID	Description
Format	-3060	[V2.30.0]-Added mappings to all items in new sections GG and J, as well as new item M1028_ACTV_DIAG_NOA. Removed mappings to the following deleted items: M1011_14_DAY_INP_NA M1017_CHGREG_ICD_NA M1018_PRIOR_CATH M1018_PRIOR_DISRUPTIVE M1018_PRIOR_IMPR_DECSN M1018_PRIOR_INTRACT_PAIN M1018_PRIOR_MEM_LOSS M1018_PRIOR_NOCHG_14D M1018_PRIOR_NONE M1018_PRIOR_UNKNOWN M1018_PRIOR_UR_INCON

Data Submission Specifications for the OASIS Item Set (V2.30.1)

Detailed Data Specifications Report

Section: Integumentary Status

M1034_PTNT_OVRAL_STUS
M1036_RSK_ALCOHOLISM
M1036_RSK_DRUGS
M1036_RSK_NONE
M1036_RSK_OBESITY
M1036_RSK_SMOKING
M1036_RSK_UNKNOWN
M1210_HEARG_ABLTY
M1220_UNDRSTG_VERBAL_CNTNT
M1230_SPEECH
M1240_FRML_PAIN_ASMT
M1300_PRSR_ULCR_RISK_ASMT
M1302_RISK_OF_PRSR_ULCR
M1320_STUS_PRBLM_PRSR_ULCR
M1350_LESION_OPEN_WND
M1410_RESPTX_OXYGEN
M1410_RESPTX_AIRPRESS
M1410_RESPTX_NONE
M1410_RESPTX_VENTILATOR
M1501_SYMTM_HRT_FAILR_PTNTS
M1511_HRT_FAILR_CARE_PLAN_CHG
M1511_HRT_FAILR_CLNCL_INTRVTN
M1511_HRT_FAILR_ER_TRTMT
M1511_HRT_FAILR_NO_ACTN
M1511_HRT_FAILR_PHYSN_CNTCT
M1511_HRT_FAILR_PHYSN_TRTMT
M1615_INCNTNT_TIMING
M1750_REC_PSYCH_NURS
M1880_CRNT_PREP_LT_MEALS
M1890_CRNT_PHONE_USE
M1900_PRIOR_ADLIADL_AMBLTN
M1900_PRIOR_ADLIADL_HSEHOLD
M1900_PRIOR_ADLIADL_SELF
M1900_PRIOR_ADLIADL_TRNSFR
M2040_PRIOR_MGMT_INJCTN_MDCTN
M2040_PRIOR_MGMT_ORAL_MDCTN
M2102_CARE_TYPE_SRC_ADV CY
M2102_CARE_TYPE_SRC_EQUIP
M2102_CARE_TYPE_SRC_IADL
M2110_ADL_IADL_ASTNC_FREQ
M2250_PLAN_SMRY_DBTS_FT_CARE
M2250_PLAN_SMRY_DPRSN_INTRVTN

Data Submission Specifications for the OASIS Item Set (V2.30.1)

Detailed Data Specifications Report

Section: Integumentary Status

M2250_PLAN_SMRY_FALL_PRVNT
M2250_PLAN_SMRY_PAIN_INTRVTN
M2250_PLAN_SMRY_PRSULC_PRVNT
M2250_PLAN_SMRY_PRSULC_TRTMT
M2250_PLAN_SMRY_PTNT_SPECF
M2310_ECR_CRDC_DSRTHM
M2310_ECR_CTHTR_CMPLCTN
M2310_ECR_DHYDRTN_MALNTR
M2310_ECR_DVT_PULMNRY
M2310_ECR_GI_PRBLM
M2310_ECR_HRT_FAILR
M2310_ECR_INJRY_BY_FALL
M2310_ECR_MENTL_BHVRL_PRBLM
M2310_ECR_MI_CHST_PAIN
M2310_ECR_OTHR_HRT_DEASE
M2310_ECR_RSPRTRY_INFCTN
M2310_ECR_RSPRTRY_OTHR
M2310_ECR_STROKE_TIA
M2310_ECR_UNCNTLD_PAIN
M2310_ECR_UTI
M2310_ECR_WND_INFCTN_DTRORTN
M2430_HOSP_CRDC_DSRTHM
M2430_HOSP_CTHTR_CMPLCTN
M2430_HOSP_DHYDRTN_MALNTR
M2430_HOSP_DVT_PULMNRY
M2430_HOSP_GI_PRBLM
M2430_HOSP_HRT_FAILR
M2430_HOSP_HYPOGLYC
M2430_HOSP_INJRY_BY_FALL
M2430_HOSP_MED
M2430_HOSP_MENTL_BHVRL_PRBLM
M2430_HOSP_MI_CHST_PAIN
M2430_HOSP_OTHER
M2430_HOSP_OTHR_HRT_DEASE
M2430_HOSP_PAIN
M2430_HOSP_RSPRTRY_INFCTN
M2430_HOSP_RSPRTRY_OTHR
M2430_HOSP_SCHLD_TRTMT
M2430_HOSP_STROKE_TIA
M2430_HOSP_UK
M2430_HOSP_UR_TRACT
M2430_HOSP_WND_INFCTN

Data Submission Specifications for the OASIS Item Set (V2.30.1)

Detailed Data Specifications Report

Section: Integumentary Status

Item ID: M1342_STUS_PRBLM_SRGCL_WND

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Status of most problematic surgical wound	Asmt		Code	2	847-848

Item Subsets

Active: 01,03,04,05,09
Inactive: 06,07,08,XX

Item Values

Value	LOINC Code	Value Text
00		Newly epithelialized
01		Fully granulating
02		Early/partial granulation
03		Not healing
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3060	Format	Fatal	VALUES OF CODE AND CHECKLIST ITEMS Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-4240	Skip pattern	Fatal	If M1340_SRGCL_WND_PRSENT=[00,02], then if M1342_STUS_PRBLM_SRGCL_WND is active it must equal [^].
-4250	Skip pattern	Fatal	If M1340_SRGCL_WND_PRSENT=[01], then if M1342_STUS_PRBLM_SRGCL_WND is active it must not equal [^].

Changes for Version

Type	ID	Description
Format	-3060	[V2.30.0]-Added mappings to all items in new sections GG and J, as well as new item M1028_ACTV_DIAG_NOA. Removed mappings to the following deleted items: M1011_14_DAY_INP_NA M1017_CHGREG_ICD_NA M1018_PRIOR_CATH M1018_PRIOR_DISRUPTIVE M1018_PRIOR_IMPR_DECSN

Data Submission Specifications for the OASIS Item Set (V2.30.1)

Detailed Data Specifications Report

Section: Integumentary Status

M1018_PRIOR_INTRACT_PAIN
M1018_PRIOR_MEM_LOSS
M1018_PRIOR_NOCHG_14D
M1018_PRIOR_NONE
M1018_PRIOR_UNKNOWN
M1018_PRIOR_UR_INCON
M1034_PTNT_OVRAL_STUS
M1036_RSK_ALCOHOLISM
M1036_RSK_DRUGS
M1036_RSK_NONE
M1036_RSK_OBESITY
M1036_RSK_SMOKING
M1036_RSK_UNKNOWN
M1210_HEARG_ABLTY
M1220_UNDRSTG_VERBAL_CNTNT
M1230_SPEECH
M1240_FRML_PAIN_ASMT
M1300_PRSR_ULCR_RISK_ASMT
M1302_RISK_OF_PRSR_ULCR
M1320_STUS_PRBLM_PRSR_ULCR
M1350_LESION_OPEN_WND
M1410_RESPTX_OXYGEN
M1410_RESPTX_AIRPRESS
M1410_RESPTX_NONE
M1410_RESPTX_VENTILATOR
M1501_SYMTM_HRT_FAILR_PTNTS
M1511_HRT_FAILR_CARE_PLAN_CHG
M1511_HRT_FAILR_CLNCL_INTRVTN
M1511_HRT_FAILR_ER_TRTMT
M1511_HRT_FAILR_NO_ACTN
M1511_HRT_FAILR_PHYSN_CNTCT
M1511_HRT_FAILR_PHYSN_TRTMT
M1615_INCNTNT_TIMING
M1750_REC_PSYCH_NURS
M1880_CRNT_PREP_LT_MEALS
M1890_CRNT_PHONE_USE
M1900_PRIOR_ADLIADL_AMBLTN
M1900_PRIOR_ADLIADL_HSEHOLD
M1900_PRIOR_ADLIADL_SELF
M1900_PRIOR_ADLIADL_TRNSFR
M2040_PRIOR_MGMT_INJCTN_MDCTN
M2040_PRIOR_MGMT_ORAL_MDCTN

Data Submission Specifications for the OASIS Item Set (V2.30.1)

Detailed Data Specifications Report

Section: Integumentary Status

M2102_CARE_TYPE_SRC_ADV CY
M2102_CARE_TYPE_SRC_EQUIP
M2102_CARE_TYPE_SRC_IADL
M2110_ADL_IADL_ASTNC_FREQ
M2250_PLAN_SMRY_DBTS_FT_CARE
M2250_PLAN_SMRY_DPRSN_INTRVTN
M2250_PLAN_SMRY_FALL_PRVNT
M2250_PLAN_SMRY_PAIN_INTRVTN
M2250_PLAN_SMRY_PRSULC_PRVNT
M2250_PLAN_SMRY_PRSULC_TRTMT
M2250_PLAN_SMRY_PTNT_SPECF
M2310_ECR_CRDC_DSRTHM
M2310_ECR_CTHTR_CMPLCTN
M2310_ECR_DHYDRTN_MALNTR
M2310_ECR_DVT_PULMNRY
M2310_ECR_GI_PRBLM
M2310_ECR_HRT_FAILR
M2310_ECR_INJRY_BY_FALL
M2310_ECR_MENTL_BHVRL_PRBLM
M2310_ECR_MI_CHST_PAIN
M2310_ECR_OTHR_HRT_DEASE
M2310_ECR_RSPRTRY_INFCTN
M2310_ECR_RSPRTRY_OTHR
M2310_ECR_STROKE_TIA
M2310_ECR_UNCNTLD_PAIN
M2310_ECR_UTI
M2310_ECR_WND_INFCTN_DTRORTN
M2430_HOSP_CRDC_DSRTHM
M2430_HOSP_CTHTR_CMPLCTN
M2430_HOSP_DHYDRTN_MALNTR
M2430_HOSP_DVT_PULMNRY
M2430_HOSP_GI_PRBLM
M2430_HOSP_HRT_FAILR
M2430_HOSP_HYPOGLYC
M2430_HOSP_INJRY_BY_FALL
M2430_HOSP_MED
M2430_HOSP_MENTL_BHVRL_PRBLM
M2430_HOSP_MI_CHST_PAIN
M2430_HOSP_OTHER
M2430_HOSP_OTHR_HRT_DEASE
M2430_HOSP_PAIN
M2430_HOSP_RSPRTRY_INFCTN

Data Submission Specifications for the OASIS Item Set (V2.30.1)

Detailed Data Specifications Report

Section: Integumentary Status

M2430_HOSP_RSPRTRY_OTHR

M2430_HOSP_SCHLD_TRTMT

M2430_HOSP_STROKE_TIA

M2430_HOSP_UK

M2430_HOSP_UR_TRACT

M2430_HOSP_WND_INFCTN