

# Data Submission Specifications for the OASIS Item Set (V2.30.1)

## Detailed Data Specifications Report

### Section: Patient History and Diagnoses

Item ID: M1000_DC_LTC_14_DA .....	3
Item ID: M1000_DC_SNF_14_DA .....	7
Item ID: M1000_DC_IPPS_14_DA .....	11
Item ID: M1000_DC_LTCH_14_DA .....	15
Item ID: M1000_DC_IRF_14_DA .....	19
Item ID: M1000_DC_PSYCH_14_DA .....	23
Item ID: M1000_DC_OTH_14_DA .....	27
Item ID: M1000_DC_NONE_14_DA .....	31
Item ID: M1005_INP_DISCHARGE_DT .....	35
Item ID: M1005_INP_DSCHG_UNKNOWN .....	37
Item ID: M1021_PRIMARY_DIAG_ICD .....	41
Item ID: M1021_PRIMARY_DIAG_SEVERITY .....	44
Item ID: M1023_OTH_DIAG1_ICD .....	48
Item ID: M1023_OTH_DIAG1_SEVERITY .....	51
Item ID: M1023_OTH_DIAG2_ICD .....	55
Item ID: M1023_OTH_DIAG2_SEVERITY .....	58
Item ID: M1023_OTH_DIAG3_ICD .....	62
Item ID: M1023_OTH_DIAG3_SEVERITY .....	65
Item ID: M1023_OTH_DIAG4_ICD .....	69
Item ID: M1023_OTH_DIAG4_SEVERITY .....	72
Item ID: M1023_OTH_DIAG5_ICD .....	76
Item ID: M1023_OTH_DIAG5_SEVERITY .....	79
Item ID: M1028_ACTV_DIAG_PVD_PAD .....	83
Item ID: M1028_ACTV_DIAG_DM .....	87
Item ID: M1028_ACTV_DIAG_NOA .....	91
Item ID: M1030_THH_IV_INFUSION .....	95

## Data Submission Specifications for the OASIS Item Set (V2.30.1)

### Detailed Data Specifications Report

#### Section: Patient History and Diagnoses

Item ID: M1030_THH_PAR_NUTRITION.....	98
Item ID: M1030_THH_ENT_NUTRITION.....	101
Item ID: M1030_THH_NONE_ABOVE.....	104
Item ID: M1033_HOSP_RISK_HSTRY_FALLS.....	107
Item ID: M1033_HOSP_RISK_WEIGHT_LOSS .....	110
Item ID: M1033_HOSP_RISK_MLTPL_HOSPZTN .....	113
Item ID: M1033_HOSP_RISK_MLTPL_ED_VISIT .....	116
Item ID: M1033_HOSP_RISK_MNTL_BHV_DCLN .....	119
Item ID: M1033_HOSP_RISK_COMPLIANCE.....	122
Item ID: M1033_HOSP_RISK_5PLUS_MDCTN.....	125
Item ID: M1033_HOSP_RISK_CRNT_EXHSTN.....	128
Item ID: M1033_HOSP_RISK_OTHR_RISK .....	131
Item ID: M1033_HOSP_RISK_NONE_ABOVE .....	134
Item ID: M1041_IN_INFLNZ_SEASON .....	137
Item ID: M1046_INFLNZ_REC'D_CRNT_SEASON .....	140
Item ID: M1051_PVX_RCVD_AGENCY.....	144
Item ID: M1056_PVX_RSN_NOT_RCVD_AGENCY .....	147
Item ID: M1060_HEIGHT_A.....	150
Item ID: M1060_WEIGHT_B.....	152

# Data Submission Specifications for the OASIS Item Set (V2.30.1)

## Detailed Data Specifications Report Section: Patient History and Diagnoses

Item ID: M1000\_DC\_LTC\_14\_DA

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Past 14 days: disch from LTC NH	Asmt		Code	1	464-464

### Item Subsets

Active: 01,03  
Inactive: 04,05,06,07,08,09,XX

### Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)

### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3060	Format	Fatal	VALUES OF CODE AND CHECKLIST ITEMS Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3650	Consistency	Fatal	If M1000_DC_NONE_14_DA=[0], then at least one active item from M1000_DC_LTC_14_DA through M1000_DC_OTH_14_DA must equal [1].
-3660	Consistency	Fatal	If M1000_DC_NONE_14_DA=[1], then all active items from M1000_DC_LTC_14_DA through M1000_DC_OTH_14_DA must equal [0].
-4970	Consistency	Fatal	***THIS EDIT WAS DELETED IN V2.30.0***
-5250	Consistency	Fatal	***THIS EDIT WAS DELETED IN V2.30.0***

### Changes for Version

Type	ID	Description
Format	-3060	[V2.30.0]-Added mappings to all items in new sections GG and J, as well as new item M1028_ACTV_DIAG_NOA. Removed mappings to the following deleted items: M1011_14_DAY_INP_NA M1017_CHGREG_ICD_NA M1018_PRIOR_CATH M1018_PRIOR_DISRUPTIVE M1018_PRIOR_IMPR_DECSN M1018_PRIOR_INTRACT_PAIN M1018_PRIOR_MEM_LOSS M1018_PRIOR_NOCHG_14D M1018_PRIOR_NONE M1018_PRIOR_UNKNOWN

## Data Submission Specifications for the OASIS Item Set (V2.30.1)

### Detailed Data Specifications Report

#### Section: Patient History and Diagnoses

M1018\_PRIOR\_UR\_INCON  
M1034\_PTNT\_OVRAL\_STUS  
M1036\_RSK\_ALCOHOLISM  
M1036\_RSK\_DRUGS  
M1036\_RSK\_NONE  
M1036\_RSK\_OBESITY  
M1036\_RSK\_SMOKING  
M1036\_RSK\_UNKNOWN  
M1210\_HEARG\_ABLTY  
M1220\_UNDRSTG\_VERBAL\_CNTNT  
M1230\_SPEECH  
M1240\_FRML\_PAIN\_ASMT  
M1300\_PRSR\_ULCR\_RISK\_ASMT  
M1302\_RISK\_OF\_PRSR\_ULCR  
M1320\_STUS\_PRBLM\_PRSR\_ULCR  
M1350\_LESION\_OPEN\_WND  
M1410\_RESPTX\_OXYGEN  
M1410\_RESPTX\_AIRPRESS  
M1410\_RESPTX\_NONE  
M1410\_RESPTX\_VENTILATOR  
M1501\_SYMTM\_HRT\_FAILR\_PTNTS  
M1511\_HRT\_FAILR\_CARE\_PLAN\_CHG  
M1511\_HRT\_FAILR\_CLNCL\_INTRVTN  
M1511\_HRT\_FAILR\_ER\_TRTMT  
M1511\_HRT\_FAILR\_NO\_ACTN  
M1511\_HRT\_FAILR\_PHYSN\_CNTCT  
M1511\_HRT\_FAILR\_PHYSN\_TRTMT  
M1615\_INCNTNT\_TIMING  
M1750\_REC\_PSYCH\_NURS  
M1880\_CRNT\_PREP\_LT\_MEALS  
M1890\_CRNT\_PHONE\_USE  
M1900\_PRIOR\_ADLIADL\_AMBLTN  
M1900\_PRIOR\_ADLIADL\_HSEHOLD  
M1900\_PRIOR\_ADLIADL\_SELF  
M1900\_PRIOR\_ADLIADL\_TRNSFR  
M2040\_PRIOR\_MGMT\_INJCTN\_MDCTN  
M2040\_PRIOR\_MGMT\_ORAL\_MDCTN  
M2102\_CARE\_TYPE\_SRC\_ADVCY  
M2102\_CARE\_TYPE\_SRC\_EQUIP  
M2102\_CARE\_TYPE\_SRC\_IADL  
M2110\_ADL\_IADL\_ASTNC\_FREQ  
M2250\_PLAN\_SMRY\_DBTS\_FT\_CARE

## Data Submission Specifications for the OASIS Item Set (V2.30.1)

### Detailed Data Specifications Report

#### Section: Patient History and Diagnoses

M2250\_PLAN\_SMRY\_DPRSN\_INTRVTN  
M2250\_PLAN\_SMRY\_FALL\_PRVNT  
M2250\_PLAN\_SMRY\_PAIN\_INTRVTN  
M2250\_PLAN\_SMRY\_PRSULC\_PRVNT  
M2250\_PLAN\_SMRY\_PRSULC\_TRTMT  
M2250\_PLAN\_SMRY\_PTNT\_SPECF  
M2310\_ECR\_CRDC\_DSRTHM  
M2310\_ECR\_CTHTR\_CMPLCTN  
M2310\_ECR\_DHYDRTN\_MALNTR  
M2310\_ECR\_DVT\_PULMNRY  
M2310\_ECR\_GI\_PRBLM  
M2310\_ECR\_HRT\_FAILR  
M2310\_ECR\_INJRY\_BY\_FALL  
M2310\_ECR\_MENTL\_BHVRL\_PRBLM  
M2310\_ECR\_MI\_CHST\_PAIN  
M2310\_ECR\_OTHR\_HRT\_DEASE  
M2310\_ECR\_RSPRTRY\_INFCTN  
M2310\_ECR\_RSPRTRY\_OTHR  
M2310\_ECR\_STROKE\_TIA  
M2310\_ECR\_UNCNTLD\_PAIN  
M2310\_ECR\_UTI  
M2310\_ECR\_WND\_INFCTN\_DTRORTN  
M2430\_HOSP\_CRDC\_DSRTHM  
M2430\_HOSP\_CTHTR\_CMPLCTN  
M2430\_HOSP\_DHYDRTN\_MALNTR  
M2430\_HOSP\_DVT\_PULMNRY  
M2430\_HOSP\_GI\_PRBLM  
M2430\_HOSP\_HRT\_FAILR  
M2430\_HOSP\_HYPOGLYC  
M2430\_HOSP\_INJRY\_BY\_FALL  
M2430\_HOSP\_MED  
M2430\_HOSP\_MENTL\_BHVRL\_PRBLM  
M2430\_HOSP\_MI\_CHST\_PAIN  
M2430\_HOSP\_OTHER  
M2430\_HOSP\_OTHR\_HRT\_DEASE  
M2430\_HOSP\_PAIN  
M2430\_HOSP\_RSPRTRY\_INFCTN  
M2430\_HOSP\_RSPRTRY\_OTHR  
M2430\_HOSP\_SCHLD\_TRTMT  
M2430\_HOSP\_STROKE\_TIA  
M2430\_HOSP\_UK  
M2430\_HOSP\_UR\_TRACT

## Data Submission Specifications for the OASIS Item Set (V2.30.1)

### Detailed Data Specifications Report

#### Section: Patient History and Diagnoses

Consistency	-4970	M2430_HOSP_WND_INFCTN
Consistency	-5250	[V2.30.0]-This edit was deleted, since M1018_PRIOR_NOCHG_14D was deleted. [V2.30.0]-This edit was deleted, since M1011_14_DAY_INP1_ICD was deleted.

# Data Submission Specifications for the OASIS Item Set (V2.30.1)

## Detailed Data Specifications Report

### Section: Patient History and Diagnoses

Item ID: M1000\_DC\_SNF\_14\_DA

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Past 14 days: disch from skilled nursing facility	Asmt		Code	1	465-465

#### Item Subsets

Active: 01,03  
Inactive: 04,05,06,07,08,09,XX

#### Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3060	Format	Fatal	VALUES OF CODE AND CHECKLIST ITEMS Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3650	Consistency	Fatal	If M1000_DC_NONE_14_DA=[0], then at least one active item from M1000_DC_LTC_14_DA through M1000_DC_OTH_14_DA must equal [1].
-3660	Consistency	Fatal	If M1000_DC_NONE_14_DA=[1], then all active items from M1000_DC_LTC_14_DA through M1000_DC_OTH_14_DA must equal [0].
-4970	Consistency	Fatal	***THIS EDIT WAS DELETED IN V2.30.0***
-5250	Consistency	Fatal	***THIS EDIT WAS DELETED IN V2.30.0***

#### Changes for Version

Type	ID	Description
Format	-3060	[V2.30.0]-Added mappings to all items in new sections GG and J, as well as new item M1028_ACTV_DIAG_NOA. Removed mappings to the following deleted items: M1011_14_DAY_INP_NA M1017_CHGREG_ICD_NA M1018_PRIOR_CATH M1018_PRIOR_DISRUPTIVE M1018_PRIOR_IMPR_DECSN M1018_PRIOR_INTRACT_PAIN M1018_PRIOR_MEM_LOSS M1018_PRIOR_NOCHG_14D M1018_PRIOR_NONE M1018_PRIOR_UNKNOWN

## Data Submission Specifications for the OASIS Item Set (V2.30.1)

### Detailed Data Specifications Report

#### Section: Patient History and Diagnoses

M1018\_PRIOR\_UR\_INCON  
M1034\_PTNT\_OVRAL\_STUS  
M1036\_RSK\_ALCOHOLISM  
M1036\_RSK\_DRUGS  
M1036\_RSK\_NONE  
M1036\_RSK\_OBESITY  
M1036\_RSK\_SMOKING  
M1036\_RSK\_UNKNOWN  
M1210\_HEARG\_ABLTY  
M1220\_UNDRSTG\_VERBAL\_CNTNT  
M1230\_SPEECH  
M1240\_FRML\_PAIN\_ASMT  
M1300\_PRSR\_ULCR\_RISK\_ASMT  
M1302\_RISK\_OF\_PRSR\_ULCR  
M1320\_STUS\_PRBLM\_PRSR\_ULCR  
M1350\_LESION\_OPEN\_WND  
M1410\_RESPTX\_OXYGEN  
M1410\_RESPTX\_AIRPRESS  
M1410\_RESPTX\_NONE  
M1410\_RESPTX\_VENTILATOR  
M1501\_SYMTM\_HRT\_FAILR\_PTNTS  
M1511\_HRT\_FAILR\_CARE\_PLAN\_CHG  
M1511\_HRT\_FAILR\_CLNCL\_INTRVTN  
M1511\_HRT\_FAILR\_ER\_TRTMT  
M1511\_HRT\_FAILR\_NO\_ACTN  
M1511\_HRT\_FAILR\_PHYSN\_CNTCT  
M1511\_HRT\_FAILR\_PHYSN\_TRTMT  
M1615\_INCNTNT\_TIMING  
M1750\_REC\_PSYCH\_NURS  
M1880\_CRNT\_PREP\_LT\_MEALS  
M1890\_CRNT\_PHONE\_USE  
M1900\_PRIOR\_ADLIADL\_AMBLTN  
M1900\_PRIOR\_ADLIADL\_HSEHOLD  
M1900\_PRIOR\_ADLIADL\_SELF  
M1900\_PRIOR\_ADLIADL\_TRNSFR  
M2040\_PRIOR\_MGMT\_INJCTN\_MDCTN  
M2040\_PRIOR\_MGMT\_ORAL\_MDCTN  
M2102\_CARE\_TYPE\_SRC\_ADVCY  
M2102\_CARE\_TYPE\_SRC\_EQUIP  
M2102\_CARE\_TYPE\_SRC\_IADL  
M2110\_ADL\_IADL\_ASTNC\_FREQ  
M2250\_PLAN\_SMRY\_DBTS\_FT\_CARE



## Data Submission Specifications for the OASIS Item Set (V2.30.1)

### Detailed Data Specifications Report

#### Section: Patient History and Diagnoses

M2250\_PLAN\_SMRY\_DPRSN\_INTRVTN  
M2250\_PLAN\_SMRY\_FALL\_PRVNT  
M2250\_PLAN\_SMRY\_PAIN\_INTRVTN  
M2250\_PLAN\_SMRY\_PRSULC\_PRVNT  
M2250\_PLAN\_SMRY\_PRSULC\_TRTMT  
M2250\_PLAN\_SMRY\_PTNT\_SPECF  
M2310\_ECR\_CRDC\_DSRTHM  
M2310\_ECR\_CTHTR\_CMPLCTN  
M2310\_ECR\_DHYDRTN\_MALNTR  
M2310\_ECR\_DVT\_PULMNRY  
M2310\_ECR\_GI\_PRBLM  
M2310\_ECR\_HRT\_FAILR  
M2310\_ECR\_INJRY\_BY\_FALL  
M2310\_ECR\_MENTL\_BHVRL\_PRBLM  
M2310\_ECR\_MI\_CHST\_PAIN  
M2310\_ECR\_OTHR\_HRT\_DEASE  
M2310\_ECR\_RSPRTRY\_INFCTN  
M2310\_ECR\_RSPRTRY\_OTHR  
M2310\_ECR\_STROKE\_TIA  
M2310\_ECR\_UNCNTLD\_PAIN  
M2310\_ECR\_UTI  
M2310\_ECR\_WND\_INFCTN\_DTRORTN  
M2430\_HOSP\_CRDC\_DSRTHM  
M2430\_HOSP\_CTHTR\_CMPLCTN  
M2430\_HOSP\_DHYDRTN\_MALNTR  
M2430\_HOSP\_DVT\_PULMNRY  
M2430\_HOSP\_GI\_PRBLM  
M2430\_HOSP\_HRT\_FAILR  
M2430\_HOSP\_HYPOGLYC  
M2430\_HOSP\_INJRY\_BY\_FALL  
M2430\_HOSP\_MED  
M2430\_HOSP\_MENTL\_BHVRL\_PRBLM  
M2430\_HOSP\_MI\_CHST\_PAIN  
M2430\_HOSP\_OTHER  
M2430\_HOSP\_OTHR\_HRT\_DEASE  
M2430\_HOSP\_PAIN  
M2430\_HOSP\_RSPRTRY\_INFCTN  
M2430\_HOSP\_RSPRTRY\_OTHR  
M2430\_HOSP\_SCHLD\_TRTMT  
M2430\_HOSP\_STROKE\_TIA  
M2430\_HOSP\_UK  
M2430\_HOSP\_UR\_TRACT

## Data Submission Specifications for the OASIS Item Set (V2.30.1)

### Detailed Data Specifications Report

#### Section: Patient History and Diagnoses

Consistency	-4970	M2430_HOSP_WND_INFCTN
Consistency	-5250	[V2.30.0]-This edit was deleted, since M1018_PRIOR_NOCHG_14D was deleted. [V2.30.0]-This edit was deleted, since M1011_14_DAY_INP1_ICD was deleted.

# Data Submission Specifications for the OASIS Item Set (V2.30.1)

## Detailed Data Specifications Report

### Section: Patient History and Diagnoses

Item ID: M1000\_DC\_IPPS\_14\_DA

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Past 14 days: disch from short stay acute hospital	Asmt		Code	1	466-466

#### Item Subsets

Active: 01,03  
Inactive: 04,05,06,07,08,09,XX

#### Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3060	Format	Fatal	VALUES OF CODE AND CHECKLIST ITEMS Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3650	Consistency	Fatal	If M1000_DC_NONE_14_DA=[0], then at least one active item from M1000_DC_LTC_14_DA through M1000_DC_OTH_14_DA must equal [1].
-3660	Consistency	Fatal	If M1000_DC_NONE_14_DA=[1], then all active items from M1000_DC_LTC_14_DA through M1000_DC_OTH_14_DA must equal [0].
-4970	Consistency	Fatal	***THIS EDIT WAS DELETED IN V2.30.0***
-5250	Consistency	Fatal	***THIS EDIT WAS DELETED IN V2.30.0***

#### Changes for Version

Type	ID	Description
Format	-3060	[V2.30.0]-Added mappings to all items in new sections GG and J, as well as new item M1028_ACTV_DIAG_NOA. Removed mappings to the following deleted items: M1011_14_DAY_INP_NA M1017_CHGREG_ICD_NA M1018_PRIOR_CATH M1018_PRIOR_DISRUPTIVE M1018_PRIOR_IMPR_DECSN M1018_PRIOR_INTRACT_PAIN M1018_PRIOR_MEM_LOSS M1018_PRIOR_NOCHG_14D M1018_PRIOR_NONE M1018_PRIOR_UNKNOWN

## Data Submission Specifications for the OASIS Item Set (V2.30.1)

### Detailed Data Specifications Report

#### Section: Patient History and Diagnoses

M1018\_PRIOR\_UR\_INCON  
M1034\_PTNT\_OVRAL\_STUS  
M1036\_RSK\_ALCOHOLISM  
M1036\_RSK\_DRUGS  
M1036\_RSK\_NONE  
M1036\_RSK\_OBESITY  
M1036\_RSK\_SMOKING  
M1036\_RSK\_UNKNOWN  
M1210\_HEARG\_ABLTY  
M1220\_UNDRSTG\_VERBAL\_CNTNT  
M1230\_SPEECH  
M1240\_FRML\_PAIN\_ASMT  
M1300\_PRSR\_ULCR\_RISK\_ASMT  
M1302\_RISK\_OF\_PRSR\_ULCR  
M1320\_STUS\_PRBLM\_PRSR\_ULCR  
M1350\_LESION\_OPEN\_WND  
M1410\_RESPTX\_OXYGEN  
M1410\_RESPTX\_AIRPRESS  
M1410\_RESPTX\_NONE  
M1410\_RESPTX\_VENTILATOR  
M1501\_SYMTM\_HRT\_FAILR\_PTNTS  
M1511\_HRT\_FAILR\_CARE\_PLAN\_CHG  
M1511\_HRT\_FAILR\_CLNCL\_INTRVTN  
M1511\_HRT\_FAILR\_ER\_TRTMT  
M1511\_HRT\_FAILR\_NO\_ACTN  
M1511\_HRT\_FAILR\_PHYSN\_CNTCT  
M1511\_HRT\_FAILR\_PHYSN\_TRTMT  
M1615\_INCNTNT\_TIMING  
M1750\_REC\_PSYCH\_NURS  
M1880\_CRNT\_PREP\_LT\_MEALS  
M1890\_CRNT\_PHONE\_USE  
M1900\_PRIOR\_ADLIADL\_AMBLTN  
M1900\_PRIOR\_ADLIADL\_HSEHOLD  
M1900\_PRIOR\_ADLIADL\_SELF  
M1900\_PRIOR\_ADLIADL\_TRNSFR  
M2040\_PRIOR\_MGMT\_INJCTN\_MDCTN  
M2040\_PRIOR\_MGMT\_ORAL\_MDCTN  
M2102\_CARE\_TYPE\_SRC\_ADVCY  
M2102\_CARE\_TYPE\_SRC\_EQUIP  
M2102\_CARE\_TYPE\_SRC\_IADL  
M2110\_ADL\_IADL\_ASTNC\_FREQ  
M2250\_PLAN\_SMRY\_DBTS\_FT\_CARE

## Data Submission Specifications for the OASIS Item Set (V2.30.1)

### Detailed Data Specifications Report

#### Section: Patient History and Diagnoses

M2250\_PLAN\_SMRY\_DPRSN\_INTRVTN  
M2250\_PLAN\_SMRY\_FALL\_PRVNT  
M2250\_PLAN\_SMRY\_PAIN\_INTRVTN  
M2250\_PLAN\_SMRY\_PRSULC\_PRVNT  
M2250\_PLAN\_SMRY\_PRSULC\_TRTMT  
M2250\_PLAN\_SMRY\_PTNT\_SPECF  
M2310\_ECR\_CRDC\_DSRTHM  
M2310\_ECR\_CTHTR\_CMPLCTN  
M2310\_ECR\_DHYDRTN\_MALNTR  
M2310\_ECR\_DVT\_PULMNRY  
M2310\_ECR\_GI\_PRBLM  
M2310\_ECR\_HRT\_FAILR  
M2310\_ECR\_INJRY\_BY\_FALL  
M2310\_ECR\_MENTL\_BHVRL\_PRBLM  
M2310\_ECR\_MI\_CHST\_PAIN  
M2310\_ECR\_OTHR\_HRT\_DEASE  
M2310\_ECR\_RSPRTRY\_INFCTN  
M2310\_ECR\_RSPRTRY\_OTHR  
M2310\_ECR\_STROKE\_TIA  
M2310\_ECR\_UNCNTLD\_PAIN  
M2310\_ECR\_UTI  
M2310\_ECR\_WND\_INFCTN\_DTRORTN  
M2430\_HOSP\_CRDC\_DSRTHM  
M2430\_HOSP\_CTHTR\_CMPLCTN  
M2430\_HOSP\_DHYDRTN\_MALNTR  
M2430\_HOSP\_DVT\_PULMNRY  
M2430\_HOSP\_GI\_PRBLM  
M2430\_HOSP\_HRT\_FAILR  
M2430\_HOSP\_HYPOGLYC  
M2430\_HOSP\_INJRY\_BY\_FALL  
M2430\_HOSP\_MED  
M2430\_HOSP\_MENTL\_BHVRL\_PRBLM  
M2430\_HOSP\_MI\_CHST\_PAIN  
M2430\_HOSP\_OTHER  
M2430\_HOSP\_OTHR\_HRT\_DEASE  
M2430\_HOSP\_PAIN  
M2430\_HOSP\_RSPRTRY\_INFCTN  
M2430\_HOSP\_RSPRTRY\_OTHR  
M2430\_HOSP\_SCHLD\_TRTMT  
M2430\_HOSP\_UK  
M2430\_HOSP\_UR\_TRACT  
M2430\_HOSP\_WND\_INFCTN

## Data Submission Specifications for the OASIS Item Set (V2.30.1)

### Detailed Data Specifications Report

#### Section: Patient History and Diagnoses

Consistency	-4970	[V2.30.0]-This edit was deleted, since M1018_PRIOR_NOCHG_14D was deleted.
Consistency	-5250	[V2.30.0]-This edit was deleted, since M1011_14_DAY_INP1_ICD was deleted.

# Data Submission Specifications for the OASIS Item Set (V2.30.1)

## Detailed Data Specifications Report

### Section: Patient History and Diagnoses

Item ID: M1000\_DC\_LTCH\_14\_DA

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Past 14 days: disch from long term care hospital	Asmt		Code	1	467-467

#### Item Subsets

Active: 01,03  
Inactive: 04,05,06,07,08,09,XX

#### Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3060	Format	Fatal	VALUES OF CODE AND CHECKLIST ITEMS Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3650	Consistency	Fatal	If M1000_DC_NONE_14_DA=[0], then at least one active item from M1000_DC_LTC_14_DA through M1000_DC_OTH_14_DA must equal [1].
-3660	Consistency	Fatal	If M1000_DC_NONE_14_DA=[1], then all active items from M1000_DC_LTC_14_DA through M1000_DC_OTH_14_DA must equal [0].
-4970	Consistency	Fatal	***THIS EDIT WAS DELETED IN V2.30.0***
-5250	Consistency	Fatal	***THIS EDIT WAS DELETED IN V2.30.0***

#### Changes for Version

Type	ID	Description
Format	-3060	[V2.30.0]-Added mappings to all items in new sections GG and J, as well as new item M1028_ACTV_DIAG_NOA. Removed mappings to the following deleted items: M1011_14_DAY_INP_NA M1017_CHGREG_ICD_NA M1018_PRIOR_CATH M1018_PRIOR_DISRUPTIVE M1018_PRIOR_IMPR_DECSN M1018_PRIOR_INTRACT_PAIN M1018_PRIOR_MEM_LOSS M1018_PRIOR_NOCHG_14D M1018_PRIOR_NONE M1018_PRIOR_UNKNOWN

## Data Submission Specifications for the OASIS Item Set (V2.30.1)

### Detailed Data Specifications Report

#### Section: Patient History and Diagnoses

M1018\_PRIOR\_UR\_INCON  
M1034\_PTNT\_OVRAL\_STUS  
M1036\_RSK\_ALCOHOLISM  
M1036\_RSK\_DRUGS  
M1036\_RSK\_NONE  
M1036\_RSK\_OBESITY  
M1036\_RSK\_SMOKING  
M1036\_RSK\_UNKNOWN  
M1210\_HEARG\_ABLTY  
M1220\_UNDRSTG\_VERBAL\_CNTNT  
M1230\_SPEECH  
M1240\_FRML\_PAIN\_ASMT  
M1300\_PRSR\_ULCR\_RISK\_ASMT  
M1302\_RISK\_OF\_PRSR\_ULCR  
M1320\_STUS\_PRBLM\_PRSR\_ULCR  
M1350\_LESION\_OPEN\_WND  
M1410\_RESPTX\_OXYGEN  
M1410\_RESPTX\_AIRPRESS  
M1410\_RESPTX\_NONE  
M1410\_RESPTX\_VENTILATOR  
M1501\_SYMTM\_HRT\_FAILR\_PTNTS  
M1511\_HRT\_FAILR\_CARE\_PLAN\_CHG  
M1511\_HRT\_FAILR\_CLNCL\_INTRVTN  
M1511\_HRT\_FAILR\_ER\_TRTMT  
M1511\_HRT\_FAILR\_NO\_ACTN  
M1511\_HRT\_FAILR\_PHYSN\_CNTCT  
M1511\_HRT\_FAILR\_PHYSN\_TRTMT  
M1615\_INCNTNT\_TIMING  
M1750\_REC\_PSYCH\_NURS  
M1880\_CRNT\_PREP\_LT\_MEALS  
M1890\_CRNT\_PHONE\_USE  
M1900\_PRIOR\_ADLIADL\_AMBLTN  
M1900\_PRIOR\_ADLIADL\_HSEHOLD  
M1900\_PRIOR\_ADLIADL\_SELF  
M1900\_PRIOR\_ADLIADL\_TRNSFR  
M2040\_PRIOR\_MGMT\_INJCTN\_MDCTN  
M2040\_PRIOR\_MGMT\_ORAL\_MDCTN  
M2102\_CARE\_TYPE\_SRC\_ADV CY  
M2102\_CARE\_TYPE\_SRC\_EQUIP  
M2102\_CARE\_TYPE\_SRC\_IADL  
M2110\_ADL\_IADL\_ASTNC\_FREQ  
M2250\_PLAN\_SMRY\_DBTS\_FT\_CARE



## Data Submission Specifications for the OASIS Item Set (V2.30.1)

### Detailed Data Specifications Report

#### Section: Patient History and Diagnoses

M2250\_PLAN\_SMRY\_DPRSN\_INTRVTN  
M2250\_PLAN\_SMRY\_FALL\_PRVNT  
M2250\_PLAN\_SMRY\_PAIN\_INTRVTN  
M2250\_PLAN\_SMRY\_PRSULC\_PRVNT  
M2250\_PLAN\_SMRY\_PRSULC\_TRTMT  
M2250\_PLAN\_SMRY\_PTNT\_SPECF  
M2310\_ECR\_CRDC\_DSRTHM  
M2310\_ECR\_CTHTR\_CMPLCTN  
M2310\_ECR\_DHYDRTN\_MALNTR  
M2310\_ECR\_DVT\_PULMNRY  
M2310\_ECR\_GI\_PRBLM  
M2310\_ECR\_HRT\_FAILR  
M2310\_ECR\_INJRY\_BY\_FALL  
M2310\_ECR\_MENTL\_BHVRL\_PRBLM  
M2310\_ECR\_MI\_CHST\_PAIN  
M2310\_ECR\_OTHR\_HRT\_DEASE  
M2310\_ECR\_RSPRTRY\_INFCTN  
M2310\_ECR\_RSPRTRY\_OTHR  
M2310\_ECR\_STROKE\_TIA  
M2310\_ECR\_UNCNTLD\_PAIN  
M2310\_ECR\_UTI  
M2310\_ECR\_WND\_INFCTN\_DTRORTN  
M2430\_HOSP\_CRDC\_DSRTHM  
M2430\_HOSP\_CTHTR\_CMPLCTN  
M2430\_HOSP\_DHYDRTN\_MALNTR  
M2430\_HOSP\_DVT\_PULMNRY  
M2430\_HOSP\_GI\_PRBLM  
M2430\_HOSP\_HRT\_FAILR  
M2430\_HOSP\_HYPOGLYC  
M2430\_HOSP\_INJRY\_BY\_FALL  
M2430\_HOSP\_MED  
M2430\_HOSP\_MENTL\_BHVRL\_PRBLM  
M2430\_HOSP\_MI\_CHST\_PAIN  
M2430\_HOSP\_OTHER  
M2430\_HOSP\_OTHR\_HRT\_DEASE  
M2430\_HOSP\_PAIN  
M2430\_HOSP\_RSPRTRY\_INFCTN  
M2430\_HOSP\_RSPRTRY\_OTHR  
M2430\_HOSP\_SCHLD\_TRTMT  
M2430\_HOSP\_STROKE\_TIA  
M2430\_HOSP\_UK  
M2430\_HOSP\_UR\_TRACT

## Data Submission Specifications for the OASIS Item Set (V2.30.1)

### Detailed Data Specifications Report

#### Section: Patient History and Diagnoses

Consistency	-4970	M2430_HOSP_WND_INFCTN
Consistency	-5250	[V2.30.0]-This edit was deleted, since M1018_PRIOR_NOCHG_14D was deleted. [V2.30.0]-This edit was deleted, since M1011_14_DAY_INP1_ICD was deleted.

# Data Submission Specifications for the OASIS Item Set (V2.30.1)

## Detailed Data Specifications Report

### Section: Patient History and Diagnoses

Item ID: M1000\_DC\_IRF\_14\_DA

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Past 14 days: disch from inpatient rehab facility	Asmt		Code	1	468-468

#### Item Subsets

Active: 01,03  
Inactive: 04,05,06,07,08,09,XX

#### Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3060	Format	Fatal	VALUES OF CODE AND CHECKLIST ITEMS Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3650	Consistency	Fatal	If M1000_DC_NONE_14_DA=[0], then at least one active item from M1000_DC_LTC_14_DA through M1000_DC_OTH_14_DA must equal [1].
-3660	Consistency	Fatal	If M1000_DC_NONE_14_DA=[1], then all active items from M1000_DC_LTC_14_DA through M1000_DC_OTH_14_DA must equal [0].
-4970	Consistency	Fatal	***THIS EDIT WAS DELETED IN V2.30.0***
-5250	Consistency	Fatal	***THIS EDIT WAS DELETED IN V2.30.0***

#### Changes for Version

Type	ID	Description
Format	-3060	[V2.30.0]-Added mappings to all items in new sections GG and J, as well as new item M1028_ACTV_DIAG_NOA. Removed mappings to the following deleted items: M1011_14_DAY_INP_NA M1017_CHGREG_ICD_NA M1018_PRIOR_CATH M1018_PRIOR_DISRUPTIVE M1018_PRIOR_IMPR_DECSN M1018_PRIOR_INTRACT_PAIN M1018_PRIOR_MEM_LOSS M1018_PRIOR_NOCHG_14D M1018_PRIOR_NONE M1018_PRIOR_UNKNOWN

## Data Submission Specifications for the OASIS Item Set (V2.30.1)

### Detailed Data Specifications Report

#### Section: Patient History and Diagnoses

M1018\_PRIOR\_UR\_INCON  
M1034\_PTNT\_OVRAL\_STUS  
M1036\_RSK\_ALCOHOLISM  
M1036\_RSK\_DRUGS  
M1036\_RSK\_NONE  
M1036\_RSK\_OBESITY  
M1036\_RSK\_SMOKING  
M1036\_RSK\_UNKNOWN  
M1210\_HEARG\_ABLTY  
M1220\_UNDRSTG\_VERBAL\_CNTNT  
M1230\_SPEECH  
M1240\_FRML\_PAIN\_ASMT  
M1300\_PRSR\_ULCR\_RISK\_ASMT  
M1302\_RISK\_OF\_PRSR\_ULCR  
M1320\_STUS\_PRBLM\_PRSR\_ULCR  
M1350\_LESION\_OPEN\_WND  
M1410\_RESPTX\_OXYGEN  
M1410\_RESPTX\_AIRPRESS  
M1410\_RESPTX\_NONE  
M1410\_RESPTX\_VENTILATOR  
M1501\_SYMTM\_HRT\_FAILR\_PTNTS  
M1511\_HRT\_FAILR\_CARE\_PLAN\_CHG  
M1511\_HRT\_FAILR\_CLNCL\_INTRVTN  
M1511\_HRT\_FAILR\_ER\_TRTMT  
M1511\_HRT\_FAILR\_NO\_ACTN  
M1511\_HRT\_FAILR\_PHYSN\_CNTCT  
M1511\_HRT\_FAILR\_PHYSN\_TRTMT  
M1615\_INCNTNT\_TIMING  
M1750\_REC\_PSYCH\_NURS  
M1880\_CRNT\_PREP\_LT\_MEALS  
M1890\_CRNT\_PHONE\_USE  
M1900\_PRIOR\_ADLIADL\_AMBLTN  
M1900\_PRIOR\_ADLIADL\_HSEHOLD  
M1900\_PRIOR\_ADLIADL\_SELF  
M1900\_PRIOR\_ADLIADL\_TRNSFR  
M2040\_PRIOR\_MGMT\_INJCTN\_MDCTN  
M2040\_PRIOR\_MGMT\_ORAL\_MDCTN  
M2102\_CARE\_TYPE\_SRC\_ADVCY  
M2102\_CARE\_TYPE\_SRC\_EQUIP  
M2102\_CARE\_TYPE\_SRC\_IADL  
M2110\_ADL\_IADL\_ASTNC\_FREQ  
M2250\_PLAN\_SMRY\_DBTS\_FT\_CARE

## Data Submission Specifications for the OASIS Item Set (V2.30.1)

### Detailed Data Specifications Report

#### Section: Patient History and Diagnoses

M2250\_PLAN\_SMRY\_DPRSN\_INTRVTN  
M2250\_PLAN\_SMRY\_FALL\_PRVNT  
M2250\_PLAN\_SMRY\_PAIN\_INTRVTN  
M2250\_PLAN\_SMRY\_PRSULC\_PRVNT  
M2250\_PLAN\_SMRY\_PRSULC\_TRTMT  
M2250\_PLAN\_SMRY\_PTNT\_SPECF  
M2310\_ECR\_CRDC\_DSRTHM  
M2310\_ECR\_CTHTR\_CMPLCTN  
M2310\_ECR\_DHYDRTN\_MALNTR  
M2310\_ECR\_DVT\_PULMNRY  
M2310\_ECR\_GI\_PRBLM  
M2310\_ECR\_HRT\_FAILR  
M2310\_ECR\_INJRY\_BY\_FALL  
M2310\_ECR\_MENTL\_BHVRL\_PRBLM  
M2310\_ECR\_MI\_CHST\_PAIN  
M2310\_ECR\_OTHR\_HRT\_DEASE  
M2310\_ECR\_RSPRTRY\_INFCTN  
M2310\_ECR\_RSPRTRY\_OTHR  
M2310\_ECR\_STROKE\_TIA  
M2310\_ECR\_UNCNTLD\_PAIN  
M2310\_ECR\_UTI  
M2310\_ECR\_WND\_INFCTN\_DTRORTN  
M2430\_HOSP\_CRDC\_DSRTHM  
M2430\_HOSP\_CTHTR\_CMPLCTN  
M2430\_HOSP\_DHYDRTN\_MALNTR  
M2430\_HOSP\_DVT\_PULMNRY  
M2430\_HOSP\_GI\_PRBLM  
M2430\_HOSP\_HRT\_FAILR  
M2430\_HOSP\_HYPOGLYC  
M2430\_HOSP\_INJRY\_BY\_FALL  
M2430\_HOSP\_MED  
M2430\_HOSP\_MENTL\_BHVRL\_PRBLM  
M2430\_HOSP\_MI\_CHST\_PAIN  
M2430\_HOSP\_OTHER  
M2430\_HOSP\_OTHR\_HRT\_DEASE  
M2430\_HOSP\_PAIN  
M2430\_HOSP\_RSPRTRY\_INFCTN  
M2430\_HOSP\_RSPRTRY\_OTHR  
M2430\_HOSP\_SCHLD\_TRTMT  
M2430\_HOSP\_STROKE\_TIA  
M2430\_HOSP\_UK  
M2430\_HOSP\_UR\_TRACT

## Data Submission Specifications for the OASIS Item Set (V2.30.1)

### Detailed Data Specifications Report

#### Section: Patient History and Diagnoses

Consistency	-4970	M2430_HOSP_WND_INFCTN
Consistency	-5250	[V2.30.0]-This edit was deleted, since M1018_PRIOR_NOCHG_14D was deleted. [V2.30.0]-This edit was deleted, since M1011_14_DAY_INP1_ICD was deleted.

# Data Submission Specifications for the OASIS Item Set (V2.30.1)

## Detailed Data Specifications Report

### Section: Patient History and Diagnoses

Item ID: M1000\_DC\_PSYCH\_14\_DA

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Past 14 days: disch from psych hospital or unit	Asmt		Code	1	469-469

#### Item Subsets

Active: 01,03  
Inactive: 04,05,06,07,08,09,XX

#### Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3060	Format	Fatal	VALUES OF CODE AND CHECKLIST ITEMS Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3650	Consistency	Fatal	If M1000_DC_NONE_14_DA=[0], then at least one active item from M1000_DC_LTC_14_DA through M1000_DC_OTH_14_DA must equal [1].
-3660	Consistency	Fatal	If M1000_DC_NONE_14_DA=[1], then all active items from M1000_DC_LTC_14_DA through M1000_DC_OTH_14_DA must equal [0].
-4970	Consistency	Fatal	***THIS EDIT WAS DELETED IN V2.30.0***
-5250	Consistency	Fatal	***THIS EDIT WAS DELETED IN V2.30.0***

#### Changes for Version

Type	ID	Description
Format	-3060	[V2.30.0]-Added mappings to all items in new sections GG and J, as well as new item M1028_ACTV_DIAG_NOA. Removed mappings to the following deleted items: M1011_14_DAY_INP_NA M1017_CHGREG_ICD_NA M1018_PRIOR_CATH M1018_PRIOR_DISRUPTIVE M1018_PRIOR_IMPR_DECSN M1018_PRIOR_INTRACT_PAIN M1018_PRIOR_MEM_LOSS M1018_PRIOR_NOCHG_14D M1018_PRIOR_NONE M1018_PRIOR_UNKNOWN

## Data Submission Specifications for the OASIS Item Set (V2.30.1)

### Detailed Data Specifications Report

#### Section: Patient History and Diagnoses

M1018\_PRIOR\_UR\_INCON  
M1034\_PTNT\_OVRAL\_STUS  
M1036\_RSK\_ALCOHOLISM  
M1036\_RSK\_DRUGS  
M1036\_RSK\_NONE  
M1036\_RSK\_OBESITY  
M1036\_RSK\_SMOKING  
M1036\_RSK\_UNKNOWN  
M1210\_HEARG\_ABLTY  
M1220\_UNDRSTG\_VERBAL\_CNTNT  
M1230\_SPEECH  
M1240\_FRML\_PAIN\_ASMT  
M1300\_PRSR\_ULCR\_RISK\_ASMT  
M1302\_RISK\_OF\_PRSR\_ULCR  
M1320\_STUS\_PRBLM\_PRSR\_ULCR  
M1350\_LESION\_OPEN\_WND  
M1410\_RESPTX\_OXYGEN  
M1410\_RESPTX\_AIRPRESS  
M1410\_RESPTX\_NONE  
M1410\_RESPTX\_VENTILATOR  
M1501\_SYMTM\_HRT\_FAILR\_PTNTS  
M1511\_HRT\_FAILR\_CARE\_PLAN\_CHG  
M1511\_HRT\_FAILR\_CLNCL\_INTRVTN  
M1511\_HRT\_FAILR\_ER\_TRTMT  
M1511\_HRT\_FAILR\_NO\_ACTN  
M1511\_HRT\_FAILR\_PHYSN\_CNTCT  
M1511\_HRT\_FAILR\_PHYSN\_TRTMT  
M1615\_INCNTNT\_TIMING  
M1750\_REC\_PSYCH\_NURS  
M1880\_CRNT\_PREP\_LT\_MEALS  
M1890\_CRNT\_PHONE\_USE  
M1900\_PRIOR\_ADLIADL\_AMBLTN  
M1900\_PRIOR\_ADLIADL\_HSEHOLD  
M1900\_PRIOR\_ADLIADL\_SELF  
M1900\_PRIOR\_ADLIADL\_TRNSFR  
M2040\_PRIOR\_MGMT\_INJCTN\_MDCTN  
M2040\_PRIOR\_MGMT\_ORAL\_MDCTN  
M2102\_CARE\_TYPE\_SRC\_ADV CY  
M2102\_CARE\_TYPE\_SRC\_EQUIP  
M2102\_CARE\_TYPE\_SRC\_IADL  
M2110\_ADL\_IADL\_ASTNC\_FREQ  
M2250\_PLAN\_SMRY\_DBTS\_FT\_CARE



## Data Submission Specifications for the OASIS Item Set (V2.30.1)

### Detailed Data Specifications Report

#### Section: Patient History and Diagnoses

M2250\_PLAN\_SMRY\_DPRSN\_INTRVTN  
M2250\_PLAN\_SMRY\_FALL\_PRVNT  
M2250\_PLAN\_SMRY\_PAIN\_INTRVTN  
M2250\_PLAN\_SMRY\_PRSULC\_PRVNT  
M2250\_PLAN\_SMRY\_PRSULC\_TRTMT  
M2250\_PLAN\_SMRY\_PTNT\_SPECF  
M2310\_ECR\_CRDC\_DSRTHM  
M2310\_ECR\_CTHTR\_CMPLCTN  
M2310\_ECR\_DHYDRTN\_MALNTR  
M2310\_ECR\_DVT\_PULMNRY  
M2310\_ECR\_GI\_PRBLM  
M2310\_ECR\_HRT\_FAILR  
M2310\_ECR\_INJRY\_BY\_FALL  
M2310\_ECR\_MENTL\_BHVRL\_PRBLM  
M2310\_ECR\_MI\_CHST\_PAIN  
M2310\_ECR\_OTHR\_HRT\_DEASE  
M2310\_ECR\_RSPRTRY\_INFCTN  
M2310\_ECR\_RSPRTRY\_OTHR  
M2310\_ECR\_STROKE\_TIA  
M2310\_ECR\_UNCNTLD\_PAIN  
M2310\_ECR\_UTI  
M2310\_ECR\_WND\_INFCTN\_DTRORTN  
M2430\_HOSP\_CRDC\_DSRTHM  
M2430\_HOSP\_CTHTR\_CMPLCTN  
M2430\_HOSP\_DHYDRTN\_MALNTR  
M2430\_HOSP\_DVT\_PULMNRY  
M2430\_HOSP\_GI\_PRBLM  
M2430\_HOSP\_HRT\_FAILR  
M2430\_HOSP\_HYPOGLYC  
M2430\_HOSP\_INJRY\_BY\_FALL  
M2430\_HOSP\_MED  
M2430\_HOSP\_MENTL\_BHVRL\_PRBLM  
M2430\_HOSP\_MI\_CHST\_PAIN  
M2430\_HOSP\_OTHER  
M2430\_HOSP\_OTHR\_HRT\_DEASE  
M2430\_HOSP\_PAIN  
M2430\_HOSP\_RSPRTRY\_INFCTN  
M2430\_HOSP\_RSPRTRY\_OTHR  
M2430\_HOSP\_SCHLD\_TRTMT  
M2430\_HOSP\_STROKE\_TIA  
M2430\_HOSP\_UK  
M2430\_HOSP\_UR\_TRACT

## Data Submission Specifications for the OASIS Item Set (V2.30.1)

### Detailed Data Specifications Report

#### Section: Patient History and Diagnoses

Consistency	-4970	M2430_HOSP_WND_INFCTN
Consistency	-5250	[V2.30.0]-This edit was deleted, since M1018_PRIOR_NOCHG_14D was deleted. [V2.30.0]-This edit was deleted, since M1011_14_DAY_INP1_ICD was deleted.

# Data Submission Specifications for the OASIS Item Set (V2.30.1)

## Detailed Data Specifications Report

### Section: Patient History and Diagnoses

Item ID: M1000\_DC\_OTH\_14\_DA

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Past 14 days: disch from other	Asmt		Code	1	470-470

#### Item Subsets

Active: 01,03  
Inactive: 04,05,06,07,08,09,XX

#### Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3060	Format	Fatal	VALUES OF CODE AND CHECKLIST ITEMS Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3650	Consistency	Fatal	If M1000_DC_NONE_14_DA=[0], then at least one active item from M1000_DC_LTC_14_DA through M1000_DC_OTH_14_DA must equal [1].
-3660	Consistency	Fatal	If M1000_DC_NONE_14_DA=[1], then all active items from M1000_DC_LTC_14_DA through M1000_DC_OTH_14_DA must equal [0].
-4970	Consistency	Fatal	***THIS EDIT WAS DELETED IN V2.30.0***
-5250	Consistency	Fatal	***THIS EDIT WAS DELETED IN V2.30.0***

#### Changes for Version

Type	ID	Description
Format	-3060	[V2.30.0]-Added mappings to all items in new sections GG and J, as well as new item M1028_ACTV_DIAG_NOA. Removed mappings to the following deleted items: M1011_14_DAY_INP_NA M1017_CHGREG_ICD_NA M1018_PRIOR_CATH M1018_PRIOR_DISRUPTIVE M1018_PRIOR_IMPR_DECSN M1018_PRIOR_INTRACT_PAIN M1018_PRIOR_MEM_LOSS M1018_PRIOR_NOCHG_14D M1018_PRIOR_NONE M1018_PRIOR_UNKNOWN

## Data Submission Specifications for the OASIS Item Set (V2.30.1)

### Detailed Data Specifications Report

#### Section: Patient History and Diagnoses

M1018\_PRIOR\_UR\_INCON  
M1034\_PTNT\_OVRAL\_STUS  
M1036\_RSK\_ALCOHOLISM  
M1036\_RSK\_DRUGS  
M1036\_RSK\_NONE  
M1036\_RSK\_OBESITY  
M1036\_RSK\_SMOKING  
M1036\_RSK\_UNKNOWN  
M1210\_HEARG\_ABLTY  
M1220\_UNDRSTG\_VERBAL\_CNTNT  
M1230\_SPEECH  
M1240\_FRML\_PAIN\_ASMT  
M1300\_PRSR\_ULCR\_RISK\_ASMT  
M1302\_RISK\_OF\_PRSR\_ULCR  
M1320\_STUS\_PRBLM\_PRSR\_ULCR  
M1350\_LESION\_OPEN\_WND  
M1410\_RESPTX\_OXYGEN  
M1410\_RESPTX\_AIRPRESS  
M1410\_RESPTX\_NONE  
M1410\_RESPTX\_VENTILATOR  
M1501\_SYMTM\_HRT\_FAILR\_PTNTS  
M1511\_HRT\_FAILR\_CARE\_PLAN\_CHG  
M1511\_HRT\_FAILR\_CLNCL\_INTRVTN  
M1511\_HRT\_FAILR\_ER\_TRTMT  
M1511\_HRT\_FAILR\_NO\_ACTN  
M1511\_HRT\_FAILR\_PHYSN\_CNTCT  
M1511\_HRT\_FAILR\_PHYSN\_TRTMT  
M1615\_INCNTNT\_TIMING  
M1750\_REC\_PSYCH\_NURS  
M1880\_CRNT\_PREP\_LT\_MEALS  
M1890\_CRNT\_PHONE\_USE  
M1900\_PRIOR\_ADLIADL\_AMBLTN  
M1900\_PRIOR\_ADLIADL\_HSEHOLD  
M1900\_PRIOR\_ADLIADL\_SELF  
M1900\_PRIOR\_ADLIADL\_TRNSFR  
M2040\_PRIOR\_MGMT\_INJCTN\_MDCTN  
M2040\_PRIOR\_MGMT\_ORAL\_MDCTN  
M2102\_CARE\_TYPE\_SRC\_ADVCY  
M2102\_CARE\_TYPE\_SRC\_EQUIP  
M2102\_CARE\_TYPE\_SRC\_IADL  
M2110\_ADL\_IADL\_ASTNC\_FREQ  
M2250\_PLAN\_SMRY\_DBTS\_FT\_CARE

## Data Submission Specifications for the OASIS Item Set (V2.30.1)

### Detailed Data Specifications Report

#### Section: Patient History and Diagnoses

M2250\_PLAN\_SMRY\_DPRSN\_INTRVTN  
M2250\_PLAN\_SMRY\_FALL\_PRVNT  
M2250\_PLAN\_SMRY\_PAIN\_INTRVTN  
M2250\_PLAN\_SMRY\_PRSULC\_PRVNT  
M2250\_PLAN\_SMRY\_PRSULC\_TRTMT  
M2250\_PLAN\_SMRY\_PTNT\_SPECF  
M2310\_ECR\_CRDC\_DSRTHM  
M2310\_ECR\_CTHTR\_CMPLCTN  
M2310\_ECR\_DHYDRTN\_MALNTR  
M2310\_ECR\_DVT\_PULMNRY  
M2310\_ECR\_GI\_PRBLM  
M2310\_ECR\_HRT\_FAILR  
M2310\_ECR\_INJRY\_BY\_FALL  
M2310\_ECR\_MENTL\_BHVRL\_PRBLM  
M2310\_ECR\_MI\_CHST\_PAIN  
M2310\_ECR\_OTHR\_HRT\_DEASE  
M2310\_ECR\_RSPRTRY\_INFCTN  
M2310\_ECR\_RSPRTRY\_OTHR  
M2310\_ECR\_STROKE\_TIA  
M2310\_ECR\_UNCNTLD\_PAIN  
M2310\_ECR\_UTI  
M2310\_ECR\_WND\_INFCTN\_DTRORTN  
M2430\_HOSP\_CRDC\_DSRTHM  
M2430\_HOSP\_CTHTR\_CMPLCTN  
M2430\_HOSP\_DHYDRTN\_MALNTR  
M2430\_HOSP\_DVT\_PULMNRY  
M2430\_HOSP\_GI\_PRBLM  
M2430\_HOSP\_HRT\_FAILR  
M2430\_HOSP\_HYPOGLYC  
M2430\_HOSP\_INJRY\_BY\_FALL  
M2430\_HOSP\_MED  
M2430\_HOSP\_MENTL\_BHVRL\_PRBLM  
M2430\_HOSP\_MI\_CHST\_PAIN  
M2430\_HOSP\_OTHER  
M2430\_HOSP\_OTHR\_HRT\_DEASE  
M2430\_HOSP\_PAIN  
M2430\_HOSP\_RSPRTRY\_INFCTN  
M2430\_HOSP\_RSPRTRY\_OTHR  
M2430\_HOSP\_SCHLD\_TRTMT  
M2430\_HOSP\_STROKE\_TIA  
M2430\_HOSP\_UK  
M2430\_HOSP\_UR\_TRACT

## Data Submission Specifications for the OASIS Item Set (V2.30.1)

### Detailed Data Specifications Report

#### Section: Patient History and Diagnoses

Consistency	-4970	M2430_HOSP_WND_INFCTN
Consistency	-5250	[V2.30.0]-This edit was deleted, since M1018_PRIOR_NOCHG_14D was deleted. [V2.30.0]-This edit was deleted, since M1011_14_DAY_INP1_ICD was deleted.

# Data Submission Specifications for the OASIS Item Set (V2.30.1)

## Detailed Data Specifications Report

### Section: Patient History and Diagnoses

Item ID: M1000\_DC\_NONE\_14\_DA

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Past 14 days: not disch from inpatient facility	Asmt		Code	1	471-471

#### Item Subsets

Active: 01,03  
Inactive: 04,05,06,07,08,09,XX

#### Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3060	Format	Fatal	VALUES OF CODE AND CHECKLIST ITEMS Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3650	Consistency	Fatal	If M1000_DC_NONE_14_DA=[0], then at least one active item from M1000_DC_LTC_14_DA through M1000_DC_OTH_14_DA must equal [1].
-3660	Consistency	Fatal	If M1000_DC_NONE_14_DA=[1], then all active items from M1000_DC_LTC_14_DA through M1000_DC_OTH_14_DA must equal [0].
-4980	Consistency	Fatal	***THIS EDIT WAS DELETED IN V2.30.0***
-5320	Consistency	Fatal	If M1000_DC_NONE_14_DA=[0], then if M1005_INP_DSCHG_UNKNOWN is active it must not equal [^].
-4920	Skip pattern	Fatal	***THIS EDIT WAS DELETED IN V2.30.0***
-4921	Skip pattern	Fatal	If M1000_DC_NONE_14_DA=[1], then M1005_INP_DISCHARGE_DT and M1005_INP_DSCHG_UNKNOWN must equal [^].

#### Changes for Version

Type	ID	Description
Format	-3060	[V2.30.0]-Added mappings to all items in new sections GG and J, as well as new item M1028_ACTV_DIAG_NOA. Removed mappings to the following deleted items: M1011_14_DAY_INP_NA M1017_CHGREG_ICD_NA M1018_PRIOR_CATH M1018_PRIOR_DISRUPTIVE M1018_PRIOR_IMPR_DECSN M1018_PRIOR_INTRACT_PAIN M1018_PRIOR_MEM_LOSS M1018_PRIOR_NOCHG_14D

## Data Submission Specifications for the OASIS Item Set (V2.30.1)

### Detailed Data Specifications Report

#### Section: Patient History and Diagnoses

M1018\_PRIOR\_NONE, M1018\_PRIOR\_UNKNOWN

M1018\_PRIOR\_UR\_INCON

M1034\_PTNT\_OVRAL\_STUS

M1036\_RSK\_ALCOHOLISM

M1036\_RSK\_DRUGS

M1036\_RSK\_NONE

M1036\_RSK\_OBESITY

M1036\_RSK\_SMOKING

M1036\_RSK\_UNKNOWN

M1210\_HEARG\_ABLTY

M1220\_UNDRSTG\_VERBAL\_CNTNT

M1230\_SPEECH

M1240\_FRML\_PAIN\_ASMT

M1300\_PRSR\_ULCR\_RISK\_ASMT

M1302\_RISK\_OF\_PRSR\_ULCR

M1320\_STUS\_PRBLM\_PRSR\_ULCR

M1350\_LESION\_OPEN\_WND

M1410\_RESPTX\_OXYGEN

M1410\_RESPTX\_AIRPRESS

M1410\_RESPTX\_NONE

M1410\_RESPTX\_VENTILATOR

M1501\_SYMTM\_HRT\_FAILR\_PTNTS

M1511\_HRT\_FAILR\_CARE\_PLAN\_CHG

M1511\_HRT\_FAILR\_CLNCL\_INTRVTN

M1511\_HRT\_FAILR\_ER\_TRTMT

M1511\_HRT\_FAILR\_NO\_ACTN

M1511\_HRT\_FAILR\_PHYSN\_CNTCT

M1511\_HRT\_FAILR\_PHYSN\_TRTMT

M1615\_INCNTNT\_TIMING

M1750\_REC\_PSYCH\_NURS

M1880\_CRNT\_PREP\_LT\_MEALS

M1890\_CRNT\_PHONE\_USE

M1900\_PRIOR\_ADLIADL\_AMBLTN

M1900\_PRIOR\_ADLIADL\_HSEHOLD

M1900\_PRIOR\_ADLIADL\_SELF

M1900\_PRIOR\_ADLIADL\_TRNSFR

M2040\_PRIOR\_MGMT\_INJCTN\_MDCTN

M2040\_PRIOR\_MGMT\_ORAL\_MDCTN

M2102\_CARE\_TYPE\_SRC\_ADVCY

M2102\_CARE\_TYPE\_SRC\_EQUIP

M2102\_CARE\_TYPE\_SRC\_IADL

M2110\_ADL\_IADL\_ASTNC\_FREQ



## Data Submission Specifications for the OASIS Item Set (V2.30.1)

### Detailed Data Specifications Report

#### Section: Patient History and Diagnoses

M2250\_PLAN\_SMRY\_DBTS\_FT\_CARE  
M2250\_PLAN\_SMRY\_DPRSN\_INTRVTN  
M2250\_PLAN\_SMRY\_FALL\_PRVNT  
M2250\_PLAN\_SMRY\_PAIN\_INTRVTN  
M2250\_PLAN\_SMRY\_PRSULC\_PRVNT  
M2250\_PLAN\_SMRY\_PRSULC\_TRTMT  
M2250\_PLAN\_SMRY\_PTNT\_SPECF  
M2310\_ECR\_CRDC\_DSRTHM  
M2310\_ECR\_CTHTR\_CMPLCTN  
M2310\_ECR\_DHYDRTN\_MALNTR  
M2310\_ECR\_DVT\_PULMNRY  
M2310\_ECR\_GI\_PRBLM  
M2310\_ECR\_HRT\_FAILR  
M2310\_ECR\_INJRY\_BY\_FALL  
M2310\_ECR\_MENTL\_BHVRL\_PRBLM  
M2310\_ECR\_MI\_CHST\_PAIN  
M2310\_ECR\_OTHR\_HRT\_DEASE  
M2310\_ECR\_RSPRTRY\_INFCTN  
M2310\_ECR\_RSPRTRY\_OTHR  
M2310\_ECR\_STROKE\_TIA  
M2310\_ECR\_UNCNTLD\_PAIN  
M2310\_ECR\_UTI  
M2310\_ECR\_WND\_INFCTN\_DTRORTN  
M2430\_HOSP\_CRDC\_DSRTHM  
M2430\_HOSP\_CTHTR\_CMPLCTN  
M2430\_HOSP\_DHYDRTN\_MALNTR  
M2430\_HOSP\_DVT\_PULMNRY  
M2430\_HOSP\_GI\_PRBLM  
M2430\_HOSP\_HRT\_FAILR  
M2430\_HOSP\_HYPOGLYC  
M2430\_HOSP\_INJRY\_BY\_FALL  
M2430\_HOSP\_MED  
M2430\_HOSP\_MENTL\_BHVRL\_PRBLM  
M2430\_HOSP\_MI\_CHST\_PAIN  
M2430\_HOSP\_OTHER  
M2430\_HOSP\_OTHR\_HRT\_DEASE  
M2430\_HOSP\_PAIN  
M2430\_HOSP\_RSPRTRY\_INFCTN  
M2430\_HOSP\_RSPRTRY\_OTHR  
M2430\_HOSP\_SCHLD\_TRTMT  
M2430\_HOSP\_STROKE\_TIA  
M2430\_HOSP\_UK

## Data Submission Specifications for the OASIS Item Set (V2.30.1)

### Detailed Data Specifications Report

#### Section: Patient History and Diagnoses

		M2430_HOSP_UR_TRACT
		M2430_HOSP_WND_INFCTN
Consistency	-4980	[V2.30.0]-This edit was deleted, since M1018_PRIOR_NOCHG_14D was deleted.
Skip pattern	-4920	[V2.30.0]-This edit was deleted and replaced by edit -4921.
Skip pattern	-4921	[V2.30.0]-New edit. Replaces edit -4920.

# Data Submission Specifications for the OASIS Item Set (V2.30.1)

## Detailed Data Specifications Report

### Section: Patient History and Diagnoses

Item ID: M1005\_INP\_DISCHARGE\_DT

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Most recent inpatient discharge date	Asmt		Date	8	472-479

#### Item Subsets

Active:	01,03
Inactive:	04,05,06,07,08,09,XX

#### Item Values

Value	LOINC Code	Value Text
YYYYMMDD		Most recent inpatient discharge date
^		Blank (not available or unknown)

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3070	Format	Fatal	<p>VALUES OF DATE ITEMS</p> <p>This item must contain either (a) a valid date in YYYYMMDD format, or (b) one of the special values (if any) that are listed in the "Item Values" table of the Detailed Data Specifications Report.</p> <p>Note that if a date in YYYYMMDD format is submitted, it must be 8 characters in length and each of the 8 characters must contain the digits 0 (zero) through 9. YYYY, MM, and DD must be zero filled, where necessary. For example, January 1, 2014 must be submitted as "20140101".</p>
-3260	Consistency	Fatal	***THIS EDIT WAS DELETED IN V2.30.0***
-3261	Consistency	Fatal	<p>DATE ITEM CONSISTENCY: PATTERN 1</p> <p>Each active item in the list below that contains a valid date (not blank) must be in the specified order.</p> <p>If M0032_ROC_DT is equal to [^], then the following rules apply:</p> <p>M0066_PAT_BIRTH_DT &lt;</p> <p>M1005_INP_DISCHARGE_DT &lt;=</p> <p>M0102_PHYSN_ORDRD_SOCROC_DT &lt;=</p> <p>M0030_START_CARE_DT &lt;=</p> <p>M1307_OLDST_STG2_ONST_DT &lt;=</p> <p>M0906_DC_TRAN_DTH_DT &lt;=</p> <p>M0090_INFO_COMPLETED_DT &lt;=</p> <p>Current date</p>
-3270	Consistency	Fatal	***THIS EDIT WAS DELETED IN V2.30.0***

## Data Submission Specifications for the OASIS Item Set (V2.30.1)

### Detailed Data Specifications Report

#### Section: Patient History and Diagnoses

-3271	Consistency	Fatal	<p>DATE ITEM CONSISTENCY: PATTERN 2</p> <p>Each active item in the list below that contains a valid date (not blank) must be in the specified order.</p> <p>If M0032_ROC_DT is NOT equal to [^], then the following rules apply:</p> <p>M0066_PAT_BIRTH_DT &lt;</p> <p>M0030_START_CARE_DT &lt;=</p> <p>M1005_INP_DISCHARGE_DT &lt;=</p> <p>M0102_PHYSN_ORDRD_SOCROC_DT &lt;=</p> <p>M0032_ROC_DT &lt;=</p> <p>M1307_OLDST_STG2_ONST_DT &lt;=</p> <p>M0906_DC_TRAN_DTH_DT &lt;=</p> <p>M0090_INFO_COMPLETED_DT &lt;=</p> <p>Current date</p>
-3280	Consistency	Warning	<p>If M0100_ASSMT_REASON=[01] and if M0030_START_CARE_DT and M1005_INP_DISCHARGE_DT are both active and contain valid dates (not [^]), then M0030_START_CARE_DT minus M1005_INP_DISCHARGE_DT should be greater than or equal to zero and less than or equal to 14 days.</p>
-3290	Consistency	Warning	<p>If M0100_ASSMT_REASON=[03] and if M0032_ROC_DT and M1005_INP_DISCHARGE_DT are both active and contain valid dates (not [^]), then M0032_ROC_DT minus M1005_INP_DISCHARGE_DT should be greater than or equal to zero and less than or equal to 14.</p>
-3450	Consistency	Fatal	<p>If M1005_INP_DSCHG_UNKNOWN=[0], then if M1005_INP_DISCHARGE_DT is active it must not equal [^].</p>
-3460	Consistency	Fatal	<p>If M1005_INP_DSCHG_UNKNOWN=[1], then if M1005_INP_DISCHARGE_DT is active it must equal [^].</p>
-4920	Skip pattern	Fatal	<p>***THIS EDIT WAS DELETED IN V2.30.0***</p>
-4921	Skip pattern	Fatal	<p>If M1000_DC_NONE_14_DA=[1], then M1005_INP_DISCHARGE_DT and M1005_INP_DSCHG_UNKNOWN must equal [^].</p>

#### Changes for Version

Type	ID	Description
Format	-3070	[V2.30.0]-Removed mapping to M0903_LAST_HOME_VISIT, which was deleted.
Consistency	-3261	[V2.30.0]-New edit. Replaces edit -3260.
Consistency	-3271	[V2.30.0]-New edit. Replaces edit -3270.
Skip pattern	-4920	[V2.30.0]-This edit was deleted and replaced by edit -4921.
Skip pattern	-4921	[V2.30.0]-New edit. Replaces edit -4920.

# Data Submission Specifications for the OASIS Item Set (V2.30.1)

## Detailed Data Specifications Report

### Section: Patient History and Diagnoses

Item ID: M1005\_INP\_DSCHG\_UNKNOWN

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Inpatient discharge date unknown	Asmt		Code	1	480-480

#### Item Subsets

Active: 01,03  
Inactive: 04,05,06,07,08,09,XX

#### Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
^		Blank (skip pattern)

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3060	Format	Fatal	VALUES OF CODE AND CHECKLIST ITEMS Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3450	Consistency	Fatal	If M1005_INP_DSCHG_UNKNOWN=[0], then if M1005_INP_DISCHARGE_DT is active it must not equal [^].
-3460	Consistency	Fatal	If M1005_INP_DSCHG_UNKNOWN=[1], then if M1005_INP_DISCHARGE_DT is active it must equal [^].
-5320	Consistency	Fatal	If M1000_DC_NONE_14_DA=[0], then if M1005_INP_DSCHG_UNKNOWN is active it must not equal [^].
-4920	Skip pattern	Fatal	***THIS EDIT WAS DELETED IN V2.30.0***
-4921	Skip pattern	Fatal	If M1000_DC_NONE_14_DA=[1], then M1005_INP_DISCHARGE_DT and M1005_INP_DSCHG_UNKNOWN must equal [^].

#### Changes for Version

Type	ID	Description
Format	-3060	[V2.30.0]-Added mappings to all items in new sections GG and J, as well as new item M1028_ACTV_DIAG_NOA. Removed mappings to the following deleted items: M1011_14_DAY_INP_NA M1017_CHGREG_ICD_NA M1018_PRIOR_CATH M1018_PRIOR_DISRUPTIVE M1018_PRIOR_IMPR_DECSN M1018_PRIOR_INTRACT_PAIN M1018_PRIOR_MEM_LOSS M1018_PRIOR_NOCHG_14D M1018_PRIOR_NONE M1018_PRIOR_UNKNOWN

## Data Submission Specifications for the OASIS Item Set (V2.30.1)

### Detailed Data Specifications Report

#### Section: Patient History and Diagnoses

M1018\_PRIOR\_UR\_INCON  
M1034\_PTNT\_OVRAL\_STUS  
M1036\_RSK\_ALCOHOLISM  
M1036\_RSK\_DRUGS  
M1036\_RSK\_NONE  
M1036\_RSK\_OBESITY  
M1036\_RSK\_SMOKING  
M1036\_RSK\_UNKNOWN  
M1210\_HEARG\_ABLTY  
M1220\_UNDRSTG\_VERBAL\_CNTNT  
M1230\_SPEECH  
M1240\_FRML\_PAIN\_ASMT  
M1300\_PRSR\_ULCR\_RISK\_ASMT  
M1302\_RISK\_OF\_PRSR\_ULCR  
M1320\_STUS\_PRBLM\_PRSR\_ULCR  
M1350\_LESION\_OPEN\_WND  
M1410\_RESPTX\_OXYGEN  
M1410\_RESPTX\_AIRPRESS  
M1410\_RESPTX\_NONE  
M1410\_RESPTX\_VENTILATOR  
M1501\_SYMTM\_HRT\_FAILR\_PTNTS  
M1511\_HRT\_FAILR\_CARE\_PLAN\_CHG  
M1511\_HRT\_FAILR\_CLNCL\_INTRVTN  
M1511\_HRT\_FAILR\_ER\_TRTMT  
M1511\_HRT\_FAILR\_NO\_ACTN  
M1511\_HRT\_FAILR\_PHYSN\_CNTCT  
M1511\_HRT\_FAILR\_PHYSN\_TRTMT  
M1615\_INCNTNT\_TIMING  
M1750\_REC\_PSYCH\_NURS  
M1880\_CRNT\_PREP\_LT\_MEALS  
M1890\_CRNT\_PHONE\_USE  
M1900\_PRIOR\_ADLIADL\_AMBLTN  
M1900\_PRIOR\_ADLIADL\_HSEHOLD  
M1900\_PRIOR\_ADLIADL\_SELF  
M1900\_PRIOR\_ADLIADL\_TRNSFR  
M2040\_PRIOR\_MGMT\_INJCTN\_MDCTN  
M2040\_PRIOR\_MGMT\_ORAL\_MDCTN  
M2102\_CARE\_TYPE\_SRC\_ADV CY  
M2102\_CARE\_TYPE\_SRC\_EQUIP  
M2102\_CARE\_TYPE\_SRC\_IADL  
M2110\_ADL\_IADL\_ASTNC\_FREQ  
M2250\_PLAN\_SMRY\_DBTS\_FT\_CARE

## Data Submission Specifications for the OASIS Item Set (V2.30.1)

### Detailed Data Specifications Report

#### Section: Patient History and Diagnoses

M2250\_PLAN\_SMRY\_DPRSN\_INTRVTN  
M2250\_PLAN\_SMRY\_FALL\_PRVNT  
M2250\_PLAN\_SMRY\_PAIN\_INTRVTN  
M2250\_PLAN\_SMRY\_PRSULC\_PRVNT  
M2250\_PLAN\_SMRY\_PRSULC\_TRTMT  
M2250\_PLAN\_SMRY\_PTNT\_SPECF  
M2310\_ECR\_CRDC\_DSRTHM  
M2310\_ECR\_CTHTR\_CMPLCTN  
M2310\_ECR\_DHYDRTN\_MALNTR  
M2310\_ECR\_DVT\_PULMNRY  
M2310\_ECR\_GI\_PRBLM  
M2310\_ECR\_HRT\_FAILR  
M2310\_ECR\_INJRY\_BY\_FALL  
M2310\_ECR\_MENTL\_BHVRL\_PRBLM  
M2310\_ECR\_MI\_CHST\_PAIN  
M2310\_ECR\_OTHR\_HRT\_DEASE  
M2310\_ECR\_RSPRTRY\_INFCTN  
M2310\_ECR\_RSPRTRY\_OTHR  
M2310\_ECR\_STROKE\_TIA  
M2310\_ECR\_UNCNTLD\_PAIN  
M2310\_ECR\_UTI  
M2310\_ECR\_WND\_INFCTN\_DTRORTN  
M2430\_HOSP\_CRDC\_DSRTHM  
M2430\_HOSP\_CTHTR\_CMPLCTN  
M2430\_HOSP\_DHYDRTN\_MALNTR  
M2430\_HOSP\_DVT\_PULMNRY  
M2430\_HOSP\_GI\_PRBLM  
M2430\_HOSP\_HRT\_FAILR  
M2430\_HOSP\_HYPOGLYC  
M2430\_HOSP\_INJRY\_BY\_FALL  
M2430\_HOSP\_MED  
M2430\_HOSP\_MENTL\_BHVRL\_PRBLM  
M2430\_HOSP\_MI\_CHST\_PAIN  
M2430\_HOSP\_OTHER  
M2430\_HOSP\_OTHR\_HRT\_DEASE  
M2430\_HOSP\_PAIN  
M2430\_HOSP\_RSPRTRY\_INFCTN  
M2430\_HOSP\_RSPRTRY\_OTHR  
M2430\_HOSP\_SCHLD\_TRTMT  
M2430\_HOSP\_STROKE\_TIA  
M2430\_HOSP\_UK  
M2430\_HOSP\_UR\_TRACT

## Data Submission Specifications for the OASIS Item Set (V2.30.1)

### Detailed Data Specifications Report

#### Section: Patient History and Diagnoses

Skip pattern	-4920	M2430_HOSP_WND_INFCTN
Skip pattern	-4921	[V2.30.0]-This edit was deleted and replaced by edit -4921. [V2.30.0]-New edit. Replaces edit -4920.



# Data Submission Specifications for the OASIS Item Set (V2.30.1)

## Detailed Data Specifications Report Section: Patient History and Diagnoses

Item ID: M1021\_PRIMARY\_DIAG\_ICD

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Primary diagnosis ICD code	Asmt		ICD	8	1359-1366

### Item Subsets

Active: 01,03,04,05  
Inactive: 06,07,08,09,XX

### Item Values

Value	LOINC Code	Value Text
ICD-10		ICD-10 diagnosis code

### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-4885	Format	Fatal	<p>FORMATTING OF ICD-10 DIAGNOSIS CODES</p> <p>ICD-10 diagnosis codes must conform with the following formatting rules:</p> <p>a) Character 1 must be alphabetic [A-Z,a-z].</p> <p>b) Character 2 must be numeric [0-9].</p> <p>c) Character 3 must be numeric [0-9] or alphabetic [A-Z,a-z].</p> <p>d) Character 4 must be a decimal point.</p> <p>e) Characters 5 through 8 must be numeric [0-9], alphabetic [A-Z,a-z], or caret [^].</p> <p>f) If any character 5 through 8 is equal to [^], all subsequent characters must equal [^].</p> <p>Note that additional formatting rules for particular items may further restrict the range of allowable values in character 1.</p> <p>Also note that an entirely blank ICD code must be submitted as a single caret: [^].</p>
-4900	Format	Fatal	<p>RESTRICTIONS ON ICD-10 DIAGNOSIS CODES</p> <p>Character 1 of the ICD code must not equal [V,W,X,Y,v,w,x,y].</p>
-5000	Consistency	Fatal	<p>If a value submitted in items M1021_PRIMARY_DIAG_ICD, M1023_OTH_DIAG1_ICD, M1023_OTH_DIAG2_ICD, M1023_OTH_DIAG3_ICD, M1023_OTH_DIAG4_ICD, or M1023_OTH_DIAG5_ICD is not equal to [^], it must not equal (must not duplicate) any value submitted in the remaining items in this list.</p>
-5030	Consistency	Fatal	***THIS EDIT WAS DELETED IN V2.30.1***
-5200	Consistency	Fatal	<p>If character 1 of the Primary/Other ICD code in Column 2 is equal to [V,W,X,Y,Z,v,w,x,y,z], then the corresponding severity code must equal [^].</p>
-5210	Consistency	Fatal	<p>If the Primary/Other ICD code in Column 2 is NOT equal to [^] AND character 1 of the ICD code is NOT equal to [V,W,X,Y,Z,v,w,x,y,z], then the corresponding severity code must not equal [^].</p>
-5220	Consistency	Fatal	<p>If the Primary/Other ICD code in Column 2 is equal to [^], then the corresponding severity code must equal [^].</p>
-5230	Consistency	Warning	***THIS EDIT WAS DELETED IN V2.30.1***
-5240	Consistency	Warning	***THIS EDIT WAS DELETED IN V2.30.1***

## Data Submission Specifications for the OASIS Item Set (V2.30.1)

### Detailed Data Specifications Report

#### Section: Patient History and Diagnoses

##### Supplemental Information

Info ID	Type	Text
-9110	Information	<p>If state law prohibits transmission of certain ICD codes (e.g., HIV or STD diagnoses), these codes will be removed by the ASAP system if found on records submitted by HHAs within that state. If any item within an ICD list contains such a code on a submitted record, it will be removed from the list. If any of these items is removed, but a valid code remains in a subsequent item on the list, the subsequent codes will be "moved up" so that no missing codes remain.</p> <p>Therefore, if a non-blank value is required in an ICD code list and all of the submitted items in that list contain blank and/or prohibited codes, a fatal error will result and the record will be rejected. As long as at least one item in such a list contains a non-blank, correctly-formatted, allowable code, a fatal error will not occur.</p>
-9150	Information	<p>If an ICD list contains multiple codes, there should be no intervening items in the list which are equal to [^]. For example, if a 5-item list is populated with 3 ICD codes, those codes should occupy items 1, 2, and 3; items 4 and 5 should be equal to [^].</p> <p>If the ASAP system finds a list which contains intervening items which are equal to [^], the values that are later in the list will be moved up to eliminate the intervening blank [^]. item values. Diagnoses are only moved up within the same type of diagnosis, so a secondary diagnosis code will never be moved into an item which is for a primary diagnosis code.</p>
-9170	Information	<p>SUBMITTING ICD-10 DIAGNOSIS CODES</p> <p>If the ICD-10 item is active, it must be submitted as an 8 character, fixed-format string with all blanks replaced with [^]., and with a decimal point as the 4th character. The only exception to this rule is that an entirely blank ICD-10 item must be submitted as a single [^].</p> <p>For example:</p> <ul style="list-style-type: none"><li>-The ICD-10 code "A12." would be submitted as [A12.^^^].</li><li>-The ICD-10 code "A12.3" would be submitted as [A12.3^^].</li><li>-The ICD-10 code "A12.34" would be submitted as [A12.34^^].</li><li>-The ICD-10 code "A12.345" would be submitted as [A12.345^].</li><li>-The ICD-10 code "A12.3456" would be submitted as [A12.3456].</li><li>-An entirely blank ICD-10 code would be submitted as [^].</li></ul>

##### Changes for Version

Type	ID	Description
Format	-4885	<p>[V2.30.0]-Mappings were removed from the following deleted items:</p> <p>M1011_14_DAY_INP1_ICD</p> <p>M1011_14_DAY_INP2_ICD</p> <p>M1011_14_DAY_INP3_ICD</p> <p>M1011_14_DAY_INP4_ICD</p> <p>M1011_14_DAY_INP5_ICD</p> <p>M1011_14_DAY_INP6_ICD</p> <p>M1017_CHGREG_ICD1</p> <p>M1017_CHGREG_ICD2</p> <p>M1017_CHGREG_ICD3</p> <p>M1017_CHGREG_ICD4</p> <p>M1017_CHGREG_ICD5</p> <p>M1017_CHGREG_ICD6</p> <p>M1025_OPT_DIAG_ICD_A3</p>

## Data Submission Specifications for the OASIS Item Set (V2.30.1)

### Detailed Data Specifications Report

#### Section: Patient History and Diagnoses

M1025\_OPT\_DIAG\_ICD\_A4

M1025\_OPT\_DIAG\_ICD\_B3

M1025\_OPT\_DIAG\_ICD\_B4

M1025\_OPT\_DIAG\_ICD\_C3

M1025\_OPT\_DIAG\_ICD\_C4

M1025\_OPT\_DIAG\_ICD\_D3

M1025\_OPT\_DIAG\_ICD\_D4

M1025\_OPT\_DIAG\_ICD\_E3

M1025\_OPT\_DIAG\_ICD\_E4

M1025\_OPT\_DIAG\_ICD\_F3

M1025\_OPT\_DIAG\_ICD\_F4

Consistency	-5030	[V2.30.0]-Mappings were removed from the deleted M1025 items. [V2.30.1]-This edit was deleted, per errata issue 03.
Consistency	-5230	[V2.30.0]-Mappings were removed to the M1025 items, since they were deleted. [V2.30.1]-This edit was deleted, per errata issue 03.
Consistency	-5240	[V2.30.0]-Mappings were removed to the M1025 items, since they were deleted. [V2.30.1]-This edit was deleted, per errata issue 03.
Information	-9110	[V2.30.0]-Mappings were removed to the M1011, M1017 and M1025 ICD items, since those items were deleted.
Information	-9150	[V2.30.0]-Mappings were removed to the M1011, M1017 and M1025 ICD items, since those items were deleted.
Information	-9170	[V2.30.0]-Mappings were removed to the M1011, M1017 and M1025 ICD items, since those items were deleted.

# Data Submission Specifications for the OASIS Item Set (V2.30.1)

## Detailed Data Specifications Report

### Section: Patient History and Diagnoses

Item ID: M1021\_PRIMARY\_DIAG\_SEVERITY

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Primary diagnosis severity rating	Asmt		Code	2	1367-1368

#### Item Subsets

Active:	01,03,04,05
Inactive:	06,07,08,09,XX

#### Item Values

Value	LOINC Code	Value Text
00		Asymptomatic, no treatment needed at this time
01		Symptoms well controlled with current therapy
02		Symptoms controlled with difficulty, affecting daily functioning; patient needs ongoing monitoring
03		Symptoms poorly controlled: patient needs frequent adjustment in treatment and dose monitoring
04		Symptoms poorly controlled: history of re-hospitalizations
^		No severity rating

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3060	Format	Fatal	VALUES OF CODE AND CHECKLIST ITEMS Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-4990	Consistency	Warning	M1021_PRIMARY_DIAG_SEVERITY should equal [01-04,^]. A warning will be issued if it is equal to [00].
-5200	Consistency	Fatal	If character 1 of the Primary/Other ICD code in Column 2 is equal to [V,W,X,Y,Z,v,w,x,y,z], then the corresponding severity code must equal [^].
-5210	Consistency	Fatal	If the Primary/Other ICD code in Column 2 is NOT equal to [^] AND character 1 of the ICD code is NOT equal to [V,W,X,Y,Z,v,w,x,y,z], then the corresponding severity code must not equal [^].
-5220	Consistency	Fatal	If the Primary/Other ICD code in Column 2 is equal to [^], then the corresponding severity code must equal [^].

#### Changes for Version

Type	ID	Description
Format	-3060	[V2.30.0]-Added mappings to all items in new sections GG and J, as well as new item M1028_ACTV_DIAG_NOA. Removed mappings to the following deleted items: M1011_14_DAY_INP_NA M1017_CHGREG_ICD_NA M1018_PRIOR_CATH M1018_PRIOR_DISRUPTIVE M1018_PRIOR_IMPR_DECSN M1018_PRIOR_INTRACT_PAIN

## Data Submission Specifications for the OASIS Item Set (V2.30.1)

### Detailed Data Specifications Report

#### Section: Patient History and Diagnoses

M1018\_PRIOR\_MEM\_LOSS  
M1018\_PRIOR\_NOCHG\_14D  
M1018\_PRIOR\_NONE  
M1018\_PRIOR\_UNKNOWN  
M1018\_PRIOR\_UR\_INCON  
M1034\_PTNT\_OVRAL\_STUS  
M1036\_RSK\_ALCOHOLISM  
M1036\_RSK\_DRUGS  
M1036\_RSK\_NONE  
M1036\_RSK\_OBESITY  
M1036\_RSK\_SMOKING  
M1036\_RSK\_UNKNOWN  
M1210\_HEARG\_ABLTY  
M1220\_UNDRSTG\_VERBAL\_CNTNT  
M1230\_SPEECH  
M1240\_FRML\_PAIN\_ASMT  
M1300\_PRSR\_ULCR\_RISK\_ASMT  
M1302\_RISK\_OF\_PRSR\_ULCR  
M1320\_STUS\_PRBLM\_PRSR\_ULCR  
M1350\_LESION\_OPEN\_WND  
M1410\_RESPTX\_OXYGEN  
M1410\_RESPTX\_AIRPRESS  
M1410\_RESPTX\_NONE  
M1410\_RESPTX\_VENTILATOR  
M1501\_SYMTM\_HRT\_FAILR\_PTNTS  
M1511\_HRT\_FAILR\_CARE\_PLAN\_CHG  
M1511\_HRT\_FAILR\_CLNCL\_INTRVTN  
M1511\_HRT\_FAILR\_ER\_TRTMT  
M1511\_HRT\_FAILR\_NO\_ACTN  
M1511\_HRT\_FAILR\_PHYSN\_CNTCT  
M1511\_HRT\_FAILR\_PHYSN\_TRTMT  
M1615\_INCNTNT\_TIMING  
M1750\_REC\_PSYCH\_NURS  
M1880\_CRNT\_PREP\_LT\_MEALS  
M1890\_CRNT\_PHONE\_USE  
M1900\_PRIOR\_ADLIADL\_AMBLTN  
M1900\_PRIOR\_ADLIADL\_HSEHOLD  
M1900\_PRIOR\_ADLIADL\_SELF  
M1900\_PRIOR\_ADLIADL\_TRNSFR  
M2040\_PRIOR\_MGMT\_INJCTN\_MDCTN  
M2040\_PRIOR\_MGMT\_ORAL\_MDCTN  
M2102\_CARE\_TYPE\_SRC\_ADVCY

## Data Submission Specifications for the OASIS Item Set (V2.30.1)

### Detailed Data Specifications Report

#### Section: Patient History and Diagnoses

M2102\_CARE\_TYPE\_SRC\_EQUIP  
M2102\_CARE\_TYPE\_SRC\_IADL  
M2110\_ADL\_IADL\_ASTNC\_FREQ  
M2250\_PLAN\_SMRY\_DBTS\_FT\_CARE  
M2250\_PLAN\_SMRY\_DPRSN\_INTRVTN  
M2250\_PLAN\_SMRY\_FALL\_PRVNT  
M2250\_PLAN\_SMRY\_PAIN\_INTRVTN  
M2250\_PLAN\_SMRY\_PRSULC\_PRVNT  
M2250\_PLAN\_SMRY\_PRSULC\_TRTMT  
M2250\_PLAN\_SMRY\_PTNT\_SPECIF  
M2310\_ECR\_CRDC\_DSRTHM  
M2310\_ECR\_CTHTR\_CMPLCTN  
M2310\_ECR\_DHYDRTN\_MALNTR  
M2310\_ECR\_DVT\_PULMNRY  
M2310\_ECR\_GI\_PRBLM  
M2310\_ECR\_HRT\_FAILR  
M2310\_ECR\_INJRY\_BY\_FALL  
M2310\_ECR\_MENTL\_BHVRL\_PRBLM  
M2310\_ECR\_MI\_CHST\_PAIN  
M2310\_ECR\_OTHR\_HRT\_DEASE  
M2310\_ECR\_RSPRTRY\_INFCTN  
M2310\_ECR\_RSPRTRY\_OTHR  
M2310\_ECR\_STROKE\_TIA  
M2310\_ECR\_UNCNTLD\_PAIN  
M2310\_ECR\_UTI  
M2310\_ECR\_WND\_INFCTN\_DTRORTN  
M2430\_HOSP\_CRDC\_DSRTHM  
M2430\_HOSP\_CTHTR\_CMPLCTN  
M2430\_HOSP\_DHYDRTN\_MALNTR  
M2430\_HOSP\_DVT\_PULMNRY  
M2430\_HOSP\_GI\_PRBLM  
M2430\_HOSP\_HRT\_FAILR  
M2430\_HOSP\_HYPOGLYC  
M2430\_HOSP\_INJRY\_BY\_FALL  
M2430\_HOSP\_MED  
M2430\_HOSP\_MENTL\_BHVRL\_PRBLM  
M2430\_HOSP\_MI\_CHST\_PAIN  
M2430\_HOSP\_OTHER  
M2430\_HOSP\_OTHR\_HRT\_DEASE  
M2430\_HOSP\_PAIN  
M2430\_HOSP\_RSPRTRY\_INFCTN  
M2430\_HOSP\_RSPRTRY\_OTHR

# **Data Submission Specifications for the OASIS Item Set (V2.30.1)**

## **Detailed Data Specifications Report**

### **Section: Patient History and Diagnoses**

M2430\_HOSP\_SCHLD\_TRTMT

M2430\_HOSP\_STROKE\_TIA

M2430\_HOSP\_UK

M2430\_HOSP\_UR\_TRACT

M2430\_HOSP\_WND\_INFCTN

# Data Submission Specifications for the OASIS Item Set (V2.30.1)

## Detailed Data Specifications Report

### Section: Patient History and Diagnoses

Item ID: M1023\_OTH\_DIAG1\_ICD

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Other diagnosis 1: ICD code	Asmt		ICD	8	1369-1376

#### Item Subsets

Active: 01,03,04,05  
Inactive: 06,07,08,09,XX

#### Item Values

Value	LOINC Code	Value Text
ICD-10		ICD-10 diagnosis code
^		Blank (no diagnosis code)

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-4885	Format	Fatal	<p>FORMATTING OF ICD-10 DIAGNOSIS CODES</p> <p>ICD-10 diagnosis codes must conform with the following formatting rules:</p> <p>a) Character 1 must be alphabetic [A-Z,a-z].</p> <p>b) Character 2 must be numeric [0-9].</p> <p>c) Character 3 must be numeric [0-9] or alphabetic [A-Z,a-z].</p> <p>d) Character 4 must be a decimal point.</p> <p>e) Characters 5 through 8 must be numeric [0-9], alphabetic [A-Z,a-z], or caret [^].</p> <p>f) If any character 5 through 8 is equal to [^], all subsequent characters must equal [^].</p> <p>Note that additional formatting rules for particular items may further restrict the range of allowable values in character 1.</p> <p>Also note that an entirely blank ICD code must be submitted as a single caret: [^].</p>
-5000	Consistency	Fatal	If a value submitted in items M1021_PRIMARY_DIAG_ICD, M1023_OTH_DIAG1_ICD, M1023_OTH_DIAG2_ICD, M1023_OTH_DIAG3_ICD, M1023_OTH_DIAG4_ICD, or M1023_OTH_DIAG5_ICD is not equal to [^], it must not equal (must not duplicate) any value submitted in the remaining items in this list.
-5030	Consistency	Fatal	***THIS EDIT WAS DELETED IN V2.30.1***
-5200	Consistency	Fatal	If character 1 of the Primary/Other ICD code in Column 2 is equal to [V,W,X,Y,Z,v,w,x,y,z], then the corresponding severity code must equal [^].
-5210	Consistency	Fatal	If the Primary/Other ICD code in Column 2 is NOT equal to [^] AND character 1 of the ICD code is NOT equal to [V,W,X,Y,Z,v,w,x,y,z], then the corresponding severity code must not equal [^].
-5220	Consistency	Fatal	If the Primary/Other ICD code in Column 2 is equal to [^], then the corresponding severity code must equal [^].
-5230	Consistency	Warning	***THIS EDIT WAS DELETED IN V2.30.1***
-5240	Consistency	Warning	***THIS EDIT WAS DELETED IN V2.30.1***



## Data Submission Specifications for the OASIS Item Set (V2.30.1)

### Detailed Data Specifications Report

#### Section: Patient History and Diagnoses

##### Supplemental Information

Info ID	Type	Text
-9110	Information	<p>If state law prohibits transmission of certain ICD codes (e.g., HIV or STD diagnoses), these codes will be removed by the ASAP system if found on records submitted by HHAs within that state. If any item within an ICD list contains such a code on a submitted record, it will be removed from the list. If any of these items is removed, but a valid code remains in a subsequent item on the list, the subsequent codes will be "moved up" so that no missing codes remain.</p> <p>Therefore, if a non-blank value is required in an ICD code list and all of the submitted items in that list contain blank and/or prohibited codes, a fatal error will result and the record will be rejected. As long as at least one item in such a list contains a non-blank, correctly-formatted, allowable code, a fatal error will not occur.</p>
-9150	Information	<p>If an ICD list contains multiple codes, there should be no intervening items in the list which are equal to [^]. For example, if a 5-item list is populated with 3 ICD codes, those codes should occupy items 1, 2, and 3; items 4 and 5 should be equal to [^].</p> <p>If the ASAP system finds a list which contains intervening items which are equal to [^], the values that are later in the list will be moved up to eliminate the intervening blank [^]. item values. Diagnoses are only moved up within the same type of diagnosis, so a secondary diagnosis code will never be moved into an item which is for a primary diagnosis code.</p>
-9170	Information	<p>SUBMITTING ICD-10 DIAGNOSIS CODES</p> <p>If the ICD-10 item is active, it must be submitted as an 8 character, fixed-format string with all blanks replaced with [^]., and with a decimal point as the 4th character. The only exception to this rule is that an entirely blank ICD-10 item must be submitted as a single [^].</p> <p>For example:</p> <ul style="list-style-type: none"><li>-The ICD-10 code "A12." would be submitted as [A12.^^^].</li><li>-The ICD-10 code "A12.3" would be submitted as [A12.3^^].</li><li>-The ICD-10 code "A12.34" would be submitted as [A12.34^^].</li><li>-The ICD-10 code "A12.345" would be submitted as [A12.345^].</li><li>-The ICD-10 code "A12.3456" would be submitted as [A12.3456].</li><li>-An entirely blank ICD-10 code would be submitted as [^].</li></ul>

##### Changes for Version

Type	ID	Description
Format	-4885	<p>[V2.30.0]-Mappings were removed from the following deleted items:</p> <p>M1011_14_DAY_INP1_ICD</p> <p>M1011_14_DAY_INP2_ICD</p> <p>M1011_14_DAY_INP3_ICD</p> <p>M1011_14_DAY_INP4_ICD</p> <p>M1011_14_DAY_INP5_ICD</p> <p>M1011_14_DAY_INP6_ICD</p> <p>M1017_CHGREG_ICD1</p> <p>M1017_CHGREG_ICD2</p> <p>M1017_CHGREG_ICD3</p> <p>M1017_CHGREG_ICD4</p> <p>M1017_CHGREG_ICD5</p> <p>M1017_CHGREG_ICD6</p> <p>M1025_OPT_DIAG_ICD_A3</p>

## Data Submission Specifications for the OASIS Item Set (V2.30.1)

### Detailed Data Specifications Report

#### Section: Patient History and Diagnoses

M1025\_OPT\_DIAG\_ICD\_A4

M1025\_OPT\_DIAG\_ICD\_B3

M1025\_OPT\_DIAG\_ICD\_B4

M1025\_OPT\_DIAG\_ICD\_C3

M1025\_OPT\_DIAG\_ICD\_C4

M1025\_OPT\_DIAG\_ICD\_D3

M1025\_OPT\_DIAG\_ICD\_D4

M1025\_OPT\_DIAG\_ICD\_E3

M1025\_OPT\_DIAG\_ICD\_E4

M1025\_OPT\_DIAG\_ICD\_F3

M1025\_OPT\_DIAG\_ICD\_F4

Consistency	-5030	[V2.30.0]-Mappings were removed from the deleted M1025 items. [V2.30.1]-This edit was deleted, per errata issue 03.
Consistency	-5230	[V2.30.0]-Mappings were removed to the M1025 items, since they were deleted. [V2.30.1]-This edit was deleted, per errata issue 03.
Consistency	-5240	[V2.30.0]-Mappings were removed to the M1025 items, since they were deleted. [V2.30.1]-This edit was deleted, per errata issue 03.
Information	-9110	[V2.30.0]-Mappings were removed to the M1011, M1017 and M1025 ICD items, since those items were deleted.
Information	-9150	[V2.30.0]-Mappings were removed to the M1011, M1017 and M1025 ICD items, since those items were deleted.
Information	-9170	[V2.30.0]-Mappings were removed to the M1011, M1017 and M1025 ICD items, since those items were deleted.

# Data Submission Specifications for the OASIS Item Set (V2.30.1)

## Detailed Data Specifications Report

### Section: Patient History and Diagnoses

Item ID: M1023\_OTH\_DIAG1\_SEVERITY

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Other diagnosis 1: severity rating	Asmt		Code	2	1377-1378

#### Item Subsets

Active:	01,03,04,05
Inactive:	06,07,08,09,XX

#### Item Values

Value	LOINC Code	Value Text
00		Asymptomatic, no treatment needed at this time
01		Symptoms well controlled with current therapy
02		Symptoms controlled with difficulty, affecting daily functioning; patient needs ongoing monitoring
03		Symptoms poorly controlled: patient needs frequent adjustment
04		Symptoms poorly controlled: history of re-hospitalizations
^		No severity rating

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3060	Format	Fatal	VALUES OF CODE AND CHECKLIST ITEMS Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-5200	Consistency	Fatal	If character 1 of the Primary/Other ICD code in Column 2 is equal to [V,W,X,Y,Z,v,w,x,y,z], then the corresponding severity code must equal [^].
-5210	Consistency	Fatal	If the Primary/Other ICD code in Column 2 is NOT equal to [^] AND character 1 of the ICD code is NOT equal to [V,W,X,Y,Z,v,w,x,y,z], then the corresponding severity code must not equal [^].
-5220	Consistency	Fatal	If the Primary/Other ICD code in Column 2 is equal to [^], then the corresponding severity code must equal [^].

#### Changes for Version

Type	ID	Description
Format	-3060	[V2.30.0]-Added mappings to all items in new sections GG and J, as well as new item M1028_ACTV_DIAG_NOA. Removed mappings to the following deleted items: M1011_14_DAY_INP_NA M1017_CHGREG_ICD_NA M1018_PRIOR_CATH M1018_PRIOR_DISRUPTIVE M1018_PRIOR_IMPR_DECSN M1018_PRIOR_INTRACT_PAIN M1018_PRIOR_MEM_LOSS

## Data Submission Specifications for the OASIS Item Set (V2.30.1)

### Detailed Data Specifications Report

#### Section: Patient History and Diagnoses

M1018\_PRIOR\_NOCHG\_14D  
M1018\_PRIOR\_NONE  
M1018\_PRIOR\_UNKNOWN  
M1018\_PRIOR\_UR\_INCON  
M1034\_PTNT\_OVRAL\_STUS  
M1036\_RSK\_ALCOHOLISM  
M1036\_RSK\_DRUGS  
M1036\_RSK\_NONE  
M1036\_RSK\_OBESITY  
M1036\_RSK\_SMOKING  
M1036\_RSK\_UNKNOWN  
M1210\_HEARG\_ABLTY  
M1220\_UNDRSTG\_VERBAL\_CNTNT  
M1230\_SPEECH  
M1240\_FRML\_PAIN\_ASMT  
M1300\_PRSR\_ULCR\_RISK\_ASMT  
M1302\_RISK\_OF\_PRSR\_ULCR  
M1320\_STUS\_PRBLM\_PRSR\_ULCR  
M1350\_LESION\_OPEN\_WND  
M1410\_RESPTX\_OXYGEN  
M1410\_RESPTX\_AIRPRESS  
M1410\_RESPTX\_NONE  
M1410\_RESPTX\_VENTILATOR  
M1501\_SYMTM\_HRT\_FAILR\_PTNTS  
M1511\_HRT\_FAILR\_CARE\_PLAN\_CHG  
M1511\_HRT\_FAILR\_CLNCL\_INTRVTN  
M1511\_HRT\_FAILR\_ER\_TRTMT  
M1511\_HRT\_FAILR\_NO\_ACTN  
M1511\_HRT\_FAILR\_PHYSN\_CNTCT  
M1511\_HRT\_FAILR\_PHYSN\_TRTMT  
M1615\_INCNTNT\_TIMING  
M1750\_REC\_PSYCH\_NURS  
M1880\_CRNT\_PREP\_LT\_MEALS  
M1890\_CRNT\_PHONE\_USE  
M1900\_PRIOR\_ADLIADL\_AMBLTN  
M1900\_PRIOR\_ADLIADL\_HSEHOLD  
M1900\_PRIOR\_ADLIADL\_SELF  
M1900\_PRIOR\_ADLIADL\_TRNSFR  
M2040\_PRIOR\_MGMT\_INJCTN\_MDCTN  
M2040\_PRIOR\_MGMT\_ORAL\_MDCTN  
M2102\_CARE\_TYPE\_SRC\_ADVCY  
M2102\_CARE\_TYPE\_SRC\_EQUIP

## Data Submission Specifications for the OASIS Item Set (V2.30.1)

### Detailed Data Specifications Report

#### Section: Patient History and Diagnoses

M2102\_CARE\_TYPE\_SRC\_IADL  
M2110\_ADL\_IADL\_ASTNC\_FREQ  
M2250\_PLAN\_SMRY\_DBTS\_FT\_CARE  
M2250\_PLAN\_SMRY\_DPRSN\_INTRVTN  
M2250\_PLAN\_SMRY\_FALL\_PRVNT  
M2250\_PLAN\_SMRY\_PAIN\_INTRVTN  
M2250\_PLAN\_SMRY\_PRSULC\_PRVNT  
M2250\_PLAN\_SMRY\_PRSULC\_TRTMT  
M2250\_PLAN\_SMRY\_PTNT\_SPECF  
M2310\_ECR\_CRDC\_DSRTHM  
M2310\_ECR\_CTHTR\_CMPLCTN  
M2310\_ECR\_DHYDRTN\_MALNTR  
M2310\_ECR\_DVT\_PULMNRY  
M2310\_ECR\_GI\_PRBLM  
M2310\_ECR\_HRT\_FAILR  
M2310\_ECR\_INJRY\_BY\_FALL  
M2310\_ECR\_MENTL\_BHVRL\_PRBLM  
M2310\_ECR\_MI\_CHST\_PAIN  
M2310\_ECR\_OTHR\_HRT\_DEASE  
M2310\_ECR\_RSPRTRY\_INFCTN  
M2310\_ECR\_RSPRTRY\_OTHR  
M2310\_ECR\_STROKE\_TIA  
M2310\_ECR\_UNCNTLD\_PAIN  
M2310\_ECR\_UTI  
M2310\_ECR\_WND\_INFCTN\_DTRORTN  
M2430\_HOSP\_CRDC\_DSRTHM  
M2430\_HOSP\_CTHTR\_CMPLCTN  
M2430\_HOSP\_DHYDRTN\_MALNTR  
M2430\_HOSP\_DVT\_PULMNRY  
M2430\_HOSP\_GI\_PRBLM  
M2430\_HOSP\_HRT\_FAILR  
M2430\_HOSP\_HYPOGLYC  
M2430\_HOSP\_INJRY\_BY\_FALL  
M2430\_HOSP\_MED  
M2430\_HOSP\_MENTL\_BHVRL\_PRBLM  
M2430\_HOSP\_MI\_CHST\_PAIN  
M2430\_HOSP\_OTHER  
M2430\_HOSP\_OTHR\_HRT\_DEASE  
M2430\_HOSP\_PAIN  
M2430\_HOSP\_RSPRTRY\_INFCTN  
M2430\_HOSP\_RSPRTRY\_OTHR  
M2430\_HOSP\_SCHLD\_TRTMT

## **Data Submission Specifications for the OASIS Item Set (V2.30.1)**

### **Detailed Data Specifications Report**

#### **Section: Patient History and Diagnoses**

M2430\_HOSP\_STROKE\_TIA

M2430\_HOSP\_UK

M2430\_HOSP\_UR\_TRACT

M2430\_HOSP\_WND\_INFCTN

# Data Submission Specifications for the OASIS Item Set (V2.30.1)

## Detailed Data Specifications Report

### Section: Patient History and Diagnoses

Item ID: M1023\_OTH\_DIAG2\_ICD

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Other diagnosis 2: ICD code	Asmt		ICD	8	1379-1386

#### Item Subsets

Active: 01,03,04,05  
Inactive: 06,07,08,09,XX

#### Item Values

Value	LOINC Code	Value Text
ICD-10		ICD-10 diagnosis code
^		Blank (no diagnosis code)

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-4885	Format	Fatal	<p>FORMATTING OF ICD-10 DIAGNOSIS CODES</p> <p>ICD-10 diagnosis codes must conform with the following formatting rules:</p> <p>a) Character 1 must be alphabetic [A-Z,a-z].</p> <p>b) Character 2 must be numeric [0-9].</p> <p>c) Character 3 must be numeric [0-9] or alphabetic [A-Z,a-z].</p> <p>d) Character 4 must be a decimal point.</p> <p>e) Characters 5 through 8 must be numeric [0-9], alphabetic [A-Z,a-z], or caret [^].</p> <p>f) If any character 5 through 8 is equal to [^], all subsequent characters must equal [^].</p> <p>Note that additional formatting rules for particular items may further restrict the range of allowable values in character 1.</p> <p>Also note that an entirely blank ICD code must be submitted as a single caret: [^].</p>
-5000	Consistency	Fatal	If a value submitted in items M1021_PRIMARY_DIAG_ICD, M1023_OTH_DIAG1_ICD, M1023_OTH_DIAG2_ICD, M1023_OTH_DIAG3_ICD, M1023_OTH_DIAG4_ICD, or M1023_OTH_DIAG5_ICD is not equal to [^], it must not equal (must not duplicate) any value submitted in the remaining items in this list.
-5030	Consistency	Fatal	***THIS EDIT WAS DELETED IN V2.30.1***
-5200	Consistency	Fatal	If character 1 of the Primary/Other ICD code in Column 2 is equal to [V,W,X,Y,Z,v,w,x,y,z], then the corresponding severity code must equal [^].
-5210	Consistency	Fatal	If the Primary/Other ICD code in Column 2 is NOT equal to [^] AND character 1 of the ICD code is NOT equal to [V,W,X,Y,Z,v,w,x,y,z], then the corresponding severity code must not equal [^].
-5220	Consistency	Fatal	If the Primary/Other ICD code in Column 2 is equal to [^], then the corresponding severity code must equal [^].
-5230	Consistency	Warning	***THIS EDIT WAS DELETED IN V2.30.1***
-5240	Consistency	Warning	***THIS EDIT WAS DELETED IN V2.30.1***

## Data Submission Specifications for the OASIS Item Set (V2.30.1)

### Detailed Data Specifications Report

#### Section: Patient History and Diagnoses

##### Supplemental Information

Info ID	Type	Text
-9110	Information	<p>If state law prohibits transmission of certain ICD codes (e.g., HIV or STD diagnoses), these codes will be removed by the ASAP system if found on records submitted by HHAs within that state. If any item within an ICD list contains such a code on a submitted record, it will be removed from the list. If any of these items is removed, but a valid code remains in a subsequent item on the list, the subsequent codes will be "moved up" so that no missing codes remain.</p> <p>Therefore, if a non-blank value is required in an ICD code list and all of the submitted items in that list contain blank and/or prohibited codes, a fatal error will result and the record will be rejected. As long as at least one item in such a list contains a non-blank, correctly-formatted, allowable code, a fatal error will not occur.</p>
-9150	Information	<p>If an ICD list contains multiple codes, there should be no intervening items in the list which are equal to [^]. For example, if a 5-item list is populated with 3 ICD codes, those codes should occupy items 1, 2, and 3; items 4 and 5 should be equal to [^].</p> <p>If the ASAP system finds a list which contains intervening items which are equal to [^], the values that are later in the list will be moved up to eliminate the intervening blank [^]. item values. Diagnoses are only moved up within the same type of diagnosis, so a secondary diagnosis code will never be moved into an item which is for a primary diagnosis code.</p>
-9170	Information	<p>SUBMITTING ICD-10 DIAGNOSIS CODES</p> <p>If the ICD-10 item is active, it must be submitted as an 8 character, fixed-format string with all blanks replaced with [^]., and with a decimal point as the 4th character. The only exception to this rule is that an entirely blank ICD-10 item must be submitted as a single [^].</p> <p>For example:</p> <ul style="list-style-type: none"><li>-The ICD-10 code "A12." would be submitted as [A12.^^^].</li><li>-The ICD-10 code "A12.3" would be submitted as [A12.3^^].</li><li>-The ICD-10 code "A12.34" would be submitted as [A12.34^^].</li><li>-The ICD-10 code "A12.345" would be submitted as [A12.345^].</li><li>-The ICD-10 code "A12.3456" would be submitted as [A12.3456].</li><li>-An entirely blank ICD-10 code would be submitted as [^].</li></ul>

##### Changes for Version

Type	ID	Description
Format	-4885	<p>[V2.30.0]-Mappings were removed from the following deleted items:</p> <p>M1011_14_DAY_INP1_ICD</p> <p>M1011_14_DAY_INP2_ICD</p> <p>M1011_14_DAY_INP3_ICD</p> <p>M1011_14_DAY_INP4_ICD</p> <p>M1011_14_DAY_INP5_ICD</p> <p>M1011_14_DAY_INP6_ICD</p> <p>M1017_CHGREG_ICD1</p> <p>M1017_CHGREG_ICD2</p> <p>M1017_CHGREG_ICD3</p> <p>M1017_CHGREG_ICD4</p> <p>M1017_CHGREG_ICD5</p> <p>M1017_CHGREG_ICD6</p> <p>M1025_OPT_DIAG_ICD_A3</p>



## Data Submission Specifications for the OASIS Item Set (V2.30.1)

### Detailed Data Specifications Report

#### Section: Patient History and Diagnoses

M1025\_OPT\_DIAG\_ICD\_A4

M1025\_OPT\_DIAG\_ICD\_B3

M1025\_OPT\_DIAG\_ICD\_B4

M1025\_OPT\_DIAG\_ICD\_C3

M1025\_OPT\_DIAG\_ICD\_C4

M1025\_OPT\_DIAG\_ICD\_D3

M1025\_OPT\_DIAG\_ICD\_D4

M1025\_OPT\_DIAG\_ICD\_E3

M1025\_OPT\_DIAG\_ICD\_E4

M1025\_OPT\_DIAG\_ICD\_F3

M1025\_OPT\_DIAG\_ICD\_F4

Consistency	-5030	[V2.30.0]-Mappings were removed from the deleted M1025 items. [V2.30.1]-This edit was deleted, per errata issue 03.
Consistency	-5230	[V2.30.0]-Mappings were removed to the M1025 items, since they were deleted. [V2.30.1]-This edit was deleted, per errata issue 03.
Consistency	-5240	[V2.30.0]-Mappings were removed to the M1025 items, since they were deleted. [V2.30.1]-This edit was deleted, per errata issue 03.
Information	-9110	[V2.30.0]-Mappings were removed to the M1011, M1017 and M1025 ICD items, since those items were deleted.
Information	-9150	[V2.30.0]-Mappings were removed to the M1011, M1017 and M1025 ICD items, since those items were deleted.
Information	-9170	[V2.30.0]-Mappings were removed to the M1011, M1017 and M1025 ICD items, since those items were deleted.

# Data Submission Specifications for the OASIS Item Set (V2.30.1)

## Detailed Data Specifications Report Section: Patient History and Diagnoses

Item ID: M1023\_OTH\_DIAG2\_SEVERITY

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Other diagnosis 2: severity rating	Asmt		Code	2	1387-1388

### Item Subsets

Active:	01,03,04,05
Inactive:	06,07,08,09,XX

### Item Values

Value	LOINC Code	Value Text
00		Asymptomatic, no treatment needed at this time
01		Symptoms well controlled with current therapy
02		Symptoms controlled with difficulty, affecting daily functioning; patient needs ongoing monitoring
03		Symptoms poorly controlled: patient needs frequent adjustment in treatment and dose monitoring
04		Symptoms poorly controlled: history of re-hospitalizations
^		No severity rating

### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3060	Format	Fatal	VALUES OF CODE AND CHECKLIST ITEMS Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-5200	Consistency	Fatal	If character 1 of the Primary/Other ICD code in Column 2 is equal to [V,W,X,Y,Z,v,w,x,y,z], then the corresponding severity code must equal [^].
-5210	Consistency	Fatal	If the Primary/Other ICD code in Column 2 is NOT equal to [^] AND character 1 of the ICD code is NOT equal to [V,W,X,Y,Z,v,w,x,y,z], then the corresponding severity code must not equal [^].
-5220	Consistency	Fatal	If the Primary/Other ICD code in Column 2 is equal to [^], then the corresponding severity code must equal [^].

### Changes for Version

Type	ID	Description
Format	-3060	[V2.30.0]-Added mappings to all items in new sections GG and J, as well as new item M1028_ACTV_DIAG_NOA. Removed mappings to the following deleted items: M1011_14_DAY_INP_NA M1017_CHGREG_ICD_NA M1018_PRIOR_CATH M1018_PRIOR_DISRUPTIVE M1018_PRIOR_IMPR_DECSN M1018_PRIOR_INTRACT_PAIN M1018_PRIOR_MEM_LOSS

## Data Submission Specifications for the OASIS Item Set (V2.30.1)

### Detailed Data Specifications Report

#### Section: Patient History and Diagnoses

M1018\_PRIOR\_NOCHG\_14D  
M1018\_PRIOR\_NONE  
M1018\_PRIOR\_UNKNOWN  
M1018\_PRIOR\_UR\_INCON  
M1034\_PTNT\_OVRAL\_STUS  
M1036\_RSK\_ALCOHOLISM  
M1036\_RSK\_DRUGS  
M1036\_RSK\_NONE  
M1036\_RSK\_OBESITY  
M1036\_RSK\_SMOKING  
M1036\_RSK\_UNKNOWN  
M1210\_HEARG\_ABLTY  
M1220\_UNDRSTG\_VERBAL\_CNTNT  
M1230\_SPEECH  
M1240\_FRML\_PAIN\_ASMT  
M1300\_PRSR\_ULCR\_RISK\_ASMT  
M1302\_RISK\_OF\_PRSR\_ULCR  
M1320\_STUS\_PRBLM\_PRSR\_ULCR  
M1350\_LESION\_OPEN\_WND  
M1410\_RESPTX\_OXYGEN  
M1410\_RESPTX\_AIRPRESS  
M1410\_RESPTX\_NONE  
M1410\_RESPTX\_VENTILATOR  
M1501\_SYMTM\_HRT\_FAILR\_PTNTS  
M1511\_HRT\_FAILR\_CARE\_PLAN\_CHG  
M1511\_HRT\_FAILR\_CLNCL\_INTRVTN  
M1511\_HRT\_FAILR\_ER\_TRTMT  
M1511\_HRT\_FAILR\_NO\_ACTN  
M1511\_HRT\_FAILR\_PHYSN\_CNTCT  
M1511\_HRT\_FAILR\_PHYSN\_TRTMT  
M1615\_INCNTNT\_TIMING  
M1750\_REC\_PSYCH\_NURS  
M1880\_CRNT\_PREP\_LT\_MEALS  
M1890\_CRNT\_PHONE\_USE  
M1900\_PRIOR\_ADLIADL\_AMBLTN  
M1900\_PRIOR\_ADLIADL\_HSEHOLD  
M1900\_PRIOR\_ADLIADL\_SELF  
M1900\_PRIOR\_ADLIADL\_TRNSFR  
M2040\_PRIOR\_MGMT\_INJCTN\_MDCTN  
M2040\_PRIOR\_MGMT\_ORAL\_MDCTN  
M2102\_CARE\_TYPE\_SRC\_ADVCY  
M2102\_CARE\_TYPE\_SRC\_EQUIP

## Data Submission Specifications for the OASIS Item Set (V2.30.1)

### Detailed Data Specifications Report

#### Section: Patient History and Diagnoses

M2102\_CARE\_TYPE\_SRC\_IADL  
M2110\_ADL\_IADL\_ASTNC\_FREQ  
M2250\_PLAN\_SMRY\_DBTS\_FT\_CARE  
M2250\_PLAN\_SMRY\_DPRSN\_INTRVTN  
M2250\_PLAN\_SMRY\_FALL\_PRVNT  
M2250\_PLAN\_SMRY\_PAIN\_INTRVTN  
M2250\_PLAN\_SMRY\_PRSULC\_PRVNT  
M2250\_PLAN\_SMRY\_PRSULC\_TRTMT  
M2250\_PLAN\_SMRY\_PTNT\_SPECF  
M2310\_ECR\_CRDC\_DSRTHM  
M2310\_ECR\_CTHTR\_CMPLCTN  
M2310\_ECR\_DHYDRTN\_MALNTR  
M2310\_ECR\_DVT\_PULMNRY  
M2310\_ECR\_GI\_PRBLM  
M2310\_ECR\_HRT\_FAILR  
M2310\_ECR\_INJRY\_BY\_FALL  
M2310\_ECR\_MENTL\_BHVRL\_PRBLM  
M2310\_ECR\_MI\_CHST\_PAIN  
M2310\_ECR\_OTHR\_HRT\_DEASE  
M2310\_ECR\_RSPRTRY\_INFCTN  
M2310\_ECR\_RSPRTRY\_OTHR  
M2310\_ECR\_STROKE\_TIA  
M2310\_ECR\_UNCNTLD\_PAIN  
M2310\_ECR\_UTI  
M2310\_ECR\_WND\_INFCTN\_DTRORTN  
M2430\_HOSP\_CRDC\_DSRTHM  
M2430\_HOSP\_CTHTR\_CMPLCTN  
M2430\_HOSP\_DHYDRTN\_MALNTR  
M2430\_HOSP\_DVT\_PULMNRY  
M2430\_HOSP\_GI\_PRBLM  
M2430\_HOSP\_HRT\_FAILR  
M2430\_HOSP\_HYPOGLYC  
M2430\_HOSP\_INJRY\_BY\_FALL  
M2430\_HOSP\_MED  
M2430\_HOSP\_MENTL\_BHVRL\_PRBLM  
M2430\_HOSP\_MI\_CHST\_PAIN  
M2430\_HOSP\_OTHER  
M2430\_HOSP\_OTHR\_HRT\_DEASE  
M2430\_HOSP\_PAIN  
M2430\_HOSP\_RSPRTRY\_INFCTN  
M2430\_HOSP\_RSPRTRY\_OTHR  
M2430\_HOSP\_SCHLD\_TRTMT

## **Data Submission Specifications for the OASIS Item Set (V2.30.1)**

### **Detailed Data Specifications Report**

#### **Section: Patient History and Diagnoses**

M2430\_HOSP\_STROKE\_TIA

M2430\_HOSP\_UK

M2430\_HOSP\_UR\_TRACT

M2430\_HOSP\_WND\_INFCTN

# Data Submission Specifications for the OASIS Item Set (V2.30.1)

## Detailed Data Specifications Report

### Section: Patient History and Diagnoses

Item ID: M1023\_OTH\_DIAG3\_ICD

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Other diagnosis 3: ICD code	Asmt		ICD	8	1389-1396

#### Item Subsets

Active: 01,03,04,05  
Inactive: 06,07,08,09,XX

#### Item Values

Value	LOINC Code	Value Text
ICD-10		ICD-10 diagnosis code
^		Blank (no diagnosis code)

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-4885	Format	Fatal	<p>FORMATTING OF ICD-10 DIAGNOSIS CODES</p> <p>ICD-10 diagnosis codes must conform with the following formatting rules:</p> <p>a) Character 1 must be alphabetic [A-Z,a-z].</p> <p>b) Character 2 must be numeric [0-9].</p> <p>c) Character 3 must be numeric [0-9] or alphabetic [A-Z,a-z].</p> <p>d) Character 4 must be a decimal point.</p> <p>e) Characters 5 through 8 must be numeric [0-9], alphabetic [A-Z,a-z], or caret [^].</p> <p>f) If any character 5 through 8 is equal to [^], all subsequent characters must equal [^].</p> <p>Note that additional formatting rules for particular items may further restrict the range of allowable values in character 1.</p> <p>Also note that an entirely blank ICD code must be submitted as a single caret: [^].</p>
-5000	Consistency	Fatal	If a value submitted in items M1021_PRIMARY_DIAG_ICD, M1023_OTH_DIAG1_ICD, M1023_OTH_DIAG2_ICD, M1023_OTH_DIAG3_ICD, M1023_OTH_DIAG4_ICD, or M1023_OTH_DIAG5_ICD is not equal to [^], it must not equal (must not duplicate) any value submitted in the remaining items in this list.
-5030	Consistency	Fatal	***THIS EDIT WAS DELETED IN V2.30.1***
-5200	Consistency	Fatal	If character 1 of the Primary/Other ICD code in Column 2 is equal to [V,W,X,Y,Z,v,w,x,y,z], then the corresponding severity code must equal [^].
-5210	Consistency	Fatal	If the Primary/Other ICD code in Column 2 is NOT equal to [^] AND character 1 of the ICD code is NOT equal to [V,W,X,Y,Z,v,w,x,y,z], then the corresponding severity code must not equal [^].
-5220	Consistency	Fatal	If the Primary/Other ICD code in Column 2 is equal to [^], then the corresponding severity code must equal [^].
-5230	Consistency	Warning	***THIS EDIT WAS DELETED IN V2.30.1***
-5240	Consistency	Warning	***THIS EDIT WAS DELETED IN V2.30.1***

## Data Submission Specifications for the OASIS Item Set (V2.30.1)

### Detailed Data Specifications Report

#### Section: Patient History and Diagnoses

##### Supplemental Information

Info ID	Type	Text
-9110	Information	<p>If state law prohibits transmission of certain ICD codes (e.g., HIV or STD diagnoses), these codes will be removed by the ASAP system if found on records submitted by HHAs within that state. If any item within an ICD list contains such a code on a submitted record, it will be removed from the list. If any of these items is removed, but a valid code remains in a subsequent item on the list, the subsequent codes will be "moved up" so that no missing codes remain.</p> <p>Therefore, if a non-blank value is required in an ICD code list and all of the submitted items in that list contain blank and/or prohibited codes, a fatal error will result and the record will be rejected. As long as at least one item in such a list contains a non-blank, correctly-formatted, allowable code, a fatal error will not occur.</p>
-9150	Information	<p>If an ICD list contains multiple codes, there should be no intervening items in the list which are equal to [^]. For example, if a 5-item list is populated with 3 ICD codes, those codes should occupy items 1, 2, and 3; items 4 and 5 should be equal to [^].</p> <p>If the ASAP system finds a list which contains intervening items which are equal to [^], the values that are later in the list will be moved up to eliminate the intervening blank [^]. item values. Diagnoses are only moved up within the same type of diagnosis, so a secondary diagnosis code will never be moved into an item which is for a primary diagnosis code.</p>
-9170	Information	<p>SUBMITTING ICD-10 DIAGNOSIS CODES</p> <p>If the ICD-10 item is active, it must be submitted as an 8 character, fixed-format string with all blanks replaced with [^], and with a decimal point as the 4th character. The only exception to this rule is that an entirely blank ICD-10 item must be submitted as a single [^].</p> <p>For example:</p> <ul style="list-style-type: none"><li>-The ICD-10 code "A12." would be submitted as [A12.^^^].</li><li>-The ICD-10 code "A12.3" would be submitted as [A12.3^^].</li><li>-The ICD-10 code "A12.34" would be submitted as [A12.34^^].</li><li>-The ICD-10 code "A12.345" would be submitted as [A12.345^].</li><li>-The ICD-10 code "A12.3456" would be submitted as [A12.3456].</li><li>-An entirely blank ICD-10 code would be submitted as [^].</li></ul>

##### Changes for Version

Type	ID	Description
Format	-4885	<p>[V2.30.0]-Mappings were removed from the following deleted items:</p> <p>M1011_14_DAY_INP1_ICD</p> <p>M1011_14_DAY_INP2_ICD</p> <p>M1011_14_DAY_INP3_ICD</p> <p>M1011_14_DAY_INP4_ICD</p> <p>M1011_14_DAY_INP5_ICD</p> <p>M1011_14_DAY_INP6_ICD</p> <p>M1017_CHGREG_ICD1</p> <p>M1017_CHGREG_ICD2</p> <p>M1017_CHGREG_ICD3</p> <p>M1017_CHGREG_ICD4</p> <p>M1017_CHGREG_ICD5</p> <p>M1017_CHGREG_ICD6</p> <p>M1025_OPT_DIAG_ICD_A3</p>

## Data Submission Specifications for the OASIS Item Set (V2.30.1)

### Detailed Data Specifications Report

#### Section: Patient History and Diagnoses

M1025\_OPT\_DIAG\_ICD\_A4

M1025\_OPT\_DIAG\_ICD\_B3

M1025\_OPT\_DIAG\_ICD\_B4

M1025\_OPT\_DIAG\_ICD\_C3

M1025\_OPT\_DIAG\_ICD\_C4

M1025\_OPT\_DIAG\_ICD\_D3

M1025\_OPT\_DIAG\_ICD\_D4

M1025\_OPT\_DIAG\_ICD\_E3

M1025\_OPT\_DIAG\_ICD\_E4

M1025\_OPT\_DIAG\_ICD\_F3

M1025\_OPT\_DIAG\_ICD\_F4

Consistency	-5030	[V2.30.0]-Mappings were removed from the deleted M1025 items. [V2.30.1]-This edit was deleted, per errata issue 03.
Consistency	-5230	[V2.30.0]-Mappings were removed to the M1025 items, since they were deleted. [V2.30.1]-This edit was deleted, per errata issue 03.
Consistency	-5240	[V2.30.0]-Mappings were removed to the M1025 items, since they were deleted. [V2.30.1]-This edit was deleted, per errata issue 03.
Information	-9110	[V2.30.0]-Mappings were removed to the M1011, M1017 and M1025 ICD items, since those items were deleted.
Information	-9150	[V2.30.0]-Mappings were removed to the M1011, M1017 and M1025 ICD items, since those items were deleted.
Information	-9170	[V2.30.0]-Mappings were removed to the M1011, M1017 and M1025 ICD items, since those items were deleted.



# Data Submission Specifications for the OASIS Item Set (V2.30.1)

## Detailed Data Specifications Report

### Section: Patient History and Diagnoses

Item ID: M1023\_OTH\_DIAG3\_SEVERITY

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Other diagnosis 3: severity rating	Asmt		Code	2	1397-1398

#### Item Subsets

Active:	01,03,04,05
Inactive:	06,07,08,09,XX

#### Item Values

Value	LOINC Code	Value Text
00		Asymptomatic, no treatment needed at this time
01		Symptoms well controlled with current therapy
02		Symptoms controlled with difficulty, affecting daily functioning; patient needs ongoing monitoring
03		Symptoms poorly controlled: patient needs frequent adjustment in treatment and dose monitoring
04		Symptoms poorly controlled: history of re-hospitalizations
^		No severity rating

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3060	Format	Fatal	VALUES OF CODE AND CHECKLIST ITEMS Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-5200	Consistency	Fatal	If character 1 of the Primary/Other ICD code in Column 2 is equal to [V,W,X,Y,Z,v,w,x,y,z], then the corresponding severity code must equal [^].
-5210	Consistency	Fatal	If the Primary/Other ICD code in Column 2 is NOT equal to [^] AND character 1 of the ICD code is NOT equal to [V,W,X,Y,Z,v,w,x,y,z], then the corresponding severity code must not equal [^].
-5220	Consistency	Fatal	If the Primary/Other ICD code in Column 2 is equal to [^], then the corresponding severity code must equal [^].

#### Changes for Version

Type	ID	Description
Format	-3060	[V2.30.0]-Added mappings to all items in new sections GG and J, as well as new item M1028_ACTV_DIAG_NOA. Removed mappings to the following deleted items: M1011_14_DAY_INP_NA M1017_CHGREG_ICD_NA M1018_PRIOR_CATH M1018_PRIOR_DISRUPTIVE M1018_PRIOR_IMPR_DECSN M1018_PRIOR_INTRACT_PAIN M1018_PRIOR_MEM_LOSS

## Data Submission Specifications for the OASIS Item Set (V2.30.1)

### Detailed Data Specifications Report

#### Section: Patient History and Diagnoses

M1018\_PRIOR\_NOCHG\_14D  
M1018\_PRIOR\_NONE  
M1018\_PRIOR\_UNKNOWN  
M1018\_PRIOR\_UR\_INCON  
M1034\_PTNT\_OVRAL\_STUS  
M1036\_RSK\_ALCOHOLISM  
M1036\_RSK\_DRUGS  
M1036\_RSK\_NONE  
M1036\_RSK\_OBESITY  
M1036\_RSK\_SMOKING  
M1036\_RSK\_UNKNOWN  
M1210\_HEARG\_ABLTY  
M1220\_UNDRSTG\_VERBAL\_CNTNT  
M1230\_SPEECH  
M1240\_FRML\_PAIN\_ASMT  
M1300\_PRSR\_ULCR\_RISK\_ASMT  
M1302\_RISK\_OF\_PRSR\_ULCR  
M1320\_STUS\_PRBLM\_PRSR\_ULCR  
M1350\_LESION\_OPEN\_WND  
M1410\_RESPTX\_OXYGEN  
M1410\_RESPTX\_AIRPRESS  
M1410\_RESPTX\_NONE  
M1410\_RESPTX\_VENTILATOR  
M1501\_SYMTM\_HRT\_FAILR\_PTNTS  
M1511\_HRT\_FAILR\_CARE\_PLAN\_CHG  
M1511\_HRT\_FAILR\_CLNCL\_INTRVTN  
M1511\_HRT\_FAILR\_ER\_TRTMT  
M1511\_HRT\_FAILR\_NO\_ACTN  
M1511\_HRT\_FAILR\_PHYSN\_CNTCT  
M1511\_HRT\_FAILR\_PHYSN\_TRTMT  
M1615\_INCNTNT\_TIMING  
M1750\_REC\_PSYCH\_NURS  
M1880\_CRNT\_PREP\_LT\_MEALS  
M1890\_CRNT\_PHONE\_USE  
M1900\_PRIOR\_ADLIADL\_AMBLTN  
M1900\_PRIOR\_ADLIADL\_HSEHOLD  
M1900\_PRIOR\_ADLIADL\_SELF  
M1900\_PRIOR\_ADLIADL\_TRNSFR  
M2040\_PRIOR\_MGMT\_INJCTN\_MDCTN  
M2040\_PRIOR\_MGMT\_ORAL\_MDCTN  
M2102\_CARE\_TYPE\_SRC\_ADVCY  
M2102\_CARE\_TYPE\_SRC\_EQUIP

## Data Submission Specifications for the OASIS Item Set (V2.30.1)

### Detailed Data Specifications Report

#### Section: Patient History and Diagnoses

M2102\_CARE\_TYPE\_SRC\_IADL  
M2110\_ADL\_IADL\_ASTNC\_FREQ  
M2250\_PLAN\_SMRY\_DBTS\_FT\_CARE  
M2250\_PLAN\_SMRY\_DPRSN\_INTRVTN  
M2250\_PLAN\_SMRY\_FALL\_PRVNT  
M2250\_PLAN\_SMRY\_PAIN\_INTRVTN  
M2250\_PLAN\_SMRY\_PRSULC\_PRVNT  
M2250\_PLAN\_SMRY\_PRSULC\_TRTMT  
M2250\_PLAN\_SMRY\_PTNT\_SPECF  
M2310\_ECR\_CRDC\_DSRTHM  
M2310\_ECR\_CTHTR\_CMPLCTN  
M2310\_ECR\_DHYDRTN\_MALNTR  
M2310\_ECR\_DVT\_PULMNRY  
M2310\_ECR\_GI\_PRBLM  
M2310\_ECR\_HRT\_FAILR  
M2310\_ECR\_INJRY\_BY\_FALL  
M2310\_ECR\_MENTL\_BHVRL\_PRBLM  
M2310\_ECR\_MI\_CHST\_PAIN  
M2310\_ECR\_OTHR\_HRT\_DEASE  
M2310\_ECR\_RSPRTRY\_INFCTN  
M2310\_ECR\_RSPRTRY\_OTHR  
M2310\_ECR\_STROKE\_TIA  
M2310\_ECR\_UNCNTLD\_PAIN  
M2310\_ECR\_UTI  
M2310\_ECR\_WND\_INFCTN\_DTRORTN  
M2430\_HOSP\_CRDC\_DSRTHM  
M2430\_HOSP\_CTHTR\_CMPLCTN  
M2430\_HOSP\_DHYDRTN\_MALNTR  
M2430\_HOSP\_DVT\_PULMNRY  
M2430\_HOSP\_GI\_PRBLM  
M2430\_HOSP\_HRT\_FAILR  
M2430\_HOSP\_HYPOGLYC  
M2430\_HOSP\_INJRY\_BY\_FALL  
M2430\_HOSP\_MED  
M2430\_HOSP\_MENTL\_BHVRL\_PRBLM  
M2430\_HOSP\_MI\_CHST\_PAIN  
M2430\_HOSP\_OTHER  
M2430\_HOSP\_OTHR\_HRT\_DEASE  
M2430\_HOSP\_PAIN  
M2430\_HOSP\_RSPRTRY\_INFCTN  
M2430\_HOSP\_RSPRTRY\_OTHR  
M2430\_HOSP\_SCHLD\_TRTMT

## **Data Submission Specifications for the OASIS Item Set (V2.30.1)**

### **Detailed Data Specifications Report**

#### **Section: Patient History and Diagnoses**

M2430\_HOSP\_STROKE\_TIA

M2430\_HOSP\_UK

M2430\_HOSP\_UR\_TRACT

M2430\_HOSP\_WND\_INFCTN

# Data Submission Specifications for the OASIS Item Set (V2.30.1)

## Detailed Data Specifications Report

### Section: Patient History and Diagnoses

Item ID: M1023\_OTH\_DIAG4\_ICD

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Other diagnosis 4: ICD code	Asmt		ICD	8	1399-1406

#### Item Subsets

Active: 01,03,04,05  
Inactive: 06,07,08,09,XX

#### Item Values

Value	LOINC Code	Value Text
ICD-10		ICD-10 diagnosis code
^		Blank (no diagnosis code)

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-4885	Format	Fatal	<p>FORMATTING OF ICD-10 DIAGNOSIS CODES</p> <p>ICD-10 diagnosis codes must conform with the following formatting rules:</p> <p>a) Character 1 must be alphabetic [A-Z,a-z].</p> <p>b) Character 2 must be numeric [0-9].</p> <p>c) Character 3 must be numeric [0-9] or alphabetic [A-Z,a-z].</p> <p>d) Character 4 must be a decimal point.</p> <p>e) Characters 5 through 8 must be numeric [0-9], alphabetic [A-Z,a-z], or caret [^].</p> <p>f) If any character 5 through 8 is equal to [^], all subsequent characters must equal [^].</p> <p>Note that additional formatting rules for particular items may further restrict the range of allowable values in character 1.</p> <p>Also note that an entirely blank ICD code must be submitted as a single caret: [^].</p>
-5000	Consistency	Fatal	If a value submitted in items M1021_PRIMARY_DIAG_ICD, M1023_OTH_DIAG1_ICD, M1023_OTH_DIAG2_ICD, M1023_OTH_DIAG3_ICD, M1023_OTH_DIAG4_ICD, or M1023_OTH_DIAG5_ICD is not equal to [^], it must not equal (must not duplicate) any value submitted in the remaining items in this list.
-5030	Consistency	Fatal	***THIS EDIT WAS DELETED IN V2.30.1***
-5200	Consistency	Fatal	If character 1 of the Primary/Other ICD code in Column 2 is equal to [V,W,X,Y,Z,v,w,x,y,z], then the corresponding severity code must equal [^].
-5210	Consistency	Fatal	If the Primary/Other ICD code in Column 2 is NOT equal to [^] AND character 1 of the ICD code is NOT equal to [V,W,X,Y,Z,v,w,x,y,z], then the corresponding severity code must not equal [^].
-5220	Consistency	Fatal	If the Primary/Other ICD code in Column 2 is equal to [^], then the corresponding severity code must equal [^].
-5230	Consistency	Warning	***THIS EDIT WAS DELETED IN V2.30.1***
-5240	Consistency	Warning	***THIS EDIT WAS DELETED IN V2.30.1***

## Data Submission Specifications for the OASIS Item Set (V2.30.1)

### Detailed Data Specifications Report

#### Section: Patient History and Diagnoses

##### Supplemental Information

Info ID	Type	Text
-9110	Information	<p>If state law prohibits transmission of certain ICD codes (e.g., HIV or STD diagnoses), these codes will be removed by the ASAP system if found on records submitted by HHAs within that state. If any item within an ICD list contains such a code on a submitted record, it will be removed from the list. If any of these items is removed, but a valid code remains in a subsequent item on the list, the subsequent codes will be "moved up" so that no missing codes remain.</p> <p>Therefore, if a non-blank value is required in an ICD code list and all of the submitted items in that list contain blank and/or prohibited codes, a fatal error will result and the record will be rejected. As long as at least one item in such a list contains a non-blank, correctly-formatted, allowable code, a fatal error will not occur.</p>
-9150	Information	<p>If an ICD list contains multiple codes, there should be no intervening items in the list which are equal to [^]. For example, if a 5-item list is populated with 3 ICD codes, those codes should occupy items 1, 2, and 3; items 4 and 5 should be equal to [^].</p> <p>If the ASAP system finds a list which contains intervening items which are equal to [^], the values that are later in the list will be moved up to eliminate the intervening blank [^]. item values. Diagnoses are only moved up within the same type of diagnosis, so a secondary diagnosis code will never be moved into an item which is for a primary diagnosis code.</p>
-9170	Information	<p>SUBMITTING ICD-10 DIAGNOSIS CODES</p> <p>If the ICD-10 item is active, it must be submitted as an 8 character, fixed-format string with all blanks replaced with [^]., and with a decimal point as the 4th character. The only exception to this rule is that an entirely blank ICD-10 item must be submitted as a single [^].</p> <p>For example:</p> <ul style="list-style-type: none"><li>-The ICD-10 code "A12." would be submitted as [A12.^^^].</li><li>-The ICD-10 code "A12.3" would be submitted as [A12.3^^].</li><li>-The ICD-10 code "A12.34" would be submitted as [A12.34^^].</li><li>-The ICD-10 code "A12.345" would be submitted as [A12.345^].</li><li>-The ICD-10 code "A12.3456" would be submitted as [A12.3456].</li><li>-An entirely blank ICD-10 code would be submitted as [^].</li></ul>

##### Changes for Version

Type	ID	Description
Format	-4885	<p>[V2.30.0]-Mappings were removed from the following deleted items:</p> <p>M1011_14_DAY_INP1_ICD</p> <p>M1011_14_DAY_INP2_ICD</p> <p>M1011_14_DAY_INP3_ICD</p> <p>M1011_14_DAY_INP4_ICD</p> <p>M1011_14_DAY_INP5_ICD</p> <p>M1011_14_DAY_INP6_ICD</p> <p>M1017_CHGREG_ICD1</p> <p>M1017_CHGREG_ICD2</p> <p>M1017_CHGREG_ICD3</p> <p>M1017_CHGREG_ICD4</p> <p>M1017_CHGREG_ICD5</p> <p>M1017_CHGREG_ICD6</p> <p>M1025_OPT_DIAG_ICD_A3</p>

## Data Submission Specifications for the OASIS Item Set (V2.30.1)

### Detailed Data Specifications Report

#### Section: Patient History and Diagnoses

M1025\_OPT\_DIAG\_ICD\_A4

M1025\_OPT\_DIAG\_ICD\_B3

M1025\_OPT\_DIAG\_ICD\_B4

M1025\_OPT\_DIAG\_ICD\_C3

M1025\_OPT\_DIAG\_ICD\_C4

M1025\_OPT\_DIAG\_ICD\_D3

M1025\_OPT\_DIAG\_ICD\_D4

M1025\_OPT\_DIAG\_ICD\_E3

M1025\_OPT\_DIAG\_ICD\_E4

M1025\_OPT\_DIAG\_ICD\_F3

M1025\_OPT\_DIAG\_ICD\_F4

Consistency	-5030	[V2.30.0]-Mappings were removed from the deleted M1025 items. [V2.30.1]-This edit was deleted, per errata issue 03.
Consistency	-5230	[V2.30.0]-Mappings were removed to the M1025 items, since they were deleted. [V2.30.1]-This edit was deleted, per errata issue 03.
Consistency	-5240	[V2.30.0]-Mappings were removed to the M1025 items, since they were deleted. [V2.30.1]-This edit was deleted, per errata issue 03.
Information	-9110	[V2.30.0]-Mappings were removed to the M1011, M1017 and M1025 ICD items, since those items were deleted.
Information	-9150	[V2.30.0]-Mappings were removed to the M1011, M1017 and M1025 ICD items, since those items were deleted.
Information	-9170	[V2.30.0]-Mappings were removed to the M1011, M1017 and M1025 ICD items, since those items were deleted.

# Data Submission Specifications for the OASIS Item Set (V2.30.1)

## Detailed Data Specifications Report

### Section: Patient History and Diagnoses

Item ID: M1023\_OTH\_DIAG4\_SEVERITY

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Other diagnosis 4: severity rating	Asmt		Code	2	1407-1408

#### Item Subsets

Active:	01,03,04,05
Inactive:	06,07,08,09,XX

#### Item Values

Value	LOINC Code	Value Text
00		Asymptomatic, no treatment needed at this time
01		Symptoms well controlled with current therapy
02		Symptoms controlled with difficulty, affecting daily functioning; patient needs ongoing monitoring
03		Symptoms poorly controlled: patient needs frequent adjustment in treatment and dose monitoring
04		Symptoms poorly controlled: history of re-hospitalizations
^		No severity rating

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3060	Format	Fatal	VALUES OF CODE AND CHECKLIST ITEMS Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-5200	Consistency	Fatal	If character 1 of the Primary/Other ICD code in Column 2 is equal to [V,W,X,Y,Z,v,w,x,y,z], then the corresponding severity code must equal [^].
-5210	Consistency	Fatal	If the Primary/Other ICD code in Column 2 is NOT equal to [^] AND character 1 of the ICD code is NOT equal to [V,W,X,Y,Z,v,w,x,y,z], then the corresponding severity code must not equal [^].
-5220	Consistency	Fatal	If the Primary/Other ICD code in Column 2 is equal to [^], then the corresponding severity code must equal [^].

#### Changes for Version

Type	ID	Description
Format	-3060	[V2.30.0]-Added mappings to all items in new sections GG and J, as well as new item M1028_ACTV_DIAG_NOA. Removed mappings to the following deleted items: M1011_14_DAY_INP_NA M1017_CHGREG_ICD_NA M1018_PRIOR_CATH M1018_PRIOR_DISRUPTIVE M1018_PRIOR_IMPR_DECSN M1018_PRIOR_INTRACT_PAIN M1018_PRIOR_MEM_LOSS



## Data Submission Specifications for the OASIS Item Set (V2.30.1)

### Detailed Data Specifications Report

#### Section: Patient History and Diagnoses

M1018\_PRIOR\_NOCHG\_14D  
M1018\_PRIOR\_NONE  
M1018\_PRIOR\_UNKNOWN  
M1018\_PRIOR\_UR\_INCON  
M1034\_PTNT\_OVRAL\_STUS  
M1036\_RSK\_ALCOHOLISM  
M1036\_RSK\_DRUGS  
M1036\_RSK\_NONE  
M1036\_RSK\_OBESITY  
M1036\_RSK\_SMOKING  
M1036\_RSK\_UNKNOWN  
M1210\_HEARG\_ABLTY  
M1220\_UNDRSTG\_VERBAL\_CNTNT  
M1230\_SPEECH  
M1240\_FRML\_PAIN\_ASMT  
M1300\_PRSR\_ULCR\_RISK\_ASMT  
M1302\_RISK\_OF\_PRSR\_ULCR  
M1320\_STUS\_PRBLM\_PRSR\_ULCR  
M1350\_LESION\_OPEN\_WND  
M1410\_RESPTX\_OXYGEN  
M1410\_RESPTX\_AIRPRESS  
M1410\_RESPTX\_NONE  
M1410\_RESPTX\_VENTILATOR  
M1501\_SYMTM\_HRT\_FAILR\_PTNTS  
M1511\_HRT\_FAILR\_CARE\_PLAN\_CHG  
M1511\_HRT\_FAILR\_CLNCL\_INTRVTN  
M1511\_HRT\_FAILR\_ER\_TRTMT  
M1511\_HRT\_FAILR\_NO\_ACTN  
M1511\_HRT\_FAILR\_PHYSN\_CNTCT  
M1511\_HRT\_FAILR\_PHYSN\_TRTMT  
M1615\_INCNTNT\_TIMING  
M1750\_REC\_PSYCH\_NURS  
M1880\_CRNT\_PREP\_LT\_MEALS  
M1890\_CRNT\_PHONE\_USE  
M1900\_PRIOR\_ADLIADL\_AMBLTN  
M1900\_PRIOR\_ADLIADL\_HSEHOLD  
M1900\_PRIOR\_ADLIADL\_SELF  
M1900\_PRIOR\_ADLIADL\_TRNSFR  
M2040\_PRIOR\_MGMT\_INJCTN\_MDCTN  
M2040\_PRIOR\_MGMT\_ORAL\_MDCTN  
M2102\_CARE\_TYPE\_SRC\_ADVCY  
M2102\_CARE\_TYPE\_SRC\_EQUIP

## Data Submission Specifications for the OASIS Item Set (V2.30.1)

### Detailed Data Specifications Report

#### Section: Patient History and Diagnoses

M2102\_CARE\_TYPE\_SRC\_IADL  
M2110\_ADL\_IADL\_ASTNC\_FREQ  
M2250\_PLAN\_SMRY\_DBTS\_FT\_CARE  
M2250\_PLAN\_SMRY\_DPRSN\_INTRVTN  
M2250\_PLAN\_SMRY\_FALL\_PRVNT  
M2250\_PLAN\_SMRY\_PAIN\_INTRVTN  
M2250\_PLAN\_SMRY\_PRSULC\_PRVNT  
M2250\_PLAN\_SMRY\_PRSULC\_TRTMT  
M2250\_PLAN\_SMRY\_PTNT\_SPECF  
M2310\_ECR\_CRDC\_DSRTHM  
M2310\_ECR\_CTHTR\_CMPLCTN  
M2310\_ECR\_DHYDRTN\_MALNTR  
M2310\_ECR\_DVT\_PULMNRY  
M2310\_ECR\_GI\_PRBLM  
M2310\_ECR\_HRT\_FAILR  
M2310\_ECR\_INJRY\_BY\_FALL  
M2310\_ECR\_MENTL\_BHVRL\_PRBLM  
M2310\_ECR\_MI\_CHST\_PAIN  
M2310\_ECR\_OTHR\_HRT\_DEASE  
M2310\_ECR\_RSPRTRY\_INFCTN  
M2310\_ECR\_RSPRTRY\_OTHR  
M2310\_ECR\_STROKE\_TIA  
M2310\_ECR\_UNCNTLD\_PAIN  
M2310\_ECR\_UTI  
M2310\_ECR\_WND\_INFCTN\_DTRORTN  
M2430\_HOSP\_CRDC\_DSRTHM  
M2430\_HOSP\_CTHTR\_CMPLCTN  
M2430\_HOSP\_DHYDRTN\_MALNTR  
M2430\_HOSP\_DVT\_PULMNRY  
M2430\_HOSP\_GI\_PRBLM  
M2430\_HOSP\_HRT\_FAILR  
M2430\_HOSP\_HYPOGLYC  
M2430\_HOSP\_INJRY\_BY\_FALL  
M2430\_HOSP\_MED  
M2430\_HOSP\_MENTL\_BHVRL\_PRBLM  
M2430\_HOSP\_MI\_CHST\_PAIN  
M2430\_HOSP\_OTHER  
M2430\_HOSP\_OTHR\_HRT\_DEASE  
M2430\_HOSP\_PAIN  
M2430\_HOSP\_RSPRTRY\_INFCTN  
M2430\_HOSP\_RSPRTRY\_OTHR  
M2430\_HOSP\_SCHLD\_TRTMT

# **Data Submission Specifications for the OASIS Item Set (V2.30.1)**

## **Detailed Data Specifications Report**

### **Section: Patient History and Diagnoses**

M2430\_HOSP\_STROKE\_TIA

M2430\_HOSP\_UK

M2430\_HOSP\_UR\_TRACT

M2430\_HOSP\_WND\_INFCTN

# Data Submission Specifications for the OASIS Item Set (V2.30.1)

## Detailed Data Specifications Report

### Section: Patient History and Diagnoses

Item ID: M1023\_OTH\_DIAG5\_ICD

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Other diagnosis 5: ICD code	Asmt		ICD	8	1409-1416

#### Item Subsets

Active: 01,03,04,05  
Inactive: 06,07,08,09,XX

#### Item Values

Value	LOINC Code	Value Text
ICD-10		ICD-10 diagnosis code
^		Blank (no diagnosis code)

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-4885	Format	Fatal	<p>FORMATTING OF ICD-10 DIAGNOSIS CODES</p> <p>ICD-10 diagnosis codes must conform with the following formatting rules:</p> <p>a) Character 1 must be alphabetic [A-Z,a-z].</p> <p>b) Character 2 must be numeric [0-9].</p> <p>c) Character 3 must be numeric [0-9] or alphabetic [A-Z,a-z].</p> <p>d) Character 4 must be a decimal point.</p> <p>e) Characters 5 through 8 must be numeric [0-9], alphabetic [A-Z,a-z], or caret [^].</p> <p>f) If any character 5 through 8 is equal to [^], all subsequent characters must equal [^].</p> <p>Note that additional formatting rules for particular items may further restrict the range of allowable values in character 1.</p> <p>Also note that an entirely blank ICD code must be submitted as a single caret: [^].</p>
-5000	Consistency	Fatal	If a value submitted in items M1021_PRIMARY_DIAG_ICD, M1023_OTH_DIAG1_ICD, M1023_OTH_DIAG2_ICD, M1023_OTH_DIAG3_ICD, M1023_OTH_DIAG4_ICD, or M1023_OTH_DIAG5_ICD is not equal to [^], it must not equal (must not duplicate) any value submitted in the remaining items in this list.
-5030	Consistency	Fatal	***THIS EDIT WAS DELETED IN V2.30.1***
-5200	Consistency	Fatal	If character 1 of the Primary/Other ICD code in Column 2 is equal to [V,W,X,Y,Z,v,w,x,y,z], then the corresponding severity code must equal [^].
-5210	Consistency	Fatal	If the Primary/Other ICD code in Column 2 is NOT equal to [^] AND character 1 of the ICD code is NOT equal to [V,W,X,Y,Z,v,w,x,y,z], then the corresponding severity code must not equal [^].
-5220	Consistency	Fatal	If the Primary/Other ICD code in Column 2 is equal to [^], then the corresponding severity code must equal [^].
-5230	Consistency	Warning	***THIS EDIT WAS DELETED IN V2.30.1***
-5240	Consistency	Warning	***THIS EDIT WAS DELETED IN V2.30.1***

## Data Submission Specifications for the OASIS Item Set (V2.30.1)

### Detailed Data Specifications Report

#### Section: Patient History and Diagnoses

##### Supplemental Information

Info ID	Type	Text
-9110	Information	<p>If state law prohibits transmission of certain ICD codes (e.g., HIV or STD diagnoses), these codes will be removed by the ASAP system if found on records submitted by HHAs within that state. If any item within an ICD list contains such a code on a submitted record, it will be removed from the list. If any of these items is removed, but a valid code remains in a subsequent item on the list, the subsequent codes will be "moved up" so that no missing codes remain.</p> <p>Therefore, if a non-blank value is required in an ICD code list and all of the submitted items in that list contain blank and/or prohibited codes, a fatal error will result and the record will be rejected. As long as at least one item in such a list contains a non-blank, correctly-formatted, allowable code, a fatal error will not occur.</p>
-9150	Information	<p>If an ICD list contains multiple codes, there should be no intervening items in the list which are equal to [^]. For example, if a 5-item list is populated with 3 ICD codes, those codes should occupy items 1, 2, and 3; items 4 and 5 should be equal to [^].</p> <p>If the ASAP system finds a list which contains intervening items which are equal to [^], the values that are later in the list will be moved up to eliminate the intervening blank [^]. item values. Diagnoses are only moved up within the same type of diagnosis, so a secondary diagnosis code will never be moved into an item which is for a primary diagnosis code.</p>
-9170	Information	<p>SUBMITTING ICD-10 DIAGNOSIS CODES</p> <p>If the ICD-10 item is active, it must be submitted as an 8 character, fixed-format string with all blanks replaced with [^]., and with a decimal point as the 4th character. The only exception to this rule is that an entirely blank ICD-10 item must be submitted as a single [^].</p> <p>For example:</p> <ul style="list-style-type: none"><li>-The ICD-10 code "A12." would be submitted as [A12.^^^].</li><li>-The ICD-10 code "A12.3" would be submitted as [A12.3^^].</li><li>-The ICD-10 code "A12.34" would be submitted as [A12.34^^].</li><li>-The ICD-10 code "A12.345" would be submitted as [A12.345^].</li><li>-The ICD-10 code "A12.3456" would be submitted as [A12.3456].</li><li>-An entirely blank ICD-10 code would be submitted as [^].</li></ul>

##### Changes for Version

Type	ID	Description
Format	-4885	<p>[V2.30.0]-Mappings were removed from the following deleted items:</p> <p>M1011_14_DAY_INP1_ICD</p> <p>M1011_14_DAY_INP2_ICD</p> <p>M1011_14_DAY_INP3_ICD</p> <p>M1011_14_DAY_INP4_ICD</p> <p>M1011_14_DAY_INP5_ICD</p> <p>M1011_14_DAY_INP6_ICD</p> <p>M1017_CHGREG_ICD1</p> <p>M1017_CHGREG_ICD2</p> <p>M1017_CHGREG_ICD3</p> <p>M1017_CHGREG_ICD4</p> <p>M1017_CHGREG_ICD5</p> <p>M1017_CHGREG_ICD6</p> <p>M1025_OPT_DIAG_ICD_A3</p>

## Data Submission Specifications for the OASIS Item Set (V2.30.1)

### Detailed Data Specifications Report

#### Section: Patient History and Diagnoses

M1025\_OPT\_DIAG\_ICD\_A4

M1025\_OPT\_DIAG\_ICD\_B3

M1025\_OPT\_DIAG\_ICD\_B4

M1025\_OPT\_DIAG\_ICD\_C3

M1025\_OPT\_DIAG\_ICD\_C4

M1025\_OPT\_DIAG\_ICD\_D3

M1025\_OPT\_DIAG\_ICD\_D4

M1025\_OPT\_DIAG\_ICD\_E3

M1025\_OPT\_DIAG\_ICD\_E4

M1025\_OPT\_DIAG\_ICD\_F3

M1025\_OPT\_DIAG\_ICD\_F4

Consistency	-5030	[V2.30.0]-Mappings were removed from the deleted M1025 items. [V2.30.1]-This edit was deleted, per errata issue 03.
Consistency	-5230	[V2.30.0]-Mappings were removed to the M1025 items, since they were deleted. [V2.30.1]-This edit was deleted, per errata issue 03.
Consistency	-5240	[V2.30.0]-Mappings were removed to the M1025 items, since they were deleted. [V2.30.1]-This edit was deleted, per errata issue 03.
Information	-9110	[V2.30.0]-Mappings were removed to the M1011, M1017 and M1025 ICD items, since those items were deleted.
Information	-9150	[V2.30.0]-Mappings were removed to the M1011, M1017 and M1025 ICD items, since those items were deleted.
Information	-9170	[V2.30.0]-Mappings were removed to the M1011, M1017 and M1025 ICD items, since those items were deleted.

# Data Submission Specifications for the OASIS Item Set (V2.30.1)

## Detailed Data Specifications Report

### Section: Patient History and Diagnoses

Item ID: M1023\_OTH\_DIAG5\_SEVERITY

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Other diagnosis 5: severity rating	Asmt		Code	2	1417-1418

#### Item Subsets

Active:	01,03,04,05
Inactive:	06,07,08,09,XX

#### Item Values

Value	LOINC Code	Value Text
00		Asymptomatic, no treatment needed at this time
01		Symptoms well controlled with current therapy
02		Symptoms controlled with difficulty, affecting daily functioning; patient needs ongoing monitoring
03		Symptoms poorly controlled: patient needs frequent adjustment in treatment and dose monitoring
04		Symptoms poorly controlled: history of re-hospitalizations
^		No severity rating

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3060	Format	Fatal	VALUES OF CODE AND CHECKLIST ITEMS Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-5200	Consistency	Fatal	If character 1 of the Primary/Other ICD code in Column 2 is equal to [V,W,X,Y,Z,v,w,x,y,z], then the corresponding severity code must equal [^].
-5210	Consistency	Fatal	If the Primary/Other ICD code in Column 2 is NOT equal to [^] AND character 1 of the ICD code is NOT equal to [V,W,X,Y,Z,v,w,x,y,z], then the corresponding severity code must not equal [^].
-5220	Consistency	Fatal	If the Primary/Other ICD code in Column 2 is equal to [^], then the corresponding severity code must equal [^].

#### Changes for Version

Type	ID	Description
Format	-3060	[V2.30.0]-Added mappings to all items in new sections GG and J, as well as new item M1028_ACTV_DIAG_NOA. Removed mappings to the following deleted items: M1011_14_DAY_INP_NA M1017_CHGREG_ICD_NA M1018_PRIOR_CATH M1018_PRIOR_DISRUPTIVE M1018_PRIOR_IMPR_DECSN M1018_PRIOR_INTRACT_PAIN M1018_PRIOR_MEM_LOSS

## Data Submission Specifications for the OASIS Item Set (V2.30.1)

### Detailed Data Specifications Report

#### Section: Patient History and Diagnoses

M1018\_PRIOR\_NOCHG\_14D  
M1018\_PRIOR\_NONE  
M1018\_PRIOR\_UNKNOWN  
M1018\_PRIOR\_UR\_INCON  
M1034\_PTNT\_OVRAL\_STUS  
M1036\_RSK\_ALCOHOLISM  
M1036\_RSK\_DRUGS  
M1036\_RSK\_NONE  
M1036\_RSK\_OBESITY  
M1036\_RSK\_SMOKING  
M1036\_RSK\_UNKNOWN  
M1210\_HEARG\_ABLTY  
M1220\_UNDRSTG\_VERBAL\_CNTNT  
M1230\_SPEECH  
M1240\_FRML\_PAIN\_ASMT  
M1300\_PRSR\_ULCR\_RISK\_ASMT  
M1302\_RISK\_OF\_PRSR\_ULCR  
M1320\_STUS\_PRBLM\_PRSR\_ULCR  
M1350\_LESION\_OPEN\_WND  
M1410\_RESPTX\_OXYGEN  
M1410\_RESPTX\_AIRPRESS  
M1410\_RESPTX\_NONE  
M1410\_RESPTX\_VENTILATOR  
M1501\_SYMTM\_HRT\_FAILR\_PTNTS  
M1511\_HRT\_FAILR\_CARE\_PLAN\_CHG  
M1511\_HRT\_FAILR\_CLNCL\_INTRVTN  
M1511\_HRT\_FAILR\_ER\_TRTMT  
M1511\_HRT\_FAILR\_NO\_ACTN  
M1511\_HRT\_FAILR\_PHYSN\_CNTCT  
M1511\_HRT\_FAILR\_PHYSN\_TRTMT  
M1615\_INCNTNT\_TIMING  
M1750\_REC\_PSYCH\_NURS  
M1880\_CRNT\_PREP\_LT\_MEALS  
M1890\_CRNT\_PHONE\_USE  
M1900\_PRIOR\_ADLIADL\_AMBLTN  
M1900\_PRIOR\_ADLIADL\_HSEHOLD  
M1900\_PRIOR\_ADLIADL\_SELF  
M1900\_PRIOR\_ADLIADL\_TRNSFR  
M2040\_PRIOR\_MGMT\_INJCTN\_MDCTN  
M2040\_PRIOR\_MGMT\_ORAL\_MDCTN  
M2102\_CARE\_TYPE\_SRC\_ADVCY  
M2102\_CARE\_TYPE\_SRC\_EQUIP



## Data Submission Specifications for the OASIS Item Set (V2.30.1)

### Detailed Data Specifications Report

#### Section: Patient History and Diagnoses

M2102\_CARE\_TYPE\_SRC\_IADL  
M2110\_ADL\_IADL\_ASTNC\_FREQ  
M2250\_PLAN\_SMRY\_DBTS\_FT\_CARE  
M2250\_PLAN\_SMRY\_DPRSN\_INTRVTN  
M2250\_PLAN\_SMRY\_FALL\_PRVNT  
M2250\_PLAN\_SMRY\_PAIN\_INTRVTN  
M2250\_PLAN\_SMRY\_PRSULC\_PRVNT  
M2250\_PLAN\_SMRY\_PRSULC\_TRTMT  
M2250\_PLAN\_SMRY\_PTNT\_SPECF  
M2310\_ECR\_CRDC\_DSRTHM  
M2310\_ECR\_CTHTR\_CMPLCTN  
M2310\_ECR\_DHYDRTN\_MALNTR  
M2310\_ECR\_DVT\_PULMNRY  
M2310\_ECR\_GI\_PRBLM  
M2310\_ECR\_HRT\_FAILR  
M2310\_ECR\_INJRY\_BY\_FALL  
M2310\_ECR\_MENTL\_BHVRL\_PRBLM  
M2310\_ECR\_MI\_CHST\_PAIN  
M2310\_ECR\_OTHR\_HRT\_DEASE  
M2310\_ECR\_RSPRTRY\_INFCTN  
M2310\_ECR\_RSPRTRY\_OTHR  
M2310\_ECR\_STROKE\_TIA  
M2310\_ECR\_UNCNTLD\_PAIN  
M2310\_ECR\_UTI  
M2310\_ECR\_WND\_INFCTN\_DTRORTN  
M2430\_HOSP\_CRDC\_DSRTHM  
M2430\_HOSP\_CTHTR\_CMPLCTN  
M2430\_HOSP\_DHYDRTN\_MALNTR  
M2430\_HOSP\_DVT\_PULMNRY  
M2430\_HOSP\_GI\_PRBLM  
M2430\_HOSP\_HRT\_FAILR  
M2430\_HOSP\_HYPOGLYC  
M2430\_HOSP\_INJRY\_BY\_FALL  
M2430\_HOSP\_MED  
M2430\_HOSP\_MENTL\_BHVRL\_PRBLM  
M2430\_HOSP\_MI\_CHST\_PAIN  
M2430\_HOSP\_OTHER  
M2430\_HOSP\_OTHR\_HRT\_DEASE  
M2430\_HOSP\_PAIN  
M2430\_HOSP\_RSPRTRY\_INFCTN  
M2430\_HOSP\_RSPRTRY\_OTHR  
M2430\_HOSP\_SCHLD\_TRTMT

## **Data Submission Specifications for the OASIS Item Set (V2.30.1)**

### **Detailed Data Specifications Report**

#### **Section: Patient History and Diagnoses**

M2430\_HOSP\_STROKE\_TIA

M2430\_HOSP\_UK

M2430\_HOSP\_UR\_TRACT

M2430\_HOSP\_WND\_INFCTN

# Data Submission Specifications for the OASIS Item Set (V2.30.1)

## Detailed Data Specifications Report

### Section: Patient History and Diagnoses

Item ID: M1028\_ACTV\_DIAG\_PVD\_PAD

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Active Diagnoses - PVD or PAD	Asmt		Code	1	1553-1553

#### Item Subsets

Active: 01,03  
Inactive: 04,05,06,07,08,09,XX

#### Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed (no information)

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3060	Format	Fatal	VALUES OF CODE AND CHECKLIST ITEMS Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-5670	Consistency	Fatal	(a) If M1028_ACTV_DIAG_NOA = [0], then at least one of M1028_ACTV_DIAG_PVD_PAD and M1028_ACTV_DIAG_DM must equal [1]. (b) If M1028_ACTV_DIAG_NOA = [1], then M1028_ACTV_DIAG_PVD_PAD and M1028_ACTV_DIAG_DM must equal [0]. (c) If M1028_ACTV_DIAG_NOA = [-], then at least one of M1028_ACTV_DIAG_PVD_PAD and M1028_ACTV_DIAG_DM must equal [-] and the other item must equal [0,-].

#### Changes for Version

Type	ID	Description
Format	-3060	[V2.30.0]-Added mappings to all items in new sections GG and J, as well as new item M1028_ACTV_DIAG_NOA. Removed mappings to the following deleted items: M1011_14_DAY_INP_NA M1017_CHGREG_ICD_NA M1018_PRIOR_CATH M1018_PRIOR_DISRUPTIVE M1018_PRIOR_IMPR_DECSN M1018_PRIOR_INTRACT_PAIN M1018_PRIOR_MEM_LOSS M1018_PRIOR_NOCHG_14D M1018_PRIOR_NONE M1018_PRIOR_UNKNOWN

## Data Submission Specifications for the OASIS Item Set (V2.30.1)

### Detailed Data Specifications Report

#### Section: Patient History and Diagnoses

M1018\_PRIOR\_UR\_INCON  
M1034\_PTNT\_OVRAL\_STUS  
M1036\_RSK\_ALCOHOLISM  
M1036\_RSK\_DRUGS  
M1036\_RSK\_NONE  
M1036\_RSK\_OBESITY  
M1036\_RSK\_SMOKING  
M1036\_RSK\_UNKNOWN  
M1210\_HEARG\_ABLTY  
M1220\_UNDRSTG\_VERBAL\_CNTNT  
M1230\_SPEECH  
M1240\_FRML\_PAIN\_ASMT  
M1300\_PRSR\_ULCR\_RISK\_ASMT  
M1302\_RISK\_OF\_PRSR\_ULCR  
M1320\_STUS\_PRBLM\_PRSR\_ULCR  
M1350\_LESION\_OPEN\_WND  
M1410\_RESPTX\_OXYGEN  
M1410\_RESPTX\_AIRPRESS  
M1410\_RESPTX\_NONE  
M1410\_RESPTX\_VENTILATOR  
M1501\_SYMTM\_HRT\_FAILR\_PTNTS  
M1511\_HRT\_FAILR\_CARE\_PLAN\_CHG  
M1511\_HRT\_FAILR\_CLNCL\_INTRVTN  
M1511\_HRT\_FAILR\_ER\_TRTMT  
M1511\_HRT\_FAILR\_NO\_ACTN  
M1511\_HRT\_FAILR\_PHYSN\_CNTCT  
M1511\_HRT\_FAILR\_PHYSN\_TRTMT  
M1615\_INCNTNT\_TIMING  
M1750\_REC\_PSYCH\_NURS  
M1880\_CRNT\_PREP\_LT\_MEALS  
M1890\_CRNT\_PHONE\_USE  
M1900\_PRIOR\_ADLIADL\_AMBLTN  
M1900\_PRIOR\_ADLIADL\_HSEHOLD  
M1900\_PRIOR\_ADLIADL\_SELF  
M1900\_PRIOR\_ADLIADL\_TRNSFR  
M2040\_PRIOR\_MGMT\_INJCTN\_MDCTN  
M2040\_PRIOR\_MGMT\_ORAL\_MDCTN  
M2102\_CARE\_TYPE\_SRC\_ADV CY  
M2102\_CARE\_TYPE\_SRC\_EQUIP  
M2102\_CARE\_TYPE\_SRC\_IADL  
M2110\_ADL\_IADL\_ASTNC\_FREQ  
M2250\_PLAN\_SMRY\_DBTS\_FT\_CARE

## Data Submission Specifications for the OASIS Item Set (V2.30.1)

### Detailed Data Specifications Report

#### Section: Patient History and Diagnoses

M2250\_PLAN\_SMRY\_DPRSN\_INTRVTN  
M2250\_PLAN\_SMRY\_FALL\_PRVNT  
M2250\_PLAN\_SMRY\_PAIN\_INTRVTN  
M2250\_PLAN\_SMRY\_PRSULC\_PRVNT  
M2250\_PLAN\_SMRY\_PRSULC\_TRTMT  
M2250\_PLAN\_SMRY\_PTNT\_SPECF  
M2310\_ECR\_CRDC\_DSRTHM  
M2310\_ECR\_CTHTR\_CMPLCTN  
M2310\_ECR\_DHYDRTN\_MALNTR  
M2310\_ECR\_DVT\_PULMNRY  
M2310\_ECR\_GI\_PRBLM  
M2310\_ECR\_HRT\_FAILR  
M2310\_ECR\_INJRY\_BY\_FALL  
M2310\_ECR\_MENTL\_BHVRL\_PRBLM  
M2310\_ECR\_MI\_CHST\_PAIN  
M2310\_ECR\_OTHR\_HRT\_DEASE  
M2310\_ECR\_RSPRTRY\_INFCTN  
M2310\_ECR\_RSPRTRY\_OTHR  
M2310\_ECR\_STROKE\_TIA  
M2310\_ECR\_UNCNTLD\_PAIN  
M2310\_ECR\_UTI  
M2310\_ECR\_WND\_INFCTN\_DTRORTN  
M2430\_HOSP\_CRDC\_DSRTHM  
M2430\_HOSP\_CTHTR\_CMPLCTN  
M2430\_HOSP\_DHYDRTN\_MALNTR  
M2430\_HOSP\_DVT\_PULMNRY  
M2430\_HOSP\_GI\_PRBLM  
M2430\_HOSP\_HRT\_FAILR  
M2430\_HOSP\_HYPOGLYC  
M2430\_HOSP\_INJRY\_BY\_FALL  
M2430\_HOSP\_MED  
M2430\_HOSP\_MENTL\_BHVRL\_PRBLM  
M2430\_HOSP\_MI\_CHST\_PAIN  
M2430\_HOSP\_OTHER  
M2430\_HOSP\_OTHR\_HRT\_DEASE  
M2430\_HOSP\_PAIN  
M2430\_HOSP\_RSPRTRY\_INFCTN  
M2430\_HOSP\_RSPRTRY\_OTHR  
M2430\_HOSP\_SCHLD\_TRTMT  
M2430\_HOSP\_STROKE\_TIA  
M2430\_HOSP\_UK  
M2430\_HOSP\_UR\_TRACT

# **Data Submission Specifications for the OASIS Item Set (V2.30.1)**

## **Detailed Data Specifications Report**

### **Section: Patient History and Diagnoses**

Consistency	-5670	M2430_HOSP_WND_INFCTN [V2.30.1]-New edit, per errata issue 01.
-------------	-------	---

# Data Submission Specifications for the OASIS Item Set (V2.30.1)

## Detailed Data Specifications Report

### Section: Patient History and Diagnoses

Item ID: M1028\_ACTV\_DIAG\_DM

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Active Diagnoses - Diabetes Mellitus	Asmt		Code	1	1554-1554

#### Item Subsets

Active: 01,03  
Inactive: 04,05,06,07,08,09,XX

#### Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed (no information)

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3060	Format	Fatal	VALUES OF CODE AND CHECKLIST ITEMS Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-5670	Consistency	Fatal	(a) If M1028_ACTV_DIAG_NOA = [0], then at least one of M1028_ACTV_DIAG_PVD_PAD and M1028_ACTV_DIAG_DM must equal [1]. (b) If M1028_ACTV_DIAG_NOA = [1], then M1028_ACTV_DIAG_PVD_PAD and M1028_ACTV_DIAG_DM must equal [0]. (c) If M1028_ACTV_DIAG_NOA = [-], then at least one of M1028_ACTV_DIAG_PVD_PAD and M1028_ACTV_DIAG_DM must equal [-] and the other item must equal [0,-].

#### Changes for Version

Type	ID	Description
Format	-3060	[V2.30.0]-Added mappings to all items in new sections GG and J, as well as new item M1028_ACTV_DIAG_NOA. Removed mappings to the following deleted items: M1011_14_DAY_INP_NA 1017_CHGREG_ICD_NA M1018_PRIOR_CATH 1018_PRIOR_DISRUPTIVE 1018_PRIOR_IMPR_DECSN 1018_PRIOR_INTRACT_PAIN M1018_PRIOR_MEM_LOSS M1018_PRIOR_NOCHG_14D M1018_PRIOR_NONE M1018_PRIOR_UNKNOWN

## Data Submission Specifications for the OASIS Item Set (V2.30.1)

### Detailed Data Specifications Report

#### Section: Patient History and Diagnoses

M1018\_PRIOR\_UR\_INCON  
M1034\_PTNT\_OVRAL\_STUS  
M1036\_RSK\_ALCOHOLISM  
M1036\_RSK\_DRUGS  
M1036\_RSK\_NONE  
M1036\_RSK\_OBESITY  
M1036\_RSK\_SMOKING  
M1036\_RSK\_UNKNOWN  
M1210\_HEARG\_ABLTY  
M1220\_UNDRSTG\_VERBAL\_CNTNT  
M1230\_SPEECH  
M1240\_FRML\_PAIN\_ASMT  
M1300\_PRSR\_ULCR\_RISK\_ASMT  
M1302\_RISK\_OF\_PRSR\_ULCR  
M1320\_STUS\_PRBLM\_PRSR\_ULCR  
M1350\_LESION\_OPEN\_WND  
M1410\_RESPTX\_OXYGEN  
M1410\_RESPTX\_AIRPRESS  
M1410\_RESPTX\_NONE  
M1410\_RESPTX\_VENTILATOR  
M1501\_SYMTM\_HRT\_FAILR\_PTNTS  
M1511\_HRT\_FAILR\_CARE\_PLAN\_CHG  
M1511\_HRT\_FAILR\_CLNCL\_INTRVTN  
M1511\_HRT\_FAILR\_ER\_TRTMT  
M1511\_HRT\_FAILR\_NO\_ACTN  
M1511\_HRT\_FAILR\_PHYSN\_CNTCT  
M1511\_HRT\_FAILR\_PHYSN\_TRTMT  
M1615\_INCNTNT\_TIMING  
M1750\_REC\_PSYCH\_NURS  
M1880\_CRNT\_PREP\_LT\_MEALS  
M1890\_CRNT\_PHONE\_USE  
M1900\_PRIOR\_ADLIADL\_AMBLTN  
M1900\_PRIOR\_ADLIADL\_HSEHOLD  
M1900\_PRIOR\_ADLIADL\_SELF  
M1900\_PRIOR\_ADLIADL\_TRNSFR  
M2040\_PRIOR\_MGMT\_INJCTN\_MDCTN  
M2040\_PRIOR\_MGMT\_ORAL\_MDCTN  
M2102\_CARE\_TYPE\_SRC\_ADVCY  
M2102\_CARE\_TYPE\_SRC\_EQUIP  
M2102\_CARE\_TYPE\_SRC\_IADL  
M2110\_ADL\_IADL\_ASTNC\_FREQ  
M2250\_PLAN\_SMRY\_DBTS\_FT\_CARE



## Data Submission Specifications for the OASIS Item Set (V2.30.1)

### Detailed Data Specifications Report

#### Section: Patient History and Diagnoses

M2250\_PLAN\_SMRY\_DPRSN\_INTRVTN  
M2250\_PLAN\_SMRY\_FALL\_PRVNT  
M2250\_PLAN\_SMRY\_PAIN\_INTRVTN  
M2250\_PLAN\_SMRY\_PRSULC\_PRVNT  
M2250\_PLAN\_SMRY\_PRSULC\_TRTMT  
M2250\_PLAN\_SMRY\_PTNT\_SPECF  
M2310\_ECR\_CRDC\_DSRTHM  
M2310\_ECR\_CTHTR\_CMPLCTN  
M2310\_ECR\_DHYDRTN\_MALNTR  
M2310\_ECR\_DVT\_PULMNRY  
M2310\_ECR\_GI\_PRBLM  
M2310\_ECR\_HRT\_FAILR  
M2310\_ECR\_INJRY\_BY\_FALL  
M2310\_ECR\_MENTL\_BHVRL\_PRBLM  
M2310\_ECR\_MI\_CHST\_PAIN  
M2310\_ECR\_OTHR\_HRT\_DEASE  
M2310\_ECR\_RSPRTRY\_INFCTN  
M2310\_ECR\_RSPRTRY\_OTHR  
M2310\_ECR\_STROKE\_TIA  
M2310\_ECR\_UNCNTLD\_PAIN  
M2310\_ECR\_UTI  
M2310\_ECR\_WND\_INFCTN\_DTRORTN  
M2430\_HOSP\_CRDC\_DSRTHM  
M2430\_HOSP\_CTHTR\_CMPLCTN  
M2430\_HOSP\_DHYDRTN\_MALNTR  
M2430\_HOSP\_DVT\_PULMNRY  
M2430\_HOSP\_GI\_PRBLM  
M2430\_HOSP\_HRT\_FAILR  
M2430\_HOSP\_HYPOGLYC  
M2430\_HOSP\_INJRY\_BY\_FALL  
M2430\_HOSP\_MED  
M2430\_HOSP\_MENTL\_BHVRL\_PRBLM  
M2430\_HOSP\_MI\_CHST\_PAIN  
M2430\_HOSP\_OTHER  
M2430\_HOSP\_OTHR\_HRT\_DEASE  
M2430\_HOSP\_PAIN  
M2430\_HOSP\_RSPRTRY\_INFCTN  
M2430\_HOSP\_RSPRTRY\_OTHR  
M2430\_HOSP\_SCHLD\_TRTMT  
M2430\_HOSP\_STROKE\_TIA  
M2430\_HOSP\_UK  
M2430\_HOSP\_UR\_TRACT

# **Data Submission Specifications for the OASIS Item Set (V2.30.1)**

## **Detailed Data Specifications Report**

### **Section: Patient History and Diagnoses**

Consistency	-5670	M2430_HOSP_WND_INFCTN [V2.30.1]-New edit, per errata issue 01.
-------------	-------	---

# Data Submission Specifications for the OASIS Item Set (V2.30.1)

## Detailed Data Specifications Report

### Section: Patient History and Diagnoses

Item ID: M1028\_ACTV\_DIAG\_NOA

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Active Diagnoses - None of the above	Asmt		Code	1	1627-1627

#### Item Subsets

Active: 01,03  
Inactive: 04,05,06,07,08,09,XX

#### Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed (no information)

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3060	Format	Fatal	VALUES OF CODE AND CHECKLIST ITEMS Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-5670	Consistency	Fatal	(a) If M1028_ACTV_DIAG_NOA = [0], then at least one of M1028_ACTV_DIAG_PVD_PAD and M1028_ACTV_DIAG_DM must equal [1]. (b) If M1028_ACTV_DIAG_NOA = [1], then M1028_ACTV_DIAG_PVD_PAD and M1028_ACTV_DIAG_DM must equal [0]. (c) If M1028_ACTV_DIAG_NOA = [-], then at least one of M1028_ACTV_DIAG_PVD_PAD and M1028_ACTV_DIAG_DM must equal [-] and the other item must equal [0,-].

#### Changes for Version

Type	ID	Description
Item	M1028_ACTV_DIAG_NOA	[V2.30.0]-New item.

## Data Submission Specifications for the OASIS Item Set (V2.30.1)

### Detailed Data Specifications Report

#### Section: Patient History and Diagnoses

Type	ID	Description
Format	-3060	[V2.30.0]-Added mappings to all items in new sections GG and J, as well as new item M1028_ACTV_DIAG_NOA. Removed mappings to the following deleted items: M1011_14_DAY_INP_NA M1017_CHGREG_ICD_NA M1018_PRIOR_CATH M1018_PRIOR_DISRUPTIVE M1018_PRIOR_IMPR_DECSN M1018_PRIOR_INTRACT_PAIN M1018_PRIOR_MEM_LOSS M1018_PRIOR_NOCHG_14D M1018_PRIOR_NONE M1018_PRIOR_UNKNOWN M1018_PRIOR_UR_INCON M1034_PTNT_OVRAL_STUS M1036_RSK_ALCOHOLISM M1036_RSK_DRUGS M1036_RSK_NONE M1036_RSK_OBESITY M1036_RSK_SMOKING M1036_RSK_UNKNOWN M1210_HEARG_ABLTY M1220_UNDRSTG_VERBAL_CNTNT M1230_SPEECH M1240_FRML_PAIN_ASMT M1300_PRSR_ULCR_RISK_ASMT M1302_RISK_OF_PRSR_ULCR M1320_STUS_PRBLM_PRSR_ULCR M1350_LESION_OPEN_WND M1410_RESPTX_OXYGEN M1410_RESPTX_AIRPRESS M1410_RESPTX_NONE M1410_RESPTX_VENTILATOR M1501_SYMTM_HRT_FAILR_PTNTS M1511_HRT_FAILR_CARE_PLAN_CHG M1511_HRT_FAILR_CLNCL_INTRVTN M1511_HRT_FAILR_ER_TRTMT M1511_HRT_FAILR_NO_ACTN M1511_HRT_FAILR_PHYSN_CNTCT M1511_HRT_FAILR_PHYSN_TRTMT M1615_INCNTNT_TIMING M1750_REC_PSYCH_NURS

## Data Submission Specifications for the OASIS Item Set (V2.30.1)

### Detailed Data Specifications Report

#### Section: Patient History and Diagnoses

M1880\_CRNT\_PREP\_LT\_MEALS  
M1890\_CRNT\_PHONE\_USE  
M1900\_PRIOR\_ADLIADL\_AMBLTN  
M1900\_PRIOR\_ADLIADL\_HSEHOLD  
M1900\_PRIOR\_ADLIADL\_SELF  
M1900\_PRIOR\_ADLIADL\_TRNSFR  
M2040\_PRIOR\_MGMT\_INJCTN\_MDCTN  
M2040\_PRIOR\_MGMT\_ORAL\_MDCTN  
M2102\_CARE\_TYPE\_SRC\_ADVCY  
M2102\_CARE\_TYPE\_SRC\_EQUIP  
M2102\_CARE\_TYPE\_SRC\_IADL  
M2110\_ADL\_IADL\_ASTNC\_FREQ  
M2250\_PLAN\_SMRY\_DBTS\_FT\_CARE  
M2250\_PLAN\_SMRY\_DPRSN\_INTRVTN  
M2250\_PLAN\_SMRY\_FALL\_PRVNT  
M2250\_PLAN\_SMRY\_PAIN\_INTRVTN  
M2250\_PLAN\_SMRY\_PRSULC\_PRVNT  
M2250\_PLAN\_SMRY\_PRSULC\_TRTMT  
M2250\_PLAN\_SMRY\_PTNT\_SPECF  
M2310\_ECR\_CRDC\_DSRTHM  
M2310\_ECR\_CTHTR\_CMPLCTN  
M2310\_ECR\_DHYDRTN\_MALNTR  
M2310\_ECR\_DVT\_PULMNRY  
M2310\_ECR\_GI\_PRBLM  
M2310\_ECR\_HRT\_FAILR  
M2310\_ECR\_INJRY\_BY\_FALL  
M2310\_ECR\_MENTL\_BHVRL\_PRBLM  
M2310\_ECR\_MI\_CHST\_PAIN  
M2310\_ECR\_OTHR\_HRT\_DEASE  
M2310\_ECR\_RSPRTRY\_INFCTN  
M2310\_ECR\_RSPRTRY\_OTHR  
M2310\_ECR\_STROKE\_TIA  
M2310\_ECR\_UNCNTLD\_PAIN  
M2310\_ECR\_UTI  
M2310\_ECR\_WND\_INFCTN\_DTRORTN  
M2430\_HOSP\_CRDC\_DSRTHM  
M2430\_HOSP\_CTHTR\_CMPLCTN  
M2430\_HOSP\_DHYDRTN\_MALNTR  
M2430\_HOSP\_DVT\_PULMNRY  
M2430\_HOSP\_GI\_PRBLM  
M2430\_HOSP\_HRT\_FAILR  
M2430\_HOSP\_HYPOGLYC

## Data Submission Specifications for the OASIS Item Set (V2.30.1)

### Detailed Data Specifications Report

#### Section: Patient History and Diagnoses

M2430\_HOSP\_INJRY\_BY\_FALL  
M2430\_HOSP\_MED  
M2430\_HOSP\_MENTL\_BHVRL\_PRBLM  
M2430\_HOSP\_MI\_CHST\_PAIN  
M2430\_HOSP\_OTHER  
M2430\_HOSP\_OTHR\_HRT\_DEASE  
M2430\_HOSP\_PAIN  
M2430\_HOSP\_RSPRTRY\_INFCTN  
M2430\_HOSP\_RSPRTRY\_OTHR  
M2430\_HOSP\_SCHLD\_TRTMT  
M2430\_HOSP\_STROKE\_TIA  
M2430\_HOSP\_UK  
M2430\_HOSP\_UR\_TRACT  
M2430\_HOSP\_WND\_INFCTN  
[V2.30.1]-New edit, per errata issue 01.

Consistency -5670

# Data Submission Specifications for the OASIS Item Set (V2.30.1)

## Detailed Data Specifications Report

### Section: Patient History and Diagnoses

Item ID: M1030\_THH\_IV\_INFUSION

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Therapies received at home: intravenous, infusion	Asmt		Code	1	743-743

#### Item Subsets

Active: 01,03,04,05  
Inactive: 06,07,08,09,XX

#### Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3060	Format	Fatal	VALUES OF CODE AND CHECKLIST ITEMS Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3880	Consistency	Fatal	If M1030_THH_NONE_ABOVE=[0], then at least one active item from M1030_THH_IV_INFUSION through M1030_THH_ENT_NUTRITION must equal [1].
-3890	Consistency	Fatal	If M1030_THH_NONE_ABOVE=[1], then all active items from M1030_THH_IV_INFUSION through M1030_THH_ENT_NUTRITION must equal [0].

#### Changes for Version

Type	ID	Description
Format	-3060	[V2.30.0]-Added mappings to all items in new sections GG and J, as well as new item M1028_ACTV_DIAG_NOA. Removed mappings to the following deleted items: M1011_14_DAY_INP_NA M1017_CHGREG_ICD_NA M1018_PRIOR_CATH M1018_PRIOR_DISRUPTIVE M1018_PRIOR_IMPR_DECSN M1018_PRIOR_INTRACT_PAIN M1018_PRIOR_MEM_LOSS M1018_PRIOR_NOCHG_14D M1018_PRIOR_NONE M1018_PRIOR_UNKNOWN M1018_PRIOR_UR_INCON M1034_PTNT_OVRAL_STUS

## Data Submission Specifications for the OASIS Item Set (V2.30.1)

### Detailed Data Specifications Report

#### Section: Patient History and Diagnoses

M1036\_RSK\_ALCOHOLISM  
M1036\_RSK\_DRUGS  
M1036\_RSK\_NONE  
M1036\_RSK\_OBESITY  
M1036\_RSK\_SMOKING  
M1036\_RSK\_UNKNOWN  
M1210\_HEARG\_ABLTY  
M1220\_UNDRSTG\_VERBAL\_CNTNT  
M1230\_SPEECH  
M1240\_FRML\_PAIN\_ASMT  
M1300\_PRSR\_ULCR\_RISK\_ASMT  
M1302\_RISK\_OF\_PRSR\_ULCR  
M1320\_STUS\_PRBLM\_PRSR\_ULCR  
M1350\_LESION\_OPEN\_WND  
M1410\_RESPTX\_OXYGEN  
M1410\_RESPTX\_AIRPRESS  
M1410\_RESPTX\_NONE  
M1410\_RESPTX\_VENTILATOR  
M1501\_SYMTM\_HRT\_FAILR\_PTNTS  
M1511\_HRT\_FAILR\_CARE\_PLAN\_CHG  
M1511\_HRT\_FAILR\_CLNCL\_INTRVTN  
M1511\_HRT\_FAILR\_ER\_TRTMT  
M1511\_HRT\_FAILR\_NO\_ACTN  
M1511\_HRT\_FAILR\_PHYSN\_CNTCT  
M1511\_HRT\_FAILR\_PHYSN\_TRTMT  
M1615\_INCNTNT\_TIMING  
M1750\_REC\_PSYCH\_NURS  
M1880\_CRNT\_PREP\_LT\_MEALS  
M1890\_CRNT\_PHONE\_USE  
M1900\_PRIOR\_ADLIADL\_AMBLTN  
M1900\_PRIOR\_ADLIADL\_HSEHOLD  
M1900\_PRIOR\_ADLIADL\_SELF  
M1900\_PRIOR\_ADLIADL\_TRNSFR  
M2040\_PRIOR\_MGMT\_INJCTN\_MDCTN  
M2040\_PRIOR\_MGMT\_ORAL\_MDCTN  
M2102\_CARE\_TYPE\_SRC\_ADVCY  
M2102\_CARE\_TYPE\_SRC\_EQUIP  
M2102\_CARE\_TYPE\_SRC\_IADL  
M2110\_ADL\_IADL\_ASTNC\_FREQ  
M2250\_PLAN\_SMRY\_DBTS\_FT\_CARE  
M2250\_PLAN\_SMRY\_DPRSN\_INTRVTN  
M2250\_PLAN\_SMRY\_FALL\_PRVNT



## Data Submission Specifications for the OASIS Item Set (V2.30.1)

### Detailed Data Specifications Report

#### Section: Patient History and Diagnoses

M2250\_PLAN\_SMRY\_PAIN\_INTRVTN  
M2250\_PLAN\_SMRY\_PRSULC\_PRVNT  
M2250\_PLAN\_SMRY\_PRSULC\_TRTMT  
M2250\_PLAN\_SMRY\_PTNT\_SPECF  
M2310\_ECR\_CRDC\_DSRTHM  
M2310\_ECR\_CTHTR\_CMPLCTN  
M2310\_ECR\_DHYDRTN\_MALNTR  
M2310\_ECR\_DVT\_PULMNRY  
M2310\_ECR\_GI\_PRBLM  
M2310\_ECR\_HRT\_FAILR  
M2310\_ECR\_INJRY\_BY\_FALL  
M2310\_ECR\_MENTL\_BHVRL\_PRBLM  
M2310\_ECR\_MI\_CHST\_PAIN  
M2310\_ECR\_OTHR\_HRT\_DEASE  
M2310\_ECR\_RSPRTRY\_INFCTN  
M2310\_ECR\_RSPRTRY\_OTHR  
M2310\_ECR\_STROKE\_TIA  
M2310\_ECR\_UNCNTLD\_PAIN  
M2310\_ECR\_UTI  
M2310\_ECR\_WND\_INFCTN\_DTRORTN  
M2430\_HOSP\_CRDC\_DSRTHM  
M2430\_HOSP\_CTHTR\_CMPLCTN  
M2430\_HOSP\_DHYDRTN\_MALNTR  
M2430\_HOSP\_DVT\_PULMNRY  
M2430\_HOSP\_GI\_PRBLM  
M2430\_HOSP\_HRT\_FAILR  
M2430\_HOSP\_HYPOGLYC  
M2430\_HOSP\_INJRY\_BY\_FALL  
M2430\_HOSP\_MED  
M2430\_HOSP\_MENTL\_BHVRL\_PRBLM  
M2430\_HOSP\_MI\_CHST\_PAIN  
M2430\_HOSP\_OTHER  
M2430\_HOSP\_OTHR\_HRT\_DEASE  
M2430\_HOSP\_PAIN  
M2430\_HOSP\_RSPRTRY\_INFCTN  
M2430\_HOSP\_RSPRTRY\_OTHR  
M2430\_HOSP\_SCHLD\_TRTMT  
M2430\_HOSP\_STROKE\_TIA  
M2430\_HOSP\_UK  
M2430\_HOSP\_UR\_TRACT  
M2430\_HOSP\_WND\_INFCTN

# Data Submission Specifications for the OASIS Item Set (V2.30.1)

## Detailed Data Specifications Report

### Section: Patient History and Diagnoses

Item ID: M1030\_THH\_PAR\_NUTRITION

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Therapies received at home: parenteral nutrition	Asmt		Code	1	744-744

#### Item Subsets

Active: 01,03,04,05  
Inactive: 06,07,08,09,XX

#### Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3060	Format	Fatal	VALUES OF CODE AND CHECKLIST ITEMS Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3880	Consistency	Fatal	If M1030_THH_NONE_ABOVE=[0], then at least one active item from M1030_THH_IV_INFUSION through M1030_THH_ENT_NUTRITION must equal [1].
-3890	Consistency	Fatal	If M1030_THH_NONE_ABOVE=[1], then all active items from M1030_THH_IV_INFUSION through M1030_THH_ENT_NUTRITION must equal [0].

#### Changes for Version

Type	ID	Description
Format	-3060	[V2.30.0]-Added mappings to all items in new sections GG and J, as well as new item M1028_ACTV_DIAG_NOA. Removed mappings to the following deleted items: M1011_14_DAY_INP_NA M1017_CHGREG_ICD_NA M1018_PRIOR_CATH M1018_PRIOR_DISRUPTIVE M1018_PRIOR_IMPR_DECSN M1018_PRIOR_INTRACT_PAIN M1018_PRIOR_MEM_LOSS M1018_PRIOR_NOCHG_14D M1018_PRIOR_NONE M1018_PRIOR_UNKNOWN M1018_PRIOR_UR_INCON M1034_PTNT_OVRAL_STUS

## Data Submission Specifications for the OASIS Item Set (V2.30.1)

### Detailed Data Specifications Report

#### Section: Patient History and Diagnoses

M1036\_RSK\_ALCOHOLISM  
M1036\_RSK\_DRUGS  
M1036\_RSK\_NONE  
M1036\_RSK\_OBESITY  
M1036\_RSK\_SMOKING  
M1036\_RSK\_UNKNOWN  
M1210\_HEARG\_ABLTY  
M1220\_UNDRSTG\_VERBAL\_CNTNT  
M1230\_SPEECH  
M1240\_FRML\_PAIN\_ASMT  
M1300\_PRSR\_ULCR\_RISK\_ASMT  
M1302\_RISK\_OF\_PRSR\_ULCR  
M1320\_STUS\_PRBLM\_PRSR\_ULCR  
M1350\_LESION\_OPEN\_WND  
M1410\_RESPTX\_OXYGEN  
M1410\_RESPTX\_AIRPRESS  
M1410\_RESPTX\_NONE  
M1410\_RESPTX\_VENTILATOR  
M1501\_SYMTM\_HRT\_FAILR\_PTNTS  
M1511\_HRT\_FAILR\_CARE\_PLAN\_CHG  
M1511\_HRT\_FAILR\_CLNCL\_INTRVTN  
M1511\_HRT\_FAILR\_ER\_TRTMT  
M1511\_HRT\_FAILR\_NO\_ACTN  
M1511\_HRT\_FAILR\_PHYSN\_CNTCT  
M1511\_HRT\_FAILR\_PHYSN\_TRTMT  
M1615\_INCNTNT\_TIMING  
M1750\_REC\_PSYCH\_NURS  
M1880\_CRNT\_PREP\_LT\_MEALS  
M1890\_CRNT\_PHONE\_USE  
M1900\_PRIOR\_ADLIADL\_AMBLTN  
M1900\_PRIOR\_ADLIADL\_HSEHOLD  
M1900\_PRIOR\_ADLIADL\_SELF  
M1900\_PRIOR\_ADLIADL\_TRNSFR  
M2040\_PRIOR\_MGMT\_INJCTN\_MDCTN  
M2040\_PRIOR\_MGMT\_ORAL\_MDCTN  
M2102\_CARE\_TYPE\_SRC\_ADVCY  
M2102\_CARE\_TYPE\_SRC\_EQUIP  
M2102\_CARE\_TYPE\_SRC\_IADL  
M2110\_ADL\_IADL\_ASTNC\_FREQ  
M2250\_PLAN\_SMRY\_DBTS\_FT\_CARE  
M2250\_PLAN\_SMRY\_DPRSN\_INTRVTN  
M2250\_PLAN\_SMRY\_FALL\_PRVNT

## Data Submission Specifications for the OASIS Item Set (V2.30.1)

### Detailed Data Specifications Report

#### Section: Patient History and Diagnoses

M2250\_PLAN\_SMRY\_PAIN\_INTRVTN  
M2250\_PLAN\_SMRY\_PRSULC\_PRVNT  
M2250\_PLAN\_SMRY\_PRSULC\_TRTMT  
M2250\_PLAN\_SMRY\_PTNT\_SPECF  
M2310\_ECR\_CRDC\_DSRTHM  
M2310\_ECR\_CTHTR\_CMPLCTN  
M2310\_ECR\_DHYDRTN\_MALNTR  
M2310\_ECR\_DVT\_PULMNRY  
M2310\_ECR\_GI\_PRBLM  
M2310\_ECR\_HRT\_FAILR  
M2310\_ECR\_INJRY\_BY\_FALL  
M2310\_ECR\_MENTL\_BHVRL\_PRBLM  
M2310\_ECR\_MI\_CHST\_PAIN  
M2310\_ECR\_OTHR\_HRT\_DEASE  
M2310\_ECR\_RSPRTRY\_INFCTN  
M2310\_ECR\_RSPRTRY\_OTHR  
M2310\_ECR\_STROKE\_TIA  
M2310\_ECR\_UNCNTLD\_PAIN  
M2310\_ECR\_UTI  
M2310\_ECR\_WND\_INFCTN\_DTRORTN  
M2430\_HOSP\_CRDC\_DSRTHM  
M2430\_HOSP\_CTHTR\_CMPLCTN  
M2430\_HOSP\_DHYDRTN\_MALNTR  
M2430\_HOSP\_DVT\_PULMNRY  
M2430\_HOSP\_GI\_PRBLM  
M2430\_HOSP\_HRT\_FAILR  
M2430\_HOSP\_HYPOGLYC  
M2430\_HOSP\_INJRY\_BY\_FALL  
M2430\_HOSP\_MED  
M2430\_HOSP\_MENTL\_BHVRL\_PRBLM  
M2430\_HOSP\_MI\_CHST\_PAIN  
M2430\_HOSP\_OTHER  
M2430\_HOSP\_OTHR\_HRT\_DEASE  
M2430\_HOSP\_PAIN  
M2430\_HOSP\_RSPRTRY\_INFCTN  
M2430\_HOSP\_RSPRTRY\_OTHR  
M2430\_HOSP\_SCHLD\_TRTMT  
M2430\_HOSP\_STROKE\_TIA  
M2430\_HOSP\_UK  
M2430\_HOSP\_UR\_TRACT  
M2430\_HOSP\_WND\_INFCTN

# Data Submission Specifications for the OASIS Item Set (V2.30.1)

## Detailed Data Specifications Report Section: Patient History and Diagnoses

Item ID: M1030\_THH\_ENT\_NUTRITION

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Therapies received at home: enteral nutrition	Asmt		Code	1	745-745

### Item Subsets

Active:	01,03,04,05
Inactive:	06,07,08,09,XX

### Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)

### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3060	Format	Fatal	VALUES OF CODE AND CHECKLIST ITEMS Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3880	Consistency	Fatal	If M1030_THH_NONE_ABOVE=[0], then at least one active item from M1030_THH_IV_INFUSION through M1030_THH_ENT_NUTRITION must equal [1].
-3890	Consistency	Fatal	If M1030_THH_NONE_ABOVE=[1], then all active items from M1030_THH_IV_INFUSION through M1030_THH_ENT_NUTRITION must equal [0].

### Changes for Version

Type	ID	Description
Format	-3060	[V2.30.0]-Added mappings to all items in new sections GG and J, as well as new item M1028_ACTV_DIAG_NOA. Removed mappings to the following deleted items: M1011_14_DAY_INP_NA M1017_CHGREG_ICD_NA M1018_PRIOR_CATH M1018_PRIOR_DISRUPTIVE M1018_PRIOR_IMPR_DECSN M1018_PRIOR_INTRACT_PAIN M1018_PRIOR_MEM_LOSS M1018_PRIOR_NOCHG_14D M1018_PRIOR_NONE M1018_PRIOR_UNKNOWN M1018_PRIOR_UR_INCON M1034_PTNT_OVRAL_STUS

## Data Submission Specifications for the OASIS Item Set (V2.30.1)

### Detailed Data Specifications Report

#### Section: Patient History and Diagnoses

M1036\_RSK\_ALCOHOLISM  
M1036\_RSK\_DRUGS  
M1036\_RSK\_NONE  
M1036\_RSK\_OBESITY  
M1036\_RSK\_SMOKING  
M1036\_RSK\_UNKNOWN  
M1210\_HEARG\_ABLTY  
M1220\_UNDRSTG\_VERBAL\_CNTNT  
M1230\_SPEECH  
M1240\_FRML\_PAIN\_ASMT  
M1300\_PRSR\_ULCR\_RISK\_ASMT  
M1302\_RISK\_OF\_PRSR\_ULCR  
M1320\_STUS\_PRBLM\_PRSR\_ULCR  
M1350\_LESION\_OPEN\_WND  
M1410\_RESPTX\_OXYGEN  
M1410\_RESPTX\_AIRPRESS  
M1410\_RESPTX\_NONE  
M1410\_RESPTX\_VENTILATOR  
M1501\_SYMTM\_HRT\_FAILR\_PTNTS  
M1511\_HRT\_FAILR\_CARE\_PLAN\_CHG  
M1511\_HRT\_FAILR\_CLNCL\_INTRVTN  
M1511\_HRT\_FAILR\_ER\_TRTMT  
M1511\_HRT\_FAILR\_NO\_ACTN  
M1511\_HRT\_FAILR\_PHYSN\_CNTCT  
M1511\_HRT\_FAILR\_PHYSN\_TRTMT  
M1615\_INCNTNT\_TIMING  
M1750\_REC\_PSYCH\_NURS  
M1880\_CRNT\_PREP\_LT\_MEALS  
M1890\_CRNT\_PHONE\_USE  
M1900\_PRIOR\_ADLIADL\_AMBLTN  
M1900\_PRIOR\_ADLIADL\_HSEHOLD  
M1900\_PRIOR\_ADLIADL\_SELF  
M1900\_PRIOR\_ADLIADL\_TRNSFR  
M2040\_PRIOR\_MGMT\_INJCTN\_MDCTN  
M2040\_PRIOR\_MGMT\_ORAL\_MDCTN  
M2102\_CARE\_TYPE\_SRC\_ADVCY  
M2102\_CARE\_TYPE\_SRC\_EQUIP  
M2102\_CARE\_TYPE\_SRC\_IADL  
M2110\_ADL\_IADL\_ASTNC\_FREQ  
M2250\_PLAN\_SMRY\_DBTS\_FT\_CARE  
M2250\_PLAN\_SMRY\_DPRSN\_INTRVTN  
M2250\_PLAN\_SMRY\_FALL\_PRVNT

## Data Submission Specifications for the OASIS Item Set (V2.30.1)

### Detailed Data Specifications Report

#### Section: Patient History and Diagnoses

M2250\_PLAN\_SMRY\_PAIN\_INTRVTN  
M2250\_PLAN\_SMRY\_PRSULC\_PRVNT  
M2250\_PLAN\_SMRY\_PRSULC\_TRTMT  
M2250\_PLAN\_SMRY\_PTNT\_SPECF  
M2310\_ECR\_CRDC\_DSRTHM  
M2310\_ECR\_CTHTR\_CMPLCTN  
M2310\_ECR\_DHYDRTN\_MALNTR  
M2310\_ECR\_DVT\_PULMNRY  
M2310\_ECR\_GI\_PRBLM  
M2310\_ECR\_HRT\_FAILR  
M2310\_ECR\_INJRY\_BY\_FALL  
M2310\_ECR\_MENTL\_BHVRL\_PRBLM  
M2310\_ECR\_MI\_CHST\_PAIN  
M2310\_ECR\_OTHR\_HRT\_DEASE  
M2310\_ECR\_RSPRTRY\_INFCTN  
M2310\_ECR\_RSPRTRY\_OTHR  
M2310\_ECR\_STROKE\_TIA  
M2310\_ECR\_UNCNTLD\_PAIN  
M2310\_ECR\_UTI  
M2310\_ECR\_WND\_INFCTN\_DTRORTN  
M2430\_HOSP\_CRDC\_DSRTHM  
M2430\_HOSP\_CTHTR\_CMPLCTN  
M2430\_HOSP\_DHYDRTN\_MALNTR  
M2430\_HOSP\_DVT\_PULMNRY  
M2430\_HOSP\_GI\_PRBLM  
M2430\_HOSP\_HRT\_FAILR  
M2430\_HOSP\_HYPOGLYC  
M2430\_HOSP\_INJRY\_BY\_FALL  
M2430\_HOSP\_MED  
M2430\_HOSP\_MENTL\_BHVRL\_PRBLM  
M2430\_HOSP\_MI\_CHST\_PAIN  
M2430\_HOSP\_OTHER  
M2430\_HOSP\_OTHR\_HRT\_DEASE  
M2430\_HOSP\_PAIN  
M2430\_HOSP\_RSPRTRY\_INFCTN  
M2430\_HOSP\_RSPRTRY\_OTHR  
M2430\_HOSP\_SCHLD\_TRTMT  
M2430\_HOSP\_STROKE\_TIA  
M2430\_HOSP\_UK  
M2430\_HOSP\_UR\_TRACT  
M2430\_HOSP\_WND\_INFCTN

## Data Submission Specifications for the OASIS Item Set (V2.30.1)

### Detailed Data Specifications Report

#### Section: Patient History and Diagnoses

Item ID: M1030\_THH\_NONE\_ABOVE

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Therapies received at home: none of the above	Asmt		Code	1	746-746

#### Item Subsets

Active: 01,03,04,05  
Inactive: 06,07,08,09,XX

#### Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3060	Format	Fatal	VALUES OF CODE AND CHECKLIST ITEMS Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3880	Consistency	Fatal	If M1030_THH_NONE_ABOVE=[0], then at least one active item from M1030_THH_IV_INFUSION through M1030_THH_ENT_NUTRITION must equal [1].
-3890	Consistency	Fatal	If M1030_THH_NONE_ABOVE=[1], then all active items from M1030_THH_IV_INFUSION through M1030_THH_ENT_NUTRITION must equal [0].

#### Changes for Version

Type	ID	Description
Format	-3060	[V2.30.0]-Added mappings to all items in new sections GG and J, as well as new item M1028_ACTV_DIAG_NOA. Removed mappings to the following deleted items: M1011_14_DAY_INP_NA M1017_CHGREG_ICD_NA M1018_PRIOR_CATH M1018_PRIOR_DISRUPTIVE M1018_PRIOR_IMPR_DECSN M1018_PRIOR_INTRACT_PAIN M1018_PRIOR_MEM_LOSS M1018_PRIOR_NOCHG_14D M1018_PRIOR_NONE M1018_PRIOR_UNKNOWN M1018_PRIOR_UR_INCON M1034_PTNT_OVRAL_STUS



## Data Submission Specifications for the OASIS Item Set (V2.30.1)

### Detailed Data Specifications Report

#### Section: Patient History and Diagnoses

M1036\_RSK\_ALCOHOLISM  
M1036\_RSK\_DRUGS  
M1036\_RSK\_NONE  
M1036\_RSK\_OBESITY  
M1036\_RSK\_SMOKING  
M1036\_RSK\_UNKNOWN  
M1210\_HEARG\_ABLTY  
M1220\_UNDRSTG\_VERBAL\_CNTNT  
M1230\_SPEECH  
M1240\_FRML\_PAIN\_ASMT  
M1300\_PRSR\_ULCR\_RISK\_ASMT  
M1302\_RISK\_OF\_PRSR\_ULCR  
M1320\_STUS\_PRBLM\_PRSR\_ULCR  
M1350\_LESION\_OPEN\_WND  
M1410\_RESPTX\_OXYGEN  
M1410\_RESPTX\_AIRPRESS  
M1410\_RESPTX\_NONE  
M1410\_RESPTX\_VENTILATOR  
M1501\_SYMTM\_HRT\_FAILR\_PTNTS  
M1511\_HRT\_FAILR\_CARE\_PLAN\_CHG  
M1511\_HRT\_FAILR\_CLNCL\_INTRVTN  
M1511\_HRT\_FAILR\_ER\_TRTMT  
M1511\_HRT\_FAILR\_NO\_ACTN  
M1511\_HRT\_FAILR\_PHYSN\_CNTCT  
M1511\_HRT\_FAILR\_PHYSN\_TRTMT  
M1615\_INCNTNT\_TIMING  
M1750\_REC\_PSYCH\_NURS  
M1880\_CRNT\_PREP\_LT\_MEALS  
M1890\_CRNT\_PHONE\_USE  
M1900\_PRIOR\_ADLIADL\_AMBLTN  
M1900\_PRIOR\_ADLIADL\_HSEHOLD  
M1900\_PRIOR\_ADLIADL\_SELF  
M1900\_PRIOR\_ADLIADL\_TRNSFR  
M2040\_PRIOR\_MGMT\_INJCTN\_MDCTN  
M2040\_PRIOR\_MGMT\_ORAL\_MDCTN  
M2102\_CARE\_TYPE\_SRC\_ADVCY  
M2102\_CARE\_TYPE\_SRC\_EQUIP  
M2102\_CARE\_TYPE\_SRC\_IADL  
M2110\_ADL\_IADL\_ASTNC\_FREQ  
M2250\_PLAN\_SMRY\_DBTS\_FT\_CARE  
M2250\_PLAN\_SMRY\_DPRSN\_INTRVTN  
M2250\_PLAN\_SMRY\_FALL\_PRVNT

## Data Submission Specifications for the OASIS Item Set (V2.30.1)

### Detailed Data Specifications Report

#### Section: Patient History and Diagnoses

M2250\_PLAN\_SMRY\_PAIN\_INTRVTN  
M2250\_PLAN\_SMRY\_PRSULC\_PRVNT  
M2250\_PLAN\_SMRY\_PRSULC\_TRTMT  
M2250\_PLAN\_SMRY\_PTNT\_SPECF  
M2310\_ECR\_CRDC\_DSRTHM  
M2310\_ECR\_CTHTR\_CMPLCTN  
M2310\_ECR\_DHYDRTN\_MALNTR  
M2310\_ECR\_DVT\_PULMNRY  
M2310\_ECR\_GI\_PRBLM  
M2310\_ECR\_HRT\_FAILR  
M2310\_ECR\_INJRY\_BY\_FALL  
M2310\_ECR\_MENTL\_BHVRL\_PRBLM  
M2310\_ECR\_MI\_CHST\_PAIN  
M2310\_ECR\_OTHR\_HRT\_DEASE  
M2310\_ECR\_RSPRTRY\_INFCTN  
M2310\_ECR\_RSPRTRY\_OTHR  
M2310\_ECR\_STROKE\_TIA  
M2310\_ECR\_UNCNTLD\_PAIN  
M2310\_ECR\_UTI  
M2310\_ECR\_WND\_INFCTN\_DTRORTN  
M2430\_HOSP\_CRDC\_DSRTHM  
M2430\_HOSP\_CTHTR\_CMPLCTN  
M2430\_HOSP\_DHYDRTN\_MALNTR  
M2430\_HOSP\_DVT\_PULMNRY  
M2430\_HOSP\_GI\_PRBLM  
M2430\_HOSP\_HRT\_FAILR  
M2430\_HOSP\_HYPOGLYC  
M2430\_HOSP\_INJRY\_BY\_FALL  
M2430\_HOSP\_MED  
M2430\_HOSP\_MENTL\_BHVRL\_PRBLM  
M2430\_HOSP\_MI\_CHST\_PAIN  
M2430\_HOSP\_OTHER  
M2430\_HOSP\_OTHR\_HRT\_DEASE  
M2430\_HOSP\_PAIN  
M2430\_HOSP\_RSPRTRY\_INFCTN  
M2430\_HOSP\_RSPRTRY\_OTHR  
M2430\_HOSP\_SCHLD\_TRTMT  
M2430\_HOSP\_STROKE\_TIA  
M2430\_HOSP\_UK  
M2430\_HOSP\_UR\_TRACT  
M2430\_HOSP\_WND\_INFCTN

# Data Submission Specifications for the OASIS Item Set (V2.30.1)

## Detailed Data Specifications Report

### Section: Patient History and Diagnoses

Item ID: M1033\_HOSP\_RISK\_HSTRY\_FALLS

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Hosp risk: 2+ falls or injury fall in past year	Asmt		Code	1	1515-1515

#### Item Subsets

Active: 01,03  
Inactive: 04,05,06,07,08,09,XX

#### Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3060	Format	Fatal	VALUES OF CODE AND CHECKLIST ITEMS Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-5050	Consistency	Fatal	If M1033_HOSP_RISK_NONE_ABOVE is equal to [0], then at least one active item from M1033_HOSP_RISK_HSTRY_FALLS through M1033_HOSP_RISK_OTHR_RISK must equal [1].
-5060	Consistency	Fatal	If M1033_HOSP_RISK_NONE_ABOVE is equal to [1], then all active items from M1033_HOSP_RISK_HSTRY_FALLS through M1033_HOSP_RISK_OTHR_RISK must equal [0].

#### Changes for Version

Type	ID	Description
Format	-3060	[V2.30.0]-Added mappings to all items in new sections GG and J, as well as new item M1028_ACTV_DIAG_NOA. Removed mappings to the following deleted items: M1011_14_DAY_INP_NA M1017_CHGREG_ICD_NA M1018_PRIOR_CATH M1018_PRIOR_DISRUPTIVE M1018_PRIOR_IMPR_DECSN M1018_PRIOR_INTRACT_PAIN M1018_PRIOR_MEM_LOSS M1018_PRIOR_NOCHG_14D M1018_PRIOR_NONE M1018_PRIOR_UNKNOWN M1018_PRIOR_UR_INCON M1034_PTNT_OVRAL_STUS

## Data Submission Specifications for the OASIS Item Set (V2.30.1)

### Detailed Data Specifications Report

#### Section: Patient History and Diagnoses

M1036\_RSK\_ALCOHOLISM  
M1036\_RSK\_DRUGS  
M1036\_RSK\_NONE  
M1036\_RSK\_OBESITY  
M1036\_RSK\_SMOKING  
M1036\_RSK\_UNKNOWN  
M1210\_HEARG\_ABLTY  
M1220\_UNDRSTG\_VERBAL\_CNTNT  
M1230\_SPEECH  
M1240\_FRML\_PAIN\_ASMT  
M1300\_PRSR\_ULCR\_RISK\_ASMT  
M1302\_RISK\_OF\_PRSR\_ULCR  
M1320\_STUS\_PRBLM\_PRSR\_ULCR  
M1350\_LESION\_OPEN\_WND  
M1410\_RESPTX\_OXYGEN  
M1410\_RESPTX\_AIRPRESS  
M1410\_RESPTX\_NONE  
M1410\_RESPTX\_VENTILATOR  
M1501\_SYMTM\_HRT\_FAILR\_PTNTS  
M1511\_HRT\_FAILR\_CARE\_PLAN\_CHG  
M1511\_HRT\_FAILR\_CLNCL\_INTRVTN  
M1511\_HRT\_FAILR\_ER\_TRTMT  
M1511\_HRT\_FAILR\_NO\_ACTN  
M1511\_HRT\_FAILR\_PHYSN\_CNTCT  
M1511\_HRT\_FAILR\_PHYSN\_TRTMT  
M1615\_INCNTNT\_TIMING  
M1750\_REC\_PSYCH\_NURS  
M1880\_CRNT\_PREP\_LT\_MEALS  
M1890\_CRNT\_PHONE\_USE  
M1900\_PRIOR\_ADLIADL\_AMBLTN  
M1900\_PRIOR\_ADLIADL\_HSEHOLD  
M1900\_PRIOR\_ADLIADL\_SELF  
M1900\_PRIOR\_ADLIADL\_TRNSFR  
M2040\_PRIOR\_MGMT\_INJCTN\_MDCTN  
M2040\_PRIOR\_MGMT\_ORAL\_MDCTN  
M2102\_CARE\_TYPE\_SRC\_ADVCY  
M2102\_CARE\_TYPE\_SRC\_EQUIP  
M2102\_CARE\_TYPE\_SRC\_IADL  
M2110\_ADL\_IADL\_ASTNC\_FREQ  
M2250\_PLAN\_SMRY\_DBTS\_FT\_CARE  
M2250\_PLAN\_SMRY\_DPRSN\_INTRVTN  
M2250\_PLAN\_SMRY\_FALL\_PRVNT

## Data Submission Specifications for the OASIS Item Set (V2.30.1)

### Detailed Data Specifications Report

#### Section: Patient History and Diagnoses

M2250\_PLAN\_SMRY\_PAIN\_INTRVTN  
M2250\_PLAN\_SMRY\_PRSULC\_PRVNT  
M2250\_PLAN\_SMRY\_PRSULC\_TRTMT  
M2250\_PLAN\_SMRY\_PTNT\_SPECF  
M2310\_ECR\_CRDC\_DSRTHM  
M2310\_ECR\_CTHTR\_CMPLCTN  
M2310\_ECR\_DHYDRTN\_MALNTR  
M2310\_ECR\_DVT\_PULMNRY  
M2310\_ECR\_GI\_PRBLM  
M2310\_ECR\_HRT\_FAILR  
M2310\_ECR\_INJRY\_BY\_FALL  
M2310\_ECR\_MENTL\_BHVRL\_PRBLM  
M2310\_ECR\_MI\_CHST\_PAIN  
M2310\_ECR\_OTHR\_HRT\_DEASE  
M2310\_ECR\_RSPRTRY\_INFCTN  
M2310\_ECR\_RSPRTRY\_OTHR  
M2310\_ECR\_STROKE\_TIA  
M2310\_ECR\_UNCNTLD\_PAIN  
M2310\_ECR\_UTI  
M2310\_ECR\_WND\_INFCTN\_DTRORTN  
M2430\_HOSP\_CRDC\_DSRTHM  
M2430\_HOSP\_CTHTR\_CMPLCTN  
M2430\_HOSP\_DHYDRTN\_MALNTR  
M2430\_HOSP\_DVT\_PULMNRY  
M2430\_HOSP\_GI\_PRBLM  
M2430\_HOSP\_HRT\_FAILR  
M2430\_HOSP\_HYPOGLYC  
M2430\_HOSP\_INJRY\_BY\_FALL  
M2430\_HOSP\_MED  
M2430\_HOSP\_MENTL\_BHVRL\_PRBLM  
M2430\_HOSP\_MI\_CHST\_PAIN  
M2430\_HOSP\_OTHER  
M2430\_HOSP\_OTHR\_HRT\_DEASE  
M2430\_HOSP\_PAIN  
M2430\_HOSP\_RSPRTRY\_INFCTN  
M2430\_HOSP\_RSPRTRY\_OTHR  
M2430\_HOSP\_SCHLD\_TRTMT  
M2430\_HOSP\_STROKE\_TIA  
M2430\_HOSP\_UK  
M2430\_HOSP\_UR\_TRACT  
M2430\_HOSP\_WND\_INFCTN

## Data Submission Specifications for the OASIS Item Set (V2.30.1)

### Detailed Data Specifications Report

#### Section: Patient History and Diagnoses

Item ID: M1033\_HOSP\_RISK\_WEIGHT\_LOSS

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Hosp risk: unintentional weight loss	Asmt		Code	1	1516-1516

#### Item Subsets

Active: 01,03  
Inactive: 04,05,06,07,08,09,XX

#### Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3060	Format	Fatal	VALUES OF CODE AND CHECKLIST ITEMS Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-5050	Consistency	Fatal	If M1033_HOSP_RISK_NONE_ABOVE is equal to [0], then at least one active item from M1033_HOSP_RISK_HSTRY_FALLS through M1033_HOSP_RISK_OTHR_RISK must equal [1].
-5060	Consistency	Fatal	If M1033_HOSP_RISK_NONE_ABOVE is equal to [1], then all active items from M1033_HOSP_RISK_HSTRY_FALLS through M1033_HOSP_RISK_OTHR_RISK must equal [0].

#### Changes for Version

Type	ID	Description
Format	-3060	[V2.30.0]-Added mappings to all items in new sections GG and J, as well as new item M1028_ACTV_DIAG_NOA. Removed mappings to the following deleted items: M1011_14_DAY_INP_NA M1017_CHGREG_ICD_NA M1018_PRIOR_CATH M1018_PRIOR_DISRUPTIVE M1018_PRIOR_IMPR_DECSN M1018_PRIOR_INTRACT_PAIN M1018_PRIOR_MEM_LOSS M1018_PRIOR_NOCHG_14D M1018_PRIOR_NONE M1018_PRIOR_UNKNOWN M1018_PRIOR_UR_INCON M1034_PTNT_OVRAL_STUS

## Data Submission Specifications for the OASIS Item Set (V2.30.1)

### Detailed Data Specifications Report

#### Section: Patient History and Diagnoses

M1036\_RSK\_ALCOHOLISM  
M1036\_RSK\_DRUGS  
M1036\_RSK\_NONE  
M1036\_RSK\_OBESITY  
M1036\_RSK\_SMOKING  
M1036\_RSK\_UNKNOWN  
M1210\_HEARG\_ABLTY  
M1220\_UNDRSTG\_VERBAL\_CNTNT  
M1230\_SPEECH  
M1240\_FRML\_PAIN\_ASMT  
M1300\_PRSR\_ULCR\_RISK\_ASMT  
M1302\_RISK\_OF\_PRSR\_ULCR  
M1320\_STUS\_PRBLM\_PRSR\_ULCR  
M1350\_LESION\_OPEN\_WND  
M1410\_RESPTX\_OXYGEN  
M1410\_RESPTX\_AIRPRESS  
M1410\_RESPTX\_NONE  
M1410\_RESPTX\_VENTILATOR  
M1501\_SYMTM\_HRT\_FAILR\_PTNTS  
M1511\_HRT\_FAILR\_CARE\_PLAN\_CHG  
M1511\_HRT\_FAILR\_CLNCL\_INTRVTN  
M1511\_HRT\_FAILR\_ER\_TRTMT  
M1511\_HRT\_FAILR\_NO\_ACTN  
M1511\_HRT\_FAILR\_PHYSN\_CNTCT  
M1511\_HRT\_FAILR\_PHYSN\_TRTMT  
M1615\_INCNTNT\_TIMING  
M1750\_REC\_PSYCH\_NURS  
M1880\_CRNT\_PREP\_LT\_MEALS  
M1890\_CRNT\_PHONE\_USE  
M1900\_PRIOR\_ADLIADL\_AMBLTN  
M1900\_PRIOR\_ADLIADL\_HSEHOLD  
M1900\_PRIOR\_ADLIADL\_SELF  
M1900\_PRIOR\_ADLIADL\_TRNSFR  
M2040\_PRIOR\_MGMT\_INJCTN\_MDCTN  
M2040\_PRIOR\_MGMT\_ORAL\_MDCTN  
M2102\_CARE\_TYPE\_SRC\_ADVCY  
M2102\_CARE\_TYPE\_SRC\_EQUIP  
M2102\_CARE\_TYPE\_SRC\_IADL  
M2110\_ADL\_IADL\_ASTNC\_FREQ  
M2250\_PLAN\_SMRY\_DBTS\_FT\_CARE  
M2250\_PLAN\_SMRY\_DPRSN\_INTRVTN  
M2250\_PLAN\_SMRY\_FALL\_PRVNT

## Data Submission Specifications for the OASIS Item Set (V2.30.1)

### Detailed Data Specifications Report

#### Section: Patient History and Diagnoses

M2250\_PLAN\_SMRY\_PAIN\_INTRVTN  
M2250\_PLAN\_SMRY\_PRSULC\_PRVNT  
M2250\_PLAN\_SMRY\_PRSULC\_TRTMT  
M2250\_PLAN\_SMRY\_PTNT\_SPECF  
M2310\_ECR\_CRDC\_DSRTHM  
M2310\_ECR\_CTHTR\_CMPLCTN  
M2310\_ECR\_DHYDRTN\_MALNTR  
M2310\_ECR\_DVT\_PULMNRY  
M2310\_ECR\_GI\_PRBLM  
M2310\_ECR\_HRT\_FAILR  
M2310\_ECR\_INJRY\_BY\_FALL  
M2310\_ECR\_MENTL\_BHVRL\_PRBLM  
M2310\_ECR\_MI\_CHST\_PAIN  
M2310\_ECR\_OTHR\_HRT\_DEASE  
M2310\_ECR\_RSPRTRY\_INFCTN  
M2310\_ECR\_RSPRTRY\_OTHR  
M2310\_ECR\_STROKE\_TIA  
M2310\_ECR\_UNCNTLD\_PAIN  
M2310\_ECR\_UTI  
M2310\_ECR\_WND\_INFCTN\_DTRORTN  
M2430\_HOSP\_CRDC\_DSRTHM  
M2430\_HOSP\_CTHTR\_CMPLCTN  
M2430\_HOSP\_DHYDRTN\_MALNTR  
M2430\_HOSP\_DVT\_PULMNRY  
M2430\_HOSP\_GI\_PRBLM  
M2430\_HOSP\_HRT\_FAILR  
M2430\_HOSP\_HYPOGLYC  
M2430\_HOSP\_INJRY\_BY\_FALL  
M2430\_HOSP\_MED  
M2430\_HOSP\_MENTL\_BHVRL\_PRBLM  
M2430\_HOSP\_MI\_CHST\_PAIN  
M2430\_HOSP\_OTHER  
M2430\_HOSP\_OTHR\_HRT\_DEASE  
M2430\_HOSP\_PAIN  
M2430\_HOSP\_RSPRTRY\_INFCTN  
M2430\_HOSP\_RSPRTRY\_OTHR  
M2430\_HOSP\_SCHLD\_TRTMT  
M2430\_HOSP\_STROKE\_TIA  
M2430\_HOSP\_UK  
M2430\_HOSP\_UR\_TRACT  
M2430\_HOSP\_WND\_INFCTN



## Data Submission Specifications for the OASIS Item Set (V2.30.1)

### Detailed Data Specifications Report

#### Section: Patient History and Diagnoses

Item ID: M1033\_HOSP\_RISK\_MLTPL\_HOSPZTN

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Hosp risk: 2+ hospitalizations in past 6 months	Asmt		Code	1	1517-1517

#### Item Subsets

Active: 01,03  
Inactive: 04,05,06,07,08,09,XX

#### Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3060	Format	Fatal	VALUES OF CODE AND CHECKLIST ITEMS Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-5050	Consistency	Fatal	If M1033_HOSP_RISK_NONE_ABOVE is equal to [0], then at least one active item from M1033_HOSP_RISK_HSTRY_FALLS through M1033_HOSP_RISK_OTHR_RISK must equal [1].
-5060	Consistency	Fatal	If M1033_HOSP_RISK_NONE_ABOVE is equal to [1], then all active items from M1033_HOSP_RISK_HSTRY_FALLS through M1033_HOSP_RISK_OTHR_RISK must equal [0].

#### Changes for Version

Type	ID	Description
Format	-3060	[V2.30.0]-Added mappings to all items in new sections GG and J, as well as new item M1028_ACTV_DIAG_NOA. Removed mappings to the following deleted items: M1011_14_DAY_INP_NA M1017_CHGREG_ICD_NA M1018_PRIOR_CATH M1018_PRIOR_DISRUPTIVE M1018_PRIOR_IMPR_DECSN M1018_PRIOR_INTRACT_PAIN M1018_PRIOR_MEM_LOSS M1018_PRIOR_NOCHG_14D M1018_PRIOR_NONE M1018_PRIOR_UNKNOWN M1018_PRIOR_UR_INCON M1034_PTNT_OVRAL_STUS

## Data Submission Specifications for the OASIS Item Set (V2.30.1)

### Detailed Data Specifications Report

#### Section: Patient History and Diagnoses

M1036\_RSK\_ALCOHOLISM  
M1036\_RSK\_DRUGS  
M1036\_RSK\_NONE  
M1036\_RSK\_OBESITY  
M1036\_RSK\_SMOKING  
M1036\_RSK\_UNKNOWN  
M1210\_HEARG\_ABLTY  
M1220\_UNDRSTG\_VERBAL\_CNTNT  
M1230\_SPEECH  
M1240\_FRML\_PAIN\_ASMT  
M1300\_PRSR\_ULCR\_RISK\_ASMT  
M1302\_RISK\_OF\_PRSR\_ULCR  
M1320\_STUS\_PRBLM\_PRSR\_ULCR  
M1350\_LESION\_OPEN\_WND  
M1410\_RESPTX\_OXYGEN  
M1410\_RESPTX\_AIRPRESS  
M1410\_RESPTX\_NONE  
M1410\_RESPTX\_VENTILATOR  
M1501\_SYMTM\_HRT\_FAILR\_PTNTS  
M1511\_HRT\_FAILR\_CARE\_PLAN\_CHG  
M1511\_HRT\_FAILR\_CLNCL\_INTRVTN  
M1511\_HRT\_FAILR\_ER\_TRTMT  
M1511\_HRT\_FAILR\_NO\_ACTN  
M1511\_HRT\_FAILR\_PHYSN\_CNTCT  
M1511\_HRT\_FAILR\_PHYSN\_TRTMT  
M1615\_INCNTNT\_TIMING  
M1750\_REC\_PSYCH\_NURS  
M1880\_CRNT\_PREP\_LT\_MEALS  
M1890\_CRNT\_PHONE\_USE  
M1900\_PRIOR\_ADLIADL\_AMBLTN  
M1900\_PRIOR\_ADLIADL\_HSEHOLD  
M1900\_PRIOR\_ADLIADL\_SELF  
M1900\_PRIOR\_ADLIADL\_TRNSFR  
M2040\_PRIOR\_MGMT\_INJCTN\_MDCTN  
M2040\_PRIOR\_MGMT\_ORAL\_MDCTN  
M2102\_CARE\_TYPE\_SRC\_ADVCY  
M2102\_CARE\_TYPE\_SRC\_EQUIP  
M2102\_CARE\_TYPE\_SRC\_IADL  
M2110\_ADL\_IADL\_ASTNC\_FREQ  
M2250\_PLAN\_SMRY\_DBTS\_FT\_CARE  
M2250\_PLAN\_SMRY\_DPRSN\_INTRVTN  
M2250\_PLAN\_SMRY\_FALL\_PRVNT

## Data Submission Specifications for the OASIS Item Set (V2.30.1)

### Detailed Data Specifications Report

#### Section: Patient History and Diagnoses

M2250\_PLAN\_SMRY\_PAIN\_INTRVTN  
M2250\_PLAN\_SMRY\_PRSULC\_PRVNT  
M2250\_PLAN\_SMRY\_PRSULC\_TRTMT  
M2250\_PLAN\_SMRY\_PTNT\_SPECF  
M2310\_ECR\_CRDC\_DSRTHM  
M2310\_ECR\_CTHTR\_CMPLCTN  
M2310\_ECR\_DHYDRTN\_MALNTR  
M2310\_ECR\_DVT\_PULMNRY  
M2310\_ECR\_GI\_PRBLM  
M2310\_ECR\_HRT\_FAILR  
M2310\_ECR\_INJRY\_BY\_FALL  
M2310\_ECR\_MENTL\_BHVRL\_PRBLM  
M2310\_ECR\_MI\_CHST\_PAIN  
M2310\_ECR\_OTHR\_HRT\_DEASE  
M2310\_ECR\_RSPRTRY\_INFCTN  
M2310\_ECR\_RSPRTRY\_OTHR  
M2310\_ECR\_STROKE\_TIA  
M2310\_ECR\_UNCNTLD\_PAIN  
M2310\_ECR\_UTI  
M2310\_ECR\_WND\_INFCTN\_DTRORTN  
M2430\_HOSP\_CRDC\_DSRTHM  
M2430\_HOSP\_CTHTR\_CMPLCTN  
M2430\_HOSP\_DHYDRTN\_MALNTR  
M2430\_HOSP\_DVT\_PULMNRY  
M2430\_HOSP\_GI\_PRBLM  
M2430\_HOSP\_HRT\_FAILR  
M2430\_HOSP\_HYPOGLYC  
M2430\_HOSP\_INJRY\_BY\_FALL  
M2430\_HOSP\_MED  
M2430\_HOSP\_MENTL\_BHVRL\_PRBLM  
M2430\_HOSP\_MI\_CHST\_PAIN  
M2430\_HOSP\_OTHER  
M2430\_HOSP\_OTHR\_HRT\_DEASE  
M2430\_HOSP\_PAIN  
M2430\_HOSP\_RSPRTRY\_INFCTN  
M2430\_HOSP\_RSPRTRY\_OTHR  
M2430\_HOSP\_SCHLD\_TRTMT  
M2430\_HOSP\_STROKE\_TIA  
M2430\_HOSP\_UK  
M2430\_HOSP\_UR\_TRACT  
M2430\_HOSP\_WND\_INFCTN

## Data Submission Specifications for the OASIS Item Set (V2.30.1)

### Detailed Data Specifications Report

#### Section: Patient History and Diagnoses

Item ID: M1033\_HOSP\_RISK\_MLTPL\_ED\_VISIT

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Hosp risk: 2+ emergency dept visits in past 6 months	Asmt		Code	1	1518-1518

#### Item Subsets

Active: 01,03  
Inactive: 04,05,06,07,08,09,XX

#### Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3060	Format	Fatal	VALUES OF CODE AND CHECKLIST ITEMS Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-5050	Consistency	Fatal	If M1033_HOSP_RISK_NONE_ABOVE is equal to [0], then at least one active item from M1033_HOSP_RISK_HSTRY_FALLS through M1033_HOSP_RISK_OTHR_RISK must equal [1].
-5060	Consistency	Fatal	If M1033_HOSP_RISK_NONE_ABOVE is equal to [1], then all active items from M1033_HOSP_RISK_HSTRY_FALLS through M1033_HOSP_RISK_OTHR_RISK must equal [0].

#### Changes for Version

Type	ID	Description
Format	-3060	[V2.30.0]-Added mappings to all items in new sections GG and J, as well as new item M1028_ACTV_DIAG_NOA. Removed mappings to the following deleted items: M1011_14_DAY_INP_NA M1017_CHGREG_ICD_NA M1018_PRIOR_CATH M1018_PRIOR_DISRUPTIVE M1018_PRIOR_IMPR_DECSN M1018_PRIOR_INTRACT_PAIN M1018_PRIOR_MEM_LOSS M1018_PRIOR_NOCHG_14D M1018_PRIOR_NONE M1018_PRIOR_UNKNOWN M1018_PRIOR_UR_INCON M1034_PTNT_OVRAL_STUS

## Data Submission Specifications for the OASIS Item Set (V2.30.1)

### Detailed Data Specifications Report

#### Section: Patient History and Diagnoses

M1036\_RSK\_ALCOHOLISM  
M1036\_RSK\_DRUGS  
M1036\_RSK\_NONE  
M1036\_RSK\_OBESITY  
M1036\_RSK\_SMOKING  
M1036\_RSK\_UNKNOWN  
M1210\_HEARG\_ABLTY  
M1220\_UNDRSTG\_VERBAL\_CNTNT  
M1230\_SPEECH  
M1240\_FRML\_PAIN\_ASMT  
M1300\_PRSR\_ULCR\_RISK\_ASMT  
M1302\_RISK\_OF\_PRSR\_ULCR  
M1320\_STUS\_PRBLM\_PRSR\_ULCR  
M1350\_LESION\_OPEN\_WND  
M1410\_RESPTX\_OXYGEN  
M1410\_RESPTX\_AIRPRESS  
M1410\_RESPTX\_NONE  
M1410\_RESPTX\_VENTILATOR  
M1501\_SYMTM\_HRT\_FAILR\_PTNTS  
M1511\_HRT\_FAILR\_CARE\_PLAN\_CHG  
M1511\_HRT\_FAILR\_CLNCL\_INTRVTN  
M1511\_HRT\_FAILR\_ER\_TRTMT  
M1511\_HRT\_FAILR\_NO\_ACTN  
M1511\_HRT\_FAILR\_PHYSN\_CNTCT  
M1511\_HRT\_FAILR\_PHYSN\_TRTMT  
M1615\_INCNTNT\_TIMING  
M1750\_REC\_PSYCH\_NURS  
M1880\_CRNT\_PREP\_LT\_MEALS  
M1890\_CRNT\_PHONE\_USE  
M1900\_PRIOR\_ADLIADL\_AMBLTN  
M1900\_PRIOR\_ADLIADL\_HSEHOLD  
M1900\_PRIOR\_ADLIADL\_SELF  
M1900\_PRIOR\_ADLIADL\_TRNSFR  
M2040\_PRIOR\_MGMT\_INJCTN\_MDCTN  
M2040\_PRIOR\_MGMT\_ORAL\_MDCTN  
M2102\_CARE\_TYPE\_SRC\_ADVCY  
M2102\_CARE\_TYPE\_SRC\_EQUIP  
M2102\_CARE\_TYPE\_SRC\_IADL  
M2110\_ADL\_IADL\_ASTNC\_FREQ  
M2250\_PLAN\_SMRY\_DBTS\_FT\_CARE  
M2250\_PLAN\_SMRY\_DPRSN\_INTRVTN  
M2250\_PLAN\_SMRY\_FALL\_PRVNT

## Data Submission Specifications for the OASIS Item Set (V2.30.1)

### Detailed Data Specifications Report

#### Section: Patient History and Diagnoses

M2250\_PLAN\_SMRY\_PAIN\_INTRVTN  
M2250\_PLAN\_SMRY\_PRSULC\_PRVNT  
M2250\_PLAN\_SMRY\_PRSULC\_TRTMT  
M2250\_PLAN\_SMRY\_PTNT\_SPECF  
M2310\_ECR\_CRDC\_DSRTHM  
M2310\_ECR\_CTHTR\_CMPLCTN  
M2310\_ECR\_DHYDRTN\_MALNTR  
M2310\_ECR\_DVT\_PULMNRY  
M2310\_ECR\_GI\_PRBLM  
M2310\_ECR\_HRT\_FAILR  
M2310\_ECR\_INJRY\_BY\_FALL  
M2310\_ECR\_MENTL\_BHVRL\_PRBLM  
M2310\_ECR\_MI\_CHST\_PAIN  
M2310\_ECR\_OTHR\_HRT\_DEASE  
M2310\_ECR\_RSPRTRY\_INFCTN  
M2310\_ECR\_RSPRTRY\_OTHR  
M2310\_ECR\_STROKE\_TIA  
M2310\_ECR\_UNCNTLD\_PAIN  
M2310\_ECR\_UTI  
M2310\_ECR\_WND\_INFCTN\_DTRORTN  
M2430\_HOSP\_CRDC\_DSRTHM  
M2430\_HOSP\_CTHTR\_CMPLCTN  
M2430\_HOSP\_DHYDRTN\_MALNTR  
M2430\_HOSP\_DVT\_PULMNRY  
M2430\_HOSP\_GI\_PRBLM  
M2430\_HOSP\_HRT\_FAILR  
M2430\_HOSP\_HYPOGLYC  
M2430\_HOSP\_INJRY\_BY\_FALL  
M2430\_HOSP\_MED  
M2430\_HOSP\_MENTL\_BHVRL\_PRBLM  
M2430\_HOSP\_MI\_CHST\_PAIN  
M2430\_HOSP\_OTHER  
M2430\_HOSP\_OTHR\_HRT\_DEASE  
M2430\_HOSP\_PAIN  
M2430\_HOSP\_RSPRTRY\_INFCTN  
M2430\_HOSP\_RSPRTRY\_OTHR  
M2430\_HOSP\_SCHLD\_TRTMT  
M2430\_HOSP\_STROKE\_TIA  
M2430\_HOSP\_UK  
M2430\_HOSP\_UR\_TRACT  
M2430\_HOSP\_WND\_INFCTN

# Data Submission Specifications for the OASIS Item Set (V2.30.1)

## Detailed Data Specifications Report

### Section: Patient History and Diagnoses

Item ID: M1033\_HOSP\_RISK\_MNTL\_BHV\_DCLN

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Hosp risk: decline mental/emotional/behav status	Asmt		Code	1	1519-1519

#### Item Subsets

Active: 01,03  
Inactive: 04,05,06,07,08,09,XX

#### Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3060	Format	Fatal	VALUES OF CODE AND CHECKLIST ITEMS Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-5050	Consistency	Fatal	If M1033_HOSP_RISK_NONE_ABOVE is equal to [0], then at least one active item from M1033_HOSP_RISK_HSTRY_FALLS through M1033_HOSP_RISK_OTHR_RISK must equal [1].
-5060	Consistency	Fatal	If M1033_HOSP_RISK_NONE_ABOVE is equal to [1], then all active items from M1033_HOSP_RISK_HSTRY_FALLS through M1033_HOSP_RISK_OTHR_RISK must equal [0].

#### Changes for Version

Type	ID	Description
Format	-3060	[V2.30.0]-Added mappings to all items in new sections GG and J, as well as new item M1028_ACTV_DIAG_NOA. Removed mappings to the following deleted items: M1011_14_DAY_INP_NA M1017_CHGREG_ICD_NA M1018_PRIOR_CATH M1018_PRIOR_DISRUPTIVE M1018_PRIOR_IMPR_DECSN M1018_PRIOR_INTRACT_PAIN M1018_PRIOR_MEM_LOSS M1018_PRIOR_NOCHG_14D M1018_PRIOR_NONE M1018_PRIOR_UNKNOWN M1018_PRIOR_UR_INCON M1034_PTNT_OVRAL_STUS

## Data Submission Specifications for the OASIS Item Set (V2.30.1)

### Detailed Data Specifications Report

#### Section: Patient History and Diagnoses

M1036\_RSK\_ALCOHOLISM  
M1036\_RSK\_DRUGS  
M1036\_RSK\_NONE  
M1036\_RSK\_OBESITY  
M1036\_RSK\_SMOKING  
M1036\_RSK\_UNKNOWN  
M1210\_HEARG\_ABLTY  
M1220\_UNDRSTG\_VERBAL\_CNTNT  
M1230\_SPEECH  
M1240\_FRML\_PAIN\_ASMT  
M1300\_PRSR\_ULCR\_RISK\_ASMT  
M1302\_RISK\_OF\_PRSR\_ULCR  
M1320\_STUS\_PRBLM\_PRSR\_ULCR  
M1350\_LESION\_OPEN\_WND  
M1410\_RESPTX\_OXYGEN  
M1410\_RESPTX\_AIRPRESS  
M1410\_RESPTX\_NONE  
M1410\_RESPTX\_VENTILATOR  
M1501\_SYMTM\_HRT\_FAILR\_PTNTS  
M1511\_HRT\_FAILR\_CARE\_PLAN\_CHG  
M1511\_HRT\_FAILR\_CLNCL\_INTRVTN  
M1511\_HRT\_FAILR\_ER\_TRTMT  
M1511\_HRT\_FAILR\_NO\_ACTN  
M1511\_HRT\_FAILR\_PHYSN\_CNTCT  
M1511\_HRT\_FAILR\_PHYSN\_TRTMT  
M1615\_INCNTNT\_TIMING  
M1750\_REC\_PSYCH\_NURS  
M1880\_CRNT\_PREP\_LT\_MEALS  
M1890\_CRNT\_PHONE\_USE  
M1900\_PRIOR\_ADLIADL\_AMBLTN  
M1900\_PRIOR\_ADLIADL\_HSEHOLD  
M1900\_PRIOR\_ADLIADL\_SELF  
M1900\_PRIOR\_ADLIADL\_TRNSFR  
M2040\_PRIOR\_MGMT\_INJCTN\_MDCTN  
M2040\_PRIOR\_MGMT\_ORAL\_MDCTN  
M2102\_CARE\_TYPE\_SRC\_ADVCY  
M2102\_CARE\_TYPE\_SRC\_EQUIP  
M2102\_CARE\_TYPE\_SRC\_IADL  
M2110\_ADL\_IADL\_ASTNC\_FREQ  
M2250\_PLAN\_SMRY\_DBTS\_FT\_CARE  
M2250\_PLAN\_SMRY\_DPRSN\_INTRVTN  
M2250\_PLAN\_SMRY\_FALL\_PRVNT



## Data Submission Specifications for the OASIS Item Set (V2.30.1)

### Detailed Data Specifications Report

#### Section: Patient History and Diagnoses

M2250\_PLAN\_SMRY\_PAIN\_INTRVTN  
M2250\_PLAN\_SMRY\_PRSULC\_PRVNT  
M2250\_PLAN\_SMRY\_PRSULC\_TRTMT  
M2250\_PLAN\_SMRY\_PTNT\_SPECF  
M2310\_ECR\_CRDC\_DSRTHM  
M2310\_ECR\_CTHTR\_CMPLCTN  
M2310\_ECR\_DHYDRTN\_MALNTR  
M2310\_ECR\_DVT\_PULMNRY  
M2310\_ECR\_GI\_PRBLM  
M2310\_ECR\_HRT\_FAILR  
M2310\_ECR\_INJRY\_BY\_FALL  
M2310\_ECR\_MENTL\_BHVRL\_PRBLM  
M2310\_ECR\_MI\_CHST\_PAIN  
M2310\_ECR\_OTHR\_HRT\_DEASE  
M2310\_ECR\_RSPRTRY\_INFCTN  
M2310\_ECR\_RSPRTRY\_OTHR  
M2310\_ECR\_STROKE\_TIA  
M2310\_ECR\_UNCNTLD\_PAIN  
M2310\_ECR\_UTI  
M2310\_ECR\_WND\_INFCTN\_DTRORTN  
M2430\_HOSP\_CRDC\_DSRTHM  
M2430\_HOSP\_CTHTR\_CMPLCTN  
M2430\_HOSP\_DHYDRTN\_MALNTR  
M2430\_HOSP\_DVT\_PULMNRY  
M2430\_HOSP\_GI\_PRBLM  
M2430\_HOSP\_HRT\_FAILR  
M2430\_HOSP\_HYPOGLYC  
M2430\_HOSP\_INJRY\_BY\_FALL  
M2430\_HOSP\_MED  
M2430\_HOSP\_MENTL\_BHVRL\_PRBLM  
M2430\_HOSP\_MI\_CHST\_PAIN  
M2430\_HOSP\_OTHER  
M2430\_HOSP\_OTHR\_HRT\_DEASE  
M2430\_HOSP\_PAIN  
M2430\_HOSP\_RSPRTRY\_INFCTN  
M2430\_HOSP\_RSPRTRY\_OTHR  
M2430\_HOSP\_SCHLD\_TRTMT  
M2430\_HOSP\_STROKE\_TIA  
M2430\_HOSP\_UK  
M2430\_HOSP\_UR\_TRACT  
M2430\_HOSP\_WND\_INFCTN

## Data Submission Specifications for the OASIS Item Set (V2.30.1)

### Detailed Data Specifications Report Section: Patient History and Diagnoses

Item ID: M1033\_HOSP\_RISK\_COMPLIANCE

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Hosp risk: difficulty with medical instructions	Asmt		Code	1	1520-1520

#### Item Subsets

Active: 01,03  
Inactive: 04,05,06,07,08,09,XX

#### Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3060	Format	Fatal	VALUES OF CODE AND CHECKLIST ITEMS Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-5050	Consistency	Fatal	If M1033_HOSP_RISK_NONE_ABOVE is equal to [0], then at least one active item from M1033_HOSP_RISK_HSTRY_FALLS through M1033_HOSP_RISK_OTHR_RISK must equal [1].
-5060	Consistency	Fatal	If M1033_HOSP_RISK_NONE_ABOVE is equal to [1], then all active items from M1033_HOSP_RISK_HSTRY_FALLS through M1033_HOSP_RISK_OTHR_RISK must equal [0].

#### Changes for Version

Type	ID	Description
Format	-3060	[V2.30.0]-Added mappings to all items in new sections GG and J, as well as new item M1028_ACTV_DIAG_NOA. Removed mappings to the following deleted items: M1011_14_DAY_INP_NA M1017_CHGREG_ICD_NA M1018_PRIOR_CATH M1018_PRIOR_DISRUPTIVE M1018_PRIOR_IMPR_DECSN M1018_PRIOR_INTRACT_PAIN M1018_PRIOR_MEM_LOSS M1018_PRIOR_NOCHG_14D M1018_PRIOR_NONE M1018_PRIOR_UNKNOWN M1018_PRIOR_UR_INCON M1034_PTNT_OVRAL_STUS

## Data Submission Specifications for the OASIS Item Set (V2.30.1)

### Detailed Data Specifications Report

#### Section: Patient History and Diagnoses

M1036\_RSK\_ALCOHOLISM  
M1036\_RSK\_DRUGS  
M1036\_RSK\_NONE  
M1036\_RSK\_OBESITY  
M1036\_RSK\_SMOKING  
M1036\_RSK\_UNKNOWN  
M1210\_HEARG\_ABLTY  
M1220\_UNDRSTG\_VERBAL\_CNTNT  
M1230\_SPEECH  
M1240\_FRML\_PAIN\_ASMT  
M1300\_PRSR\_ULCR\_RISK\_ASMT  
M1302\_RISK\_OF\_PRSR\_ULCR  
M1320\_STUS\_PRBLM\_PRSR\_ULCR  
M1350\_LESION\_OPEN\_WND  
M1410\_RESPTX\_OXYGEN  
M1410\_RESPTX\_AIRPRESS  
M1410\_RESPTX\_NONE  
M1410\_RESPTX\_VENTILATOR  
M1501\_SYMTM\_HRT\_FAILR\_PTNTS  
M1511\_HRT\_FAILR\_CARE\_PLAN\_CHG  
M1511\_HRT\_FAILR\_CLNCL\_INTRVTN  
M1511\_HRT\_FAILR\_ER\_TRTMT  
M1511\_HRT\_FAILR\_NO\_ACTN  
M1511\_HRT\_FAILR\_PHYSN\_CNTCT  
M1511\_HRT\_FAILR\_PHYSN\_TRTMT  
M1615\_INCNTNT\_TIMING  
M1750\_REC\_PSYCH\_NURS  
M1880\_CRNT\_PREP\_LT\_MEALS  
M1890\_CRNT\_PHONE\_USE  
M1900\_PRIOR\_ADLIADL\_AMBLTN  
M1900\_PRIOR\_ADLIADL\_HSEHOLD  
M1900\_PRIOR\_ADLIADL\_SELF  
M1900\_PRIOR\_ADLIADL\_TRNSFR  
M2040\_PRIOR\_MGMT\_INJCTN\_MDCTN  
M2040\_PRIOR\_MGMT\_ORAL\_MDCTN  
M2102\_CARE\_TYPE\_SRC\_ADVCY  
M2102\_CARE\_TYPE\_SRC\_EQUIP  
M2102\_CARE\_TYPE\_SRC\_IADL  
M2110\_ADL\_IADL\_ASTNC\_FREQ  
M2250\_PLAN\_SMRY\_DBTS\_FT\_CARE  
M2250\_PLAN\_SMRY\_DPRSN\_INTRVTN  
M2250\_PLAN\_SMRY\_FALL\_PRVNT

## Data Submission Specifications for the OASIS Item Set (V2.30.1)

### Detailed Data Specifications Report

#### Section: Patient History and Diagnoses

M2250\_PLAN\_SMRY\_PAIN\_INTRVTN  
M2250\_PLAN\_SMRY\_PRSULC\_PRVNT  
M2250\_PLAN\_SMRY\_PRSULC\_TRTMT  
M2250\_PLAN\_SMRY\_PTNT\_SPECF  
M2310\_ECR\_CRDC\_DSRTHM  
M2310\_ECR\_CTHTR\_CMPLCTN  
M2310\_ECR\_DHYDRTN\_MALNTR  
M2310\_ECR\_DVT\_PULMNRY  
M2310\_ECR\_GI\_PRBLM  
M2310\_ECR\_HRT\_FAILR  
M2310\_ECR\_INJRY\_BY\_FALL  
M2310\_ECR\_MENTL\_BHVRL\_PRBLM  
M2310\_ECR\_MI\_CHST\_PAIN  
M2310\_ECR\_OTHR\_HRT\_DEASE  
M2310\_ECR\_RSPRTRY\_INFCTN  
M2310\_ECR\_RSPRTRY\_OTHR  
M2310\_ECR\_STROKE\_TIA  
M2310\_ECR\_UNCNTLD\_PAIN  
M2310\_ECR\_UTI  
M2310\_ECR\_WND\_INFCTN\_DTRORTN  
M2430\_HOSP\_CRDC\_DSRTHM  
M2430\_HOSP\_CTHTR\_CMPLCTN  
M2430\_HOSP\_DHYDRTN\_MALNTR  
M2430\_HOSP\_DVT\_PULMNRY  
M2430\_HOSP\_GI\_PRBLM  
M2430\_HOSP\_HRT\_FAILR  
M2430\_HOSP\_HYPOGLYC  
M2430\_HOSP\_INJRY\_BY\_FALL  
M2430\_HOSP\_MED  
M2430\_HOSP\_MENTL\_BHVRL\_PRBLM  
M2430\_HOSP\_MI\_CHST\_PAIN  
M2430\_HOSP\_OTHER  
M2430\_HOSP\_OTHR\_HRT\_DEASE  
M2430\_HOSP\_PAIN  
M2430\_HOSP\_RSPRTRY\_INFCTN  
M2430\_HOSP\_RSPRTRY\_OTHR  
M2430\_HOSP\_SCHLD\_TRTMT  
M2430\_HOSP\_STROKE\_TIA  
M2430\_HOSP\_UK  
M2430\_HOSP\_UR\_TRACT  
M2430\_HOSP\_WND\_INFCTN

# Data Submission Specifications for the OASIS Item Set (V2.30.1)

## Detailed Data Specifications Report

### Section: Patient History and Diagnoses

Item ID: M1033\_HOSP\_RISK\_5PLUS\_MDCTN

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Hosp risk: taking five or more medications	Asmt		Code	1	1521-1521

#### Item Subsets

Active: 01,03  
Inactive: 04,05,06,07,08,09,XX

#### Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3060	Format	Fatal	VALUES OF CODE AND CHECKLIST ITEMS Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-5050	Consistency	Fatal	If M1033_HOSP_RISK_NONE_ABOVE is equal to [0], then at least one active item from M1033_HOSP_RISK_HSTRY_FALLS through M1033_HOSP_RISK_OTHR_RISK must equal [1].
-5060	Consistency	Fatal	If M1033_HOSP_RISK_NONE_ABOVE is equal to [1], then all active items from M1033_HOSP_RISK_HSTRY_FALLS through M1033_HOSP_RISK_OTHR_RISK must equal [0].

#### Changes for Version

Type	ID	Description
Format	-3060	[V2.30.0]-Added mappings to all items in new sections GG and J, as well as new item M1028_ACTV_DIAG_NOA. Removed mappings to the following deleted items: M1011_14_DAY_INP_NA M1017_CHGREG_ICD_NA M1018_PRIOR_CATH M1018_PRIOR_DISRUPTIVE M1018_PRIOR_IMPR_DECSN M1018_PRIOR_INTRACT_PAIN M1018_PRIOR_MEM_LOSS M1018_PRIOR_NOCHG_14D M1018_PRIOR_NONE M1018_PRIOR_UNKNOWN M1018_PRIOR_UR_INCON M1034_PTNT_OVRAL_STUS

## Data Submission Specifications for the OASIS Item Set (V2.30.1)

### Detailed Data Specifications Report

#### Section: Patient History and Diagnoses

M1036\_RSK\_ALCOHOLISM  
M1036\_RSK\_DRUGS  
M1036\_RSK\_NONE  
M1036\_RSK\_OBESITY  
M1036\_RSK\_SMOKING  
M1036\_RSK\_UNKNOWN  
M1210\_HEARG\_ABLTY  
M1220\_UNDRSTG\_VERBAL\_CNTNT  
M1230\_SPEECH  
M1240\_FRML\_PAIN\_ASMT  
M1300\_PRSR\_ULCR\_RISK\_ASMT  
M1302\_RISK\_OF\_PRSR\_ULCR  
M1320\_STUS\_PRBLM\_PRSR\_ULCR  
M1350\_LESION\_OPEN\_WND  
M1410\_RESPTX\_OXYGEN  
M1410\_RESPTX\_AIRPRESS  
M1410\_RESPTX\_NONE  
M1410\_RESPTX\_VENTILATOR  
M1501\_SYMTM\_HRT\_FAILR\_PTNTS  
M1511\_HRT\_FAILR\_CARE\_PLAN\_CHG  
M1511\_HRT\_FAILR\_CLNCL\_INTRVTN  
M1511\_HRT\_FAILR\_ER\_TRTMT  
M1511\_HRT\_FAILR\_NO\_ACTN  
M1511\_HRT\_FAILR\_PHYSN\_CNTCT  
M1511\_HRT\_FAILR\_PHYSN\_TRTMT  
M1615\_INCNTNT\_TIMING  
M1750\_REC\_PSYCH\_NURS  
M1880\_CRNT\_PREP\_LT\_MEALS  
M1890\_CRNT\_PHONE\_USE  
M1900\_PRIOR\_ADLIADL\_AMBLTN  
M1900\_PRIOR\_ADLIADL\_HSEHOLD  
M1900\_PRIOR\_ADLIADL\_SELF  
M1900\_PRIOR\_ADLIADL\_TRNSFR  
M2040\_PRIOR\_MGMT\_INJCTN\_MDCTN  
M2040\_PRIOR\_MGMT\_ORAL\_MDCTN  
M2102\_CARE\_TYPE\_SRC\_ADVCY  
M2102\_CARE\_TYPE\_SRC\_EQUIP  
M2102\_CARE\_TYPE\_SRC\_IADL  
M2110\_ADL\_IADL\_ASTNC\_FREQ  
M2250\_PLAN\_SMRY\_DBTS\_FT\_CARE  
M2250\_PLAN\_SMRY\_DPRSN\_INTRVTN  
M2250\_PLAN\_SMRY\_FALL\_PRVNT

## Data Submission Specifications for the OASIS Item Set (V2.30.1)

### Detailed Data Specifications Report

#### Section: Patient History and Diagnoses

M2250\_PLAN\_SMRY\_PAIN\_INTRVTN  
M2250\_PLAN\_SMRY\_PRSULC\_PRVNT  
M2250\_PLAN\_SMRY\_PRSULC\_TRTMT  
M2250\_PLAN\_SMRY\_PTNT\_SPECF  
M2310\_ECR\_CRDC\_DSRTHM  
M2310\_ECR\_CTHTR\_CMPLCTN  
M2310\_ECR\_DHYDRTN\_MALNTR  
M2310\_ECR\_DVT\_PULMNRY  
M2310\_ECR\_GI\_PRBLM  
M2310\_ECR\_HRT\_FAILR  
M2310\_ECR\_INJRY\_BY\_FALL  
M2310\_ECR\_MENTL\_BHVRL\_PRBLM  
M2310\_ECR\_MI\_CHST\_PAIN  
M2310\_ECR\_OTHR\_HRT\_DEASE  
M2310\_ECR\_RSPRTRY\_INFCTN  
M2310\_ECR\_RSPRTRY\_OTHR  
M2310\_ECR\_STROKE\_TIA  
M2310\_ECR\_UNCNTLD\_PAIN  
M2310\_ECR\_UTI  
M2310\_ECR\_WND\_INFCTN\_DTRORTN  
M2430\_HOSP\_CRDC\_DSRTHM  
M2430\_HOSP\_CTHTR\_CMPLCTN  
M2430\_HOSP\_DHYDRTN\_MALNTR  
M2430\_HOSP\_DVT\_PULMNRY  
M2430\_HOSP\_GI\_PRBLM  
M2430\_HOSP\_HRT\_FAILR  
M2430\_HOSP\_HYPOGLYC  
M2430\_HOSP\_INJRY\_BY\_FALL  
M2430\_HOSP\_MED  
M2430\_HOSP\_MENTL\_BHVRL\_PRBLM  
M2430\_HOSP\_MI\_CHST\_PAIN  
M2430\_HOSP\_OTHER  
M2430\_HOSP\_OTHR\_HRT\_DEASE  
M2430\_HOSP\_PAIN  
M2430\_HOSP\_RSPRTRY\_INFCTN  
M2430\_HOSP\_RSPRTRY\_OTHR  
M2430\_HOSP\_SCHLD\_TRTMT  
M2430\_HOSP\_STROKE\_TIA  
M2430\_HOSP\_UK  
M2430\_HOSP\_UR\_TRACT  
M2430\_HOSP\_WND\_INFCTN

# Data Submission Specifications for the OASIS Item Set (V2.30.1)

## Detailed Data Specifications Report

### Section: Patient History and Diagnoses

Item ID: M1033\_HOSP\_RISK\_CRNT\_EXHSTN

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Hosp risk: current exhaustion	Asmt		Code	1	1522-1522

#### Item Subsets

Active: 01,03  
Inactive: 04,05,06,07,08,09,XX

#### Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3060	Format	Fatal	VALUES OF CODE AND CHECKLIST ITEMS Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-5050	Consistency	Fatal	If M1033_HOSP_RISK_NONE_ABOVE is equal to [0], then at least one active item from M1033_HOSP_RISK_HSTRY_FALLS through M1033_HOSP_RISK_OTHR_RISK must equal [1].
-5060	Consistency	Fatal	If M1033_HOSP_RISK_NONE_ABOVE is equal to [1], then all active items from M1033_HOSP_RISK_HSTRY_FALLS through M1033_HOSP_RISK_OTHR_RISK must equal [0].

#### Changes for Version

Type	ID	Description
Format	-3060	[V2.30.0]-Added mappings to all items in new sections GG and J, as well as new item M1028_ACTV_DIAG_NOA. Removed mappings to the following deleted items: M1011_14_DAY_INP_NA M1017_CHGREG_ICD_NA M1018_PRIOR_CATH M1018_PRIOR_DISRUPTIVE M1018_PRIOR_IMPR_DECSN M1018_PRIOR_INTRACT_PAIN M1018_PRIOR_MEM_LOSS M1018_PRIOR_NOCHG_14D M1018_PRIOR_NONE M1018_PRIOR_UNKNOWN M1018_PRIOR_UR_INCON M1034_PTNT_OVRAL_STUS



## Data Submission Specifications for the OASIS Item Set (V2.30.1)

### Detailed Data Specifications Report

#### Section: Patient History and Diagnoses

M1036\_RSK\_ALCOHOLISM  
M1036\_RSK\_DRUGS  
M1036\_RSK\_NONE  
M1036\_RSK\_OBESITY  
M1036\_RSK\_SMOKING  
M1036\_RSK\_UNKNOWN  
M1210\_HEARG\_ABLTY  
M1220\_UNDRSTG\_VERBAL\_CNTNT  
M1230\_SPEECH  
M1240\_FRML\_PAIN\_ASMT  
M1300\_PRSR\_ULCR\_RISK\_ASMT  
M1302\_RISK\_OF\_PRSR\_ULCR  
M1320\_STUS\_PRBLM\_PRSR\_ULCR  
M1350\_LESION\_OPEN\_WND  
M1410\_RESPTX\_OXYGEN  
M1410\_RESPTX\_AIRPRESS  
M1410\_RESPTX\_NONE  
M1410\_RESPTX\_VENTILATOR  
M1501\_SYMTM\_HRT\_FAILR\_PTNTS  
M1511\_HRT\_FAILR\_CARE\_PLAN\_CHG  
M1511\_HRT\_FAILR\_CLNCL\_INTRVTN  
M1511\_HRT\_FAILR\_ER\_TRTMT  
M1511\_HRT\_FAILR\_NO\_ACTN  
M1511\_HRT\_FAILR\_PHYSN\_CNTCT  
M1511\_HRT\_FAILR\_PHYSN\_TRTMT  
M1615\_INCNTNT\_TIMING  
M1750\_REC\_PSYCH\_NURS  
M1880\_CRNT\_PREP\_LT\_MEALS  
M1890\_CRNT\_PHONE\_USE  
M1900\_PRIOR\_ADLIADL\_AMBLTN  
M1900\_PRIOR\_ADLIADL\_HSEHOLD  
M1900\_PRIOR\_ADLIADL\_SELF  
M1900\_PRIOR\_ADLIADL\_TRNSFR  
M2040\_PRIOR\_MGMT\_INJCTN\_MDCTN  
M2040\_PRIOR\_MGMT\_ORAL\_MDCTN  
M2102\_CARE\_TYPE\_SRC\_ADVCY  
M2102\_CARE\_TYPE\_SRC\_EQUIP  
M2102\_CARE\_TYPE\_SRC\_IADL  
M2110\_ADL\_IADL\_ASTNC\_FREQ  
M2250\_PLAN\_SMRY\_DBTS\_FT\_CARE  
M2250\_PLAN\_SMRY\_DPRSN\_INTRVTN  
M2250\_PLAN\_SMRY\_FALL\_PRVNT

## Data Submission Specifications for the OASIS Item Set (V2.30.1)

### Detailed Data Specifications Report

#### Section: Patient History and Diagnoses

M2250\_PLAN\_SMRY\_PAIN\_INTRVTN  
M2250\_PLAN\_SMRY\_PRSULC\_PRVNT  
M2250\_PLAN\_SMRY\_PRSULC\_TRTMT  
M2250\_PLAN\_SMRY\_PTNT\_SPECF  
M2310\_ECR\_CRDC\_DSRTHM  
M2310\_ECR\_CTHTR\_CMPLCTN  
M2310\_ECR\_DHYDRTN\_MALNTR  
M2310\_ECR\_DVT\_PULMNRY  
M2310\_ECR\_GI\_PRBLM  
M2310\_ECR\_HRT\_FAILR  
M2310\_ECR\_INJRY\_BY\_FALL  
M2310\_ECR\_MENTL\_BHVRL\_PRBLM  
M2310\_ECR\_MI\_CHST\_PAIN  
M2310\_ECR\_OTHR\_HRT\_DEASE  
M2310\_ECR\_RSPRTRY\_INFCTN  
M2310\_ECR\_RSPRTRY\_OTHR  
M2310\_ECR\_STROKE\_TIA  
M2310\_ECR\_UNCNTLD\_PAIN  
M2310\_ECR\_UTI  
M2310\_ECR\_WND\_INFCTN\_DTRORTN  
M2430\_HOSP\_CRDC\_DSRTHM  
M2430\_HOSP\_CTHTR\_CMPLCTN  
M2430\_HOSP\_DHYDRTN\_MALNTR  
M2430\_HOSP\_DVT\_PULMNRY  
M2430\_HOSP\_GI\_PRBLM  
M2430\_HOSP\_HRT\_FAILR  
M2430\_HOSP\_HYPOGLYC  
M2430\_HOSP\_INJRY\_BY\_FALL  
M2430\_HOSP\_MED  
M2430\_HOSP\_MENTL\_BHVRL\_PRBLM  
M2430\_HOSP\_MI\_CHST\_PAIN  
M2430\_HOSP\_OTHER  
M2430\_HOSP\_OTHR\_HRT\_DEASE  
M2430\_HOSP\_PAIN  
M2430\_HOSP\_RSPRTRY\_INFCTN  
M2430\_HOSP\_RSPRTRY\_OTHR  
M2430\_HOSP\_SCHLD\_TRTMT  
M2430\_HOSP\_STROKE\_TIA  
M2430\_HOSP\_UK  
M2430\_HOSP\_UR\_TRACT  
M2430\_HOSP\_WND\_INFCTN

# Data Submission Specifications for the OASIS Item Set (V2.30.1)

## Detailed Data Specifications Report

### Section: Patient History and Diagnoses

Item ID: M1033\_HOSP\_RISK\_OTHR\_RISK

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Hosp risk: other risk(s) not listed	Asmt		Code	1	1523-1523

#### Item Subsets

Active: 01,03  
Inactive: 04,05,06,07,08,09,XX

#### Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3060	Format	Fatal	VALUES OF CODE AND CHECKLIST ITEMS Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-5050	Consistency	Fatal	If M1033_HOSP_RISK_NONE_ABOVE is equal to [0], then at least one active item from M1033_HOSP_RISK_HSTRY_FALLS through M1033_HOSP_RISK_OTHR_RISK must equal [1].
-5060	Consistency	Fatal	If M1033_HOSP_RISK_NONE_ABOVE is equal to [1], then all active items from M1033_HOSP_RISK_HSTRY_FALLS through M1033_HOSP_RISK_OTHR_RISK must equal [0].

#### Changes for Version

Type	ID	Description
Format	-3060	[V2.30.0]-Added mappings to all items in new sections GG and J, as well as new item M1028_ACTV_DIAG_NOA. Removed mappings to the following deleted items: M1011_14_DAY_INP_NA M1017_CHGREG_ICD_NA M1018_PRIOR_CATH M1018_PRIOR_DISRUPTIVE M1018_PRIOR_IMPR_DECSN M1018_PRIOR_INTRACT_PAIN M1018_PRIOR_MEM_LOSS M1018_PRIOR_NOCHG_14D M1018_PRIOR_NONE M1018_PRIOR_UNKNOWN M1018_PRIOR_UR_INCON M1034_PTNT_OVRAL_STUS

## Data Submission Specifications for the OASIS Item Set (V2.30.1)

### Detailed Data Specifications Report

#### Section: Patient History and Diagnoses

M1036\_RSK\_ALCOHOLISM  
M1036\_RSK\_DRUGS  
M1036\_RSK\_NONE  
M1036\_RSK\_OBESITY  
M1036\_RSK\_SMOKING  
M1036\_RSK\_UNKNOWN  
M1210\_HEARG\_ABLTY  
M1220\_UNDRSTG\_VERBAL\_CNTNT  
M1230\_SPEECH  
M1240\_FRML\_PAIN\_ASMT  
M1300\_PRSR\_ULCR\_RISK\_ASMT  
M1302\_RISK\_OF\_PRSR\_ULCR  
M1320\_STUS\_PRBLM\_PRSR\_ULCR  
M1350\_LESION\_OPEN\_WND  
M1410\_RESPTX\_OXYGEN  
M1410\_RESPTX\_AIRPRESS  
M1410\_RESPTX\_NONE  
M1410\_RESPTX\_VENTILATOR  
M1501\_SYMTM\_HRT\_FAILR\_PTNTS  
M1511\_HRT\_FAILR\_CARE\_PLAN\_CHG  
M1511\_HRT\_FAILR\_CLNCL\_INTRVTN  
M1511\_HRT\_FAILR\_ER\_TRTMT  
M1511\_HRT\_FAILR\_NO\_ACTN  
M1511\_HRT\_FAILR\_PHYSN\_CNTCT  
M1511\_HRT\_FAILR\_PHYSN\_TRTMT  
M1615\_INCNTNT\_TIMING  
M1750\_REC\_PSYCH\_NURS  
M1880\_CRNT\_PREP\_LT\_MEALS  
M1890\_CRNT\_PHONE\_USE  
M1900\_PRIOR\_ADLIADL\_AMBLTN  
M1900\_PRIOR\_ADLIADL\_HSEHOLD  
M1900\_PRIOR\_ADLIADL\_SELF  
M1900\_PRIOR\_ADLIADL\_TRNSFR  
M2040\_PRIOR\_MGMT\_INJCTN\_MDCTN  
M2040\_PRIOR\_MGMT\_ORAL\_MDCTN  
M2102\_CARE\_TYPE\_SRC\_ADVCY  
M2102\_CARE\_TYPE\_SRC\_EQUIP  
M2102\_CARE\_TYPE\_SRC\_IADL  
M2110\_ADL\_IADL\_ASTNC\_FREQ  
M2250\_PLAN\_SMRY\_DBTS\_FT\_CARE  
M2250\_PLAN\_SMRY\_DPRSN\_INTRVTN  
M2250\_PLAN\_SMRY\_FALL\_PRVNT

## Data Submission Specifications for the OASIS Item Set (V2.30.1)

### Detailed Data Specifications Report

#### Section: Patient History and Diagnoses

M2250\_PLAN\_SMRY\_PAIN\_INTRVTN  
M2250\_PLAN\_SMRY\_PRSULC\_PRVNT  
M2250\_PLAN\_SMRY\_PRSULC\_TRTMT  
M2250\_PLAN\_SMRY\_PTNT\_SPECF  
M2310\_ECR\_CRDC\_DSRTHM  
M2310\_ECR\_CTHTR\_CMPLCTN  
M2310\_ECR\_DHYDRTN\_MALNTR  
M2310\_ECR\_DVT\_PULMNRY  
M2310\_ECR\_GI\_PRBLM  
M2310\_ECR\_HRT\_FAILR  
M2310\_ECR\_INJRY\_BY\_FALL  
M2310\_ECR\_MENTL\_BHVRL\_PRBLM  
M2310\_ECR\_MI\_CHST\_PAIN  
M2310\_ECR\_OTHR\_HRT\_DEASE  
M2310\_ECR\_RSPRTRY\_INFCTN  
M2310\_ECR\_RSPRTRY\_OTHR  
M2310\_ECR\_STROKE\_TIA  
M2310\_ECR\_UNCNTLD\_PAIN  
M2310\_ECR\_UTI  
M2310\_ECR\_WND\_INFCTN\_DTRORTN  
M2430\_HOSP\_CRDC\_DSRTHM  
M2430\_HOSP\_CTHTR\_CMPLCTN  
M2430\_HOSP\_DHYDRTN\_MALNTR  
M2430\_HOSP\_DVT\_PULMNRY  
M2430\_HOSP\_GI\_PRBLM  
M2430\_HOSP\_HRT\_FAILR  
M2430\_HOSP\_HYPOGLYC  
M2430\_HOSP\_INJRY\_BY\_FALL  
M2430\_HOSP\_MED  
M2430\_HOSP\_MENTL\_BHVRL\_PRBLM  
M2430\_HOSP\_MI\_CHST\_PAIN  
M2430\_HOSP\_OTHER  
M2430\_HOSP\_OTHR\_HRT\_DEASE  
M2430\_HOSP\_PAIN  
M2430\_HOSP\_RSPRTRY\_INFCTN  
M2430\_HOSP\_RSPRTRY\_OTHR  
M2430\_HOSP\_SCHLD\_TRTMT  
M2430\_HOSP\_STROKE\_TIA  
M2430\_HOSP\_UK  
M2430\_HOSP\_UR\_TRACT  
M2430\_HOSP\_WND\_INFCTN

## Data Submission Specifications for the OASIS Item Set (V2.30.1)

### Detailed Data Specifications Report

#### Section: Patient History and Diagnoses

Item ID: M1033\_HOSP\_RISK\_NONE\_ABOVE

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Hosp risk: none of the above	Asmt		Code	1	1524-1524

#### Item Subsets

Active: 01,03  
Inactive: 04,05,06,07,08,09,XX

#### Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3060	Format	Fatal	VALUES OF CODE AND CHECKLIST ITEMS Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-5050	Consistency	Fatal	If M1033_HOSP_RISK_NONE_ABOVE is equal to [0], then at least one active item from M1033_HOSP_RISK_HSTRY_FALLS through M1033_HOSP_RISK_OTHR_RISK must equal [1].
-5060	Consistency	Fatal	If M1033_HOSP_RISK_NONE_ABOVE is equal to [1], then all active items from M1033_HOSP_RISK_HSTRY_FALLS through M1033_HOSP_RISK_OTHR_RISK must equal [0].

#### Changes for Version

Type	ID	Description
Format	-3060	[V2.30.0]-Added mappings to all items in new sections GG and J, as well as new item M1028_ACTV_DIAG_NOA. Removed mappings to the following deleted items: M1011_14_DAY_INP_NA M1017_CHGREG_ICD_NA M1018_PRIOR_CATH M1018_PRIOR_DISRUPTIVE M1018_PRIOR_IMPR_DECSN M1018_PRIOR_INTRACT_PAIN M1018_PRIOR_MEM_LOSS M1018_PRIOR_NOCHG_14D M1018_PRIOR_NONE M1018_PRIOR_UNKNOWN M1018_PRIOR_UR_INCON M1034_PTNT_OVRAL_STUS

## Data Submission Specifications for the OASIS Item Set (V2.30.1)

### Detailed Data Specifications Report

#### Section: Patient History and Diagnoses

M1036\_RSK\_ALCOHOLISM  
M1036\_RSK\_DRUGS  
M1036\_RSK\_NONE  
M1036\_RSK\_OBESITY  
M1036\_RSK\_SMOKING  
M1036\_RSK\_UNKNOWN  
M1210\_HEARG\_ABLTY  
M1220\_UNDRSTG\_VERBAL\_CNTNT  
M1230\_SPEECH  
M1240\_FRML\_PAIN\_ASMT  
M1300\_PRSR\_ULCR\_RISK\_ASMT  
M1302\_RISK\_OF\_PRSR\_ULCR  
M1320\_STUS\_PRBLM\_PRSR\_ULCR  
M1350\_LESION\_OPEN\_WND  
M1410\_RESPTX\_OXYGEN  
M1410\_RESPTX\_AIRPRESS  
M1410\_RESPTX\_NONE  
M1410\_RESPTX\_VENTILATOR  
M1501\_SYMTM\_HRT\_FAILR\_PTNTS  
M1511\_HRT\_FAILR\_CARE\_PLAN\_CHG  
M1511\_HRT\_FAILR\_CLNCL\_INTRVTN  
M1511\_HRT\_FAILR\_ER\_TRTMT  
M1511\_HRT\_FAILR\_NO\_ACTN  
M1511\_HRT\_FAILR\_PHYSN\_CNTCT  
M1511\_HRT\_FAILR\_PHYSN\_TRTMT  
M1615\_INCNTNT\_TIMING  
M1750\_REC\_PSYCH\_NURS  
M1880\_CRNT\_PREP\_LT\_MEALS  
M1890\_CRNT\_PHONE\_USE  
M1900\_PRIOR\_ADLIADL\_AMBLTN  
M1900\_PRIOR\_ADLIADL\_HSEHOLD  
M1900\_PRIOR\_ADLIADL\_SELF  
M1900\_PRIOR\_ADLIADL\_TRNSFR  
M2040\_PRIOR\_MGMT\_INJCTN\_MDCTN  
M2040\_PRIOR\_MGMT\_ORAL\_MDCTN  
M2102\_CARE\_TYPE\_SRC\_ADVCY  
M2102\_CARE\_TYPE\_SRC\_EQUIP  
M2102\_CARE\_TYPE\_SRC\_IADL  
M2110\_ADL\_IADL\_ASTNC\_FREQ  
M2250\_PLAN\_SMRY\_DBTS\_FT\_CARE  
M2250\_PLAN\_SMRY\_DPRSN\_INTRVTN  
M2250\_PLAN\_SMRY\_FALL\_PRVNT

## Data Submission Specifications for the OASIS Item Set (V2.30.1)

### Detailed Data Specifications Report

#### Section: Patient History and Diagnoses

M2250\_PLAN\_SMRY\_PAIN\_INTRVTN  
M2250\_PLAN\_SMRY\_PRSULC\_PRVNT  
M2250\_PLAN\_SMRY\_PRSULC\_TRTMT  
M2250\_PLAN\_SMRY\_PTNT\_SPECF  
M2310\_ECR\_CRDC\_DSRTHM  
M2310\_ECR\_CTHTR\_CMPLCTN  
M2310\_ECR\_DHYDRTN\_MALNTR  
M2310\_ECR\_DVT\_PULMNRY  
M2310\_ECR\_GI\_PRBLM  
M2310\_ECR\_HRT\_FAILR  
M2310\_ECR\_INJRY\_BY\_FALL  
M2310\_ECR\_MENTL\_BHVRL\_PRBLM  
M2310\_ECR\_MI\_CHST\_PAIN  
M2310\_ECR\_OTHR\_HRT\_DEASE  
M2310\_ECR\_RSPRTRY\_INFCTN  
M2310\_ECR\_RSPRTRY\_OTHR  
M2310\_ECR\_STROKE\_TIA  
M2310\_ECR\_UNCNTLD\_PAIN  
M2310\_ECR\_UTI  
M2310\_ECR\_WND\_INFCTN\_DTRORTN  
M2430\_HOSP\_CRDC\_DSRTHM  
M2430\_HOSP\_CTHTR\_CMPLCTN  
M2430\_HOSP\_DHYDRTN\_MALNTR  
M2430\_HOSP\_DVT\_PULMNRY  
M2430\_HOSP\_GI\_PRBLM  
M2430\_HOSP\_HRT\_FAILR  
M2430\_HOSP\_HYPOGLYC  
M2430\_HOSP\_INJRY\_BY\_FALL  
M2430\_HOSP\_MED  
M2430\_HOSP\_MENTL\_BHVRL\_PRBLM  
M2430\_HOSP\_MI\_CHST\_PAIN  
M2430\_HOSP\_OTHER  
M2430\_HOSP\_OTHR\_HRT\_DEASE  
M2430\_HOSP\_PAIN  
M2430\_HOSP\_RSPRTRY\_INFCTN  
M2430\_HOSP\_RSPRTRY\_OTHR  
M2430\_HOSP\_SCHLD\_TRTMT  
M2430\_HOSP\_STROKE\_TIA  
M2430\_HOSP\_UK  
M2430\_HOSP\_UR\_TRACT  
M2430\_HOSP\_WND\_INFCTN



# Data Submission Specifications for the OASIS Item Set (V2.30.1)

## Detailed Data Specifications Report

### Section: Patient History and Diagnoses

Item ID: M1041\_IN\_INFLNZ\_SEASON

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Does episode include Oct 1 thru Mar 31	Asmt		Code	1	1525-1525

#### Item Subsets

Active: 06,07,09  
Inactive: 01,03,04,05,08,XX

#### Item Values

Value	LOINC Code	Value Text
0		No
1		Yes

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3060	Format	Fatal	VALUES OF CODE AND CHECKLIST ITEMS Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-5070	Skip pattern	Fatal	If M1041_IN_INFLNZ_SEASON=[1], then if M1046_INFLNZ_REC'D_CRNT_SEASON is active it must not equal [^].
-5080	Skip pattern	Fatal	If M1041_IN_INFLNZ_SEASON=[0], then if M1046_INFLNZ_REC'D_CRNT_SEASON is active it must equal [^].

#### Changes for Version

Type	ID	Description
Format	-3060	[V2.30.0]-Added mappings to all items in new sections GG and J, as well as new item M1028_ACTV_DIAG_NOA. Removed mappings to the following deleted items: M1011_14_DAY_INP_NA M1017_CHGREG_ICD_NA M1018_PRIOR_CATH M1018_PRIOR_DISRUPTIVE M1018_PRIOR_IMPR_DECSN M1018_PRIOR_INTRACT_PAIN M1018_PRIOR_MEM_LOSS M1018_PRIOR_NOCHG_14D M1018_PRIOR_NONE M1018_PRIOR_UNKNOWN M1018_PRIOR_UR_INCON M1034_PTNT_OVRAL_STUS M1036_RSK_ALCOHOLISM M1036_RSK_DRUGS

## Data Submission Specifications for the OASIS Item Set (V2.30.1)

### Detailed Data Specifications Report

#### Section: Patient History and Diagnoses

M1036\_RSK\_NONE  
M1036\_RSK\_OBESITY  
M1036\_RSK\_SMOKING  
M1036\_RSK\_UNKNOWN  
M1210\_HEARG\_ABLTY  
M1220\_UNDRSTG\_VERBAL\_CNTNT  
M1230\_SPEECH  
M1240\_FRML\_PAIN\_ASMT  
M1300\_PRSR\_ULCR\_RISK\_ASMT  
M1302\_RISK\_OF\_PRSR\_ULCR  
M1320\_STUS\_PRBLM\_PRSR\_ULCR  
M1350\_LESION\_OPEN\_WND  
M1410\_RESPTX\_OXYGEN  
M1410\_RESPTX\_AIRPRESS  
M1410\_RESPTX\_NONE  
M1410\_RESPTX\_VENTILATOR  
M1501\_SYMTM\_HRT\_FAILR\_PTNTS  
M1511\_HRT\_FAILR\_CARE\_PLAN\_CHG  
M1511\_HRT\_FAILR\_CLNCL\_INTRVTN  
M1511\_HRT\_FAILR\_ER\_TRTMT  
M1511\_HRT\_FAILR\_NO\_ACTN  
M1511\_HRT\_FAILR\_PHYSN\_CNTCT  
M1511\_HRT\_FAILR\_PHYSN\_TRTMT  
M1615\_INCNTNT\_TIMING  
M1750\_REC\_PSYCH\_NURS  
M1880\_CRNT\_PREP\_LT\_MEALS  
M1890\_CRNT\_PHONE\_USE  
M1900\_PRIOR\_ADLIADL\_AMBLTN  
M1900\_PRIOR\_ADLIADL\_HSEHOLD  
M1900\_PRIOR\_ADLIADL\_SELF  
M1900\_PRIOR\_ADLIADL\_TRNSFR  
M2040\_PRIOR\_MGMT\_INJCTN\_MDCTN  
M2040\_PRIOR\_MGMT\_ORAL\_MDCTN  
M2102\_CARE\_TYPE\_SRC\_ADVCY  
M2102\_CARE\_TYPE\_SRC\_EQUIP  
M2102\_CARE\_TYPE\_SRC\_IADL  
M2110\_ADL\_IADL\_ASTNC\_FREQ  
M2250\_PLAN\_SMRY\_DBTS\_FT\_CARE  
M2250\_PLAN\_SMRY\_DPRSN\_INTRVTN  
M2250\_PLAN\_SMRY\_FALL\_PRVNT  
M2250\_PLAN\_SMRY\_PAIN\_INTRVTN  
M2250\_PLAN\_SMRY\_PRSULC\_PRVNT

## Data Submission Specifications for the OASIS Item Set (V2.30.1)

### Detailed Data Specifications Report

#### Section: Patient History and Diagnoses

M2250\_PLAN\_SMRY\_PRSULC\_TRTMT  
M2250\_PLAN\_SMRY\_PTNT\_SPECIF  
M2310\_ECR\_CRDC\_DSRTHM  
M2310\_ECR\_CTHTR\_CMPLCTN  
M2310\_ECR\_DHYDRTN\_MALNTR  
M2310\_ECR\_DVT\_PULMNRY  
M2310\_ECR\_GI\_PRBLM  
M2310\_ECR\_HRT\_FAILR  
M2310\_ECR\_INJRY\_BY\_FALL  
M2310\_ECR\_MENTL\_BHVRL\_PRBLM  
M2310\_ECR\_MI\_CHST\_PAIN  
M2310\_ECR\_OTHR\_HRT\_DEASE  
M2310\_ECR\_RSPRTRY\_INFCTN  
M2310\_ECR\_RSPRTRY\_OTHR  
M2310\_ECR\_STROKE\_TIA  
M2310\_ECR\_UNCNTLD\_PAIN  
M2310\_ECR\_UTI  
M2310\_ECR\_WND\_INFCTN\_DTRORTN  
M2430\_HOSP\_CRDC\_DSRTHM  
M2430\_HOSP\_CTHTR\_CMPLCTN  
M2430\_HOSP\_DHYDRTN\_MALNTR  
M2430\_HOSP\_DVT\_PULMNRY  
M2430\_HOSP\_GI\_PRBLM  
M2430\_HOSP\_HRT\_FAILR  
M2430\_HOSP\_HYPOGLYC  
M2430\_HOSP\_INJRY\_BY\_FALL  
M2430\_HOSP\_MED  
M2430\_HOSP\_MENTL\_BHVRL\_PRBLM  
M2430\_HOSP\_MI\_CHST\_PAIN  
M2430\_HOSP\_OTHER  
M2430\_HOSP\_OTHR\_HRT\_DEASE  
M2430\_HOSP\_PAIN  
M2430\_HOSP\_RSPRTRY\_INFCTN  
M2430\_HOSP\_RSPRTRY\_OTHR  
M2430\_HOSP\_SCHLD\_TRTMT  
M2430\_HOSP\_STROKE\_TIA  
M2430\_HOSP\_UK  
M2430\_HOSP\_UR\_TRACT  
M2430\_HOSP\_WND\_INFCTN

# Data Submission Specifications for the OASIS Item Set (V2.30.1)

## Detailed Data Specifications Report

### Section: Patient History and Diagnoses

Item ID: M1046\_INFLNZ\_RECD\_CRNT\_SEASON

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Did patient receive influenza vaccine	Asmt		Code	2	1526-1527

#### Item Subsets

Active:	06,07,09
Inactive:	01,03,04,05,08,XX

#### Item Values

Value	LOINC Code	Value Text
01		Yes; received from your agency during this episode of care (SOC/ROC to Transfer/Discharge)
02		Yes; received from your agency during a prior episode of care (SOC/ROC to Transfer/Discharge)
03		Yes; received from another health care provider (for example, physician, pharmacist)
04		No; patient offered and declined
05		No; patient assessed and determined to have medical contraindication(s)
06		No; not indicated - patient does not meet age/condition guidelines for influenza vaccine
07		No; inability to obtain vaccine due to declared shortage
08		No; patient did not receive the vaccine due to reasons other than those listed in responses 4 - 7
^		Blank (skip pattern)

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3060	Format	Fatal	VALUES OF CODE AND CHECKLIST ITEMS Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-5070	Skip pattern	Fatal	If M1041_IN_INFLNZ_SEASON=[1], then if M1046_INFLNZ_RECD_CRNT_SEASON is active it must not equal [^].
-5080	Skip pattern	Fatal	If M1041_IN_INFLNZ_SEASON=[0], then if M1046_INFLNZ_RECD_CRNT_SEASON is active it must equal [^].

#### Changes for Version

Type	ID	Description
Format	-3060	[V2.30.0]-Added mappings to all items in new sections GG and J, as well as new item M1028_ACTV_DIAG_NOA. Removed mappings to the following deleted items: M1011_14_DAY_INP_NA M1017_CHGREG_ICD_NA M1018_PRIOR_CATH M1018_PRIOR_DISRUPTIVE M1018_PRIOR_IMPR_DECSN M1018_PRIOR_INTRACT_PAIN M1018_PRIOR_MEM_LOSS

## Data Submission Specifications for the OASIS Item Set (V2.30.1)

### Detailed Data Specifications Report

#### Section: Patient History and Diagnoses

M1018\_PRIOR\_NOCHG\_14D  
M1018\_PRIOR\_NONE  
M1018\_PRIOR\_UNKNOWN  
M1018\_PRIOR\_UR\_INCON  
M1034\_PTNT\_OVRAL\_STUS  
M1036\_RSK\_ALCOHOLISM  
M1036\_RSK\_DRUGS  
M1036\_RSK\_NONE  
M1036\_RSK\_OBESITY  
M1036\_RSK\_SMOKING  
M1036\_RSK\_UNKNOWN  
M1210\_HEARG\_ABLTY  
M1220\_UNDRSTG\_VERBAL\_CNTNT  
M1230\_SPEECH  
M1240\_FRML\_PAIN\_ASMT  
M1300\_PRSR\_ULCR\_RISK\_ASMT  
M1302\_RISK\_OF\_PRSR\_ULCR  
M1320\_STUS\_PRBLM\_PRSR\_ULCR  
M1350\_LESION\_OPEN\_WND  
M1410\_RESPTX\_OXYGEN  
M1410\_RESPTX\_AIRPRESS  
M1410\_RESPTX\_NONE  
M1410\_RESPTX\_VENTILATOR  
M1501\_SYMTM\_HRT\_FAILR\_PTNTS  
M1511\_HRT\_FAILR\_CARE\_PLAN\_CHG  
M1511\_HRT\_FAILR\_CLNCL\_INTRVTN  
M1511\_HRT\_FAILR\_ER\_TRTMT  
M1511\_HRT\_FAILR\_NO\_ACTN  
M1511\_HRT\_FAILR\_PHYSN\_CNTCT  
M1511\_HRT\_FAILR\_PHYSN\_TRTMT  
M1615\_INCNTNT\_TIMING  
M1750\_REC\_PSYCH\_NURS  
M1880\_CRNT\_PREP\_LT\_MEALS  
M1890\_CRNT\_PHONE\_USE  
M1900\_PRIOR\_ADLIADL\_AMBLTN  
M1900\_PRIOR\_ADLIADL\_HSEHOLD  
M1900\_PRIOR\_ADLIADL\_SELF  
M1900\_PRIOR\_ADLIADL\_TRNSFR  
M2040\_PRIOR\_MGMT\_INJCTN\_MDCTN  
M2040\_PRIOR\_MGMT\_ORAL\_MDCTN  
M2102\_CARE\_TYPE\_SRC\_ADVCY  
M2102\_CARE\_TYPE\_SRC\_EQUIP

## Data Submission Specifications for the OASIS Item Set (V2.30.1)

### Detailed Data Specifications Report

#### Section: Patient History and Diagnoses

M2102\_CARE\_TYPE\_SRC\_IADL  
M2110\_ADL\_IADL\_ASTNC\_FREQ  
M2250\_PLAN\_SMRY\_DBTS\_FT\_CARE  
M2250\_PLAN\_SMRY\_DPRSN\_INTRVTN  
M2250\_PLAN\_SMRY\_FALL\_PRVNT  
M2250\_PLAN\_SMRY\_PAIN\_INTRVTN  
M2250\_PLAN\_SMRY\_PRSULC\_PRVNT  
M2250\_PLAN\_SMRY\_PRSULC\_TRTMT  
M2250\_PLAN\_SMRY\_PTNT\_SPECF  
M2310\_ECR\_CRDC\_DSRTHM  
M2310\_ECR\_CTHTR\_CMPLCTN  
M2310\_ECR\_DHYDRTN\_MALNTR  
M2310\_ECR\_DVT\_PULMNRY  
M2310\_ECR\_GI\_PRBLM  
M2310\_ECR\_HRT\_FAILR  
M2310\_ECR\_INJRY\_BY\_FALL  
M2310\_ECR\_MENTL\_BHVRL\_PRBLM  
M2310\_ECR\_MI\_CHST\_PAIN  
M2310\_ECR\_OTHR\_HRT\_DEASE  
M2310\_ECR\_RSPRTRY\_INFCTN  
M2310\_ECR\_RSPRTRY\_OTHR  
M2310\_ECR\_STROKE\_TIA  
M2310\_ECR\_UNCNTLD\_PAIN  
M2310\_ECR\_UTI  
M2310\_ECR\_WND\_INFCTN\_DTRORTN  
M2430\_HOSP\_CRDC\_DSRTHM  
M2430\_HOSP\_CTHTR\_CMPLCTN  
M2430\_HOSP\_DHYDRTN\_MALNTR  
M2430\_HOSP\_DVT\_PULMNRY  
M2430\_HOSP\_GI\_PRBLM  
M2430\_HOSP\_HRT\_FAILR  
M2430\_HOSP\_HYPOGLYC  
M2430\_HOSP\_INJRY\_BY\_FALL  
M2430\_HOSP\_MED  
M2430\_HOSP\_MENTL\_BHVRL\_PRBLM  
M2430\_HOSP\_MI\_CHST\_PAIN  
M2430\_HOSP\_OTHER  
M2430\_HOSP\_OTHR\_HRT\_DEASE  
M2430\_HOSP\_PAIN  
M2430\_HOSP\_RSPRTRY\_INFCTN  
M2430\_HOSP\_RSPRTRY\_OTHR  
M2430\_HOSP\_SCHLD\_TRTMT

# **Data Submission Specifications for the OASIS Item Set (V2.30.1)**

## **Detailed Data Specifications Report**

### **Section: Patient History and Diagnoses**

M2430\_HOSP\_STROKE\_TIA

M2430\_HOSP\_UK

M2430\_HOSP\_UR\_TRACT

M2430\_HOSP\_WND\_INFCTN

# Data Submission Specifications for the OASIS Item Set (V2.30.1)

## Detailed Data Specifications Report

### Section: Patient History and Diagnoses

Item ID: M1051\_PVX\_RCVD\_AGENCY

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Was pneumococcal vaccine received	Asmt		Code	1	1528-1528

#### Item Subsets

Active: 06,07,09  
Inactive: 01,03,04,05,08,XX

#### Item Values

Value	LOINC Code	Value Text
0		No
1		Yes

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3060	Format	Fatal	VALUES OF CODE AND CHECKLIST ITEMS Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-5090	Skip pattern	Fatal	If M1051_PVX_RCVD_AGENCY=[0], then if M1056_PVX_RSN_NOT_RCVD_AGENCY is active it must not equal [^].
-5100	Skip pattern	Fatal	If M1051_PVX_RCVD_AGENCY=[1], then if M1056_PVX_RSN_NOT_RCVD_AGENCY is active it must equal [^].

#### Changes for Version

Type	ID	Description
Format	-3060	[V2.30.0]-Added mappings to all items in new sections GG and J, as well as new item M1028_ACTV_DIAG_NOA. Removed mappings to the following deleted items: M1011_14_DAY_INP_NA M1017_CHGREG_ICD_NA M1018_PRIOR_CATH M1018_PRIOR_DISRUPTIVE M1018_PRIOR_IMPR_DECSN M1018_PRIOR_INTRACT_PAIN M1018_PRIOR_MEM_LOSS M1018_PRIOR_NOCHG_14D M1018_PRIOR_NONE M1018_PRIOR_UNKNOWN M1018_PRIOR_UR_INCON M1034_PTNT_OVRAL_STUS M1036_RSK_ALCOHOLISM M1036_RSK_DRUGS



## Data Submission Specifications for the OASIS Item Set (V2.30.1)

### Detailed Data Specifications Report

#### Section: Patient History and Diagnoses

M1036\_RSK\_NONE  
M1036\_RSK\_OBESITY  
M1036\_RSK\_SMOKING  
M1036\_RSK\_UNKNOWN  
M1210\_HEARG\_ABLTY  
M1220\_UNDRSTG\_VERBAL\_CNTNT  
M1230\_SPEECH  
M1240\_FRML\_PAIN\_ASMT  
M1300\_PRSR\_ULCR\_RISK\_ASMT  
M1302\_RISK\_OF\_PRSR\_ULCR  
M1320\_STUS\_PRBLM\_PRSR\_ULCR  
M1350\_LESION\_OPEN\_WND  
M1410\_RESPTX\_OXYGEN  
M1410\_RESPTX\_AIRPRESS  
M1410\_RESPTX\_NONE  
M1410\_RESPTX\_VENTILATOR  
M1501\_SYMTM\_HRT\_FAILR\_PTNTS  
M1511\_HRT\_FAILR\_CARE\_PLAN\_CHG  
M1511\_HRT\_FAILR\_CLNCL\_INTRVTN  
M1511\_HRT\_FAILR\_ER\_TRTMT  
M1511\_HRT\_FAILR\_NO\_ACTN  
M1511\_HRT\_FAILR\_PHYSN\_CNTCT  
M1511\_HRT\_FAILR\_PHYSN\_TRTMT  
M1615\_INCNTNT\_TIMING  
M1750\_REC\_PSYCH\_NURS  
M1880\_CRNT\_PREP\_LT\_MEALS  
M1890\_CRNT\_PHONE\_USE  
M1900\_PRIOR\_ADLIADL\_AMBLTN  
M1900\_PRIOR\_ADLIADL\_HSEHOLD  
M1900\_PRIOR\_ADLIADL\_SELF  
M1900\_PRIOR\_ADLIADL\_TRNSFR  
M2040\_PRIOR\_MGMT\_INJCTN\_MDCTN  
M2040\_PRIOR\_MGMT\_ORAL\_MDCTN  
M2102\_CARE\_TYPE\_SRC\_ADVCY  
M2102\_CARE\_TYPE\_SRC\_EQUIP  
M2102\_CARE\_TYPE\_SRC\_IADL  
M2110\_ADL\_IADL\_ASTNC\_FREQ  
M2250\_PLAN\_SMRY\_DBTS\_FT\_CARE  
M2250\_PLAN\_SMRY\_DPRSN\_INTRVTN  
M2250\_PLAN\_SMRY\_FALL\_PRVNT  
M2250\_PLAN\_SMRY\_PAIN\_INTRVTN  
M2250\_PLAN\_SMRY\_PRSULC\_PRVNT

## Data Submission Specifications for the OASIS Item Set (V2.30.1)

### Detailed Data Specifications Report

#### Section: Patient History and Diagnoses

M2250\_PLAN\_SMRY\_PRSULC\_TRTMT  
M2250\_PLAN\_SMRY\_PTNT\_SPECF  
M2310\_ECR\_CRDC\_DSRTHM  
M2310\_ECR\_CTHTR\_CMPLCTN  
M2310\_ECR\_DHYDRTN\_MALNTR  
M2310\_ECR\_DVT\_PULMNRY  
M2310\_ECR\_GI\_PRBLM  
M2310\_ECR\_HRT\_FAILR  
M2310\_ECR\_INJRY\_BY\_FALL  
M2310\_ECR\_MENTL\_BHVRL\_PRBLM  
M2310\_ECR\_MI\_CHST\_PAIN  
M2310\_ECR\_OTHR\_HRT\_DEASE  
M2310\_ECR\_RSPRTRY\_INFCTN  
M2310\_ECR\_RSPRTRY\_OTHR  
M2310\_ECR\_STROKE\_TIA  
M2310\_ECR\_UNCNTLD\_PAIN  
M2310\_ECR\_UTI  
M2310\_ECR\_WND\_INFCTN\_DTRORTN  
M2430\_HOSP\_CRDC\_DSRTHM  
M2430\_HOSP\_CTHTR\_CMPLCTN  
M2430\_HOSP\_DHYDRTN\_MALNTR  
M2430\_HOSP\_DVT\_PULMNRY  
M2430\_HOSP\_GI\_PRBLM  
M2430\_HOSP\_HRT\_FAILR  
M2430\_HOSP\_HYPOGLYC  
M2430\_HOSP\_INJRY\_BY\_FALL  
M2430\_HOSP\_MED  
M2430\_HOSP\_MENTL\_BHVRL\_PRBLM  
M2430\_HOSP\_MI\_CHST\_PAIN  
M2430\_HOSP\_OTHER  
M2430\_HOSP\_OTHR\_HRT\_DEASE  
M2430\_HOSP\_PAIN  
M2430\_HOSP\_RSPRTRY\_INFCTN  
M2430\_HOSP\_RSPRTRY\_OTHR  
M2430\_HOSP\_SCHLD\_TRTMT  
M2430\_HOSP\_STROKE\_TIA  
M2430\_HOSP\_UK  
M2430\_HOSP\_UR\_TRACT  
M2430\_HOSP\_WND\_INFCTN

# Data Submission Specifications for the OASIS Item Set (V2.30.1)

## Detailed Data Specifications Report

### Section: Patient History and Diagnoses

Item ID: M1056\_PVX\_RSN\_NOT\_RCVD\_AGENCY

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
If pneumococcal vacc not received, state reason	Asmt		Code	2	1529-1530

#### Item Subsets

Active: 06,07,09  
Inactive: 01,03,04,05,08,XX

#### Item Values

Value	LOINC Code	Value Text
01		Offered and declined
02		Assessed and determined to have medical contraindication(s)
03		Not indicated; patient does not meet age/condition guidelines for PVX
04		None of the above
^		Blank (skip pattern)

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3060	Format	Fatal	VALUES OF CODE AND CHECKLIST ITEMS Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-5090	Skip pattern	Fatal	If M1051_PVX_RCVD_AGENCY=[0], then if M1056_PVX_RSN_NOT_RCVD_AGENCY is active it must not equal [^].
-5100	Skip pattern	Fatal	If M1051_PVX_RCVD_AGENCY=[1], then if M1056_PVX_RSN_NOT_RCVD_AGENCY is active it must equal [^].

#### Changes for Version

Type	ID	Description
Format	-3060	[V2.30.0]-Added mappings to all items in new sections GG and J, as well as new item M1028_ACTV_DIAG_NOA. Removed mappings to the following deleted items: M1011_14_DAY_INP_NA M1017_CHGREG_ICD_NA M1018_PRIOR_CATH M1018_PRIOR_DISRUPTIVE M1018_PRIOR_IMPR_DECSN M1018_PRIOR_INTRACT_PAIN M1018_PRIOR_MEM_LOSS M1018_PRIOR_NOCHG_14D M1018_PRIOR_NONE M1018_PRIOR_UNKNOWN M1018_PRIOR_UR_INCON

## Data Submission Specifications for the OASIS Item Set (V2.30.1)

### Detailed Data Specifications Report

#### Section: Patient History and Diagnoses

M1034\_PTNT\_OVRAL\_STUS  
M1036\_RSK\_ALCOHOLISM  
M1036\_RSK\_DRUGS  
M1036\_RSK\_NONE  
M1036\_RSK\_OBESITY  
M1036\_RSK\_SMOKING  
M1036\_RSK\_UNKNOWN  
M1210\_HEARG\_ABLTY  
M1220\_UNDRSTG\_VERBAL\_CNTNT  
M1230\_SPEECH  
M1240\_FRML\_PAIN\_ASMT  
M1300\_PRSR\_ULCR\_RISK\_ASMT  
M1302\_RISK\_OF\_PRSR\_ULCR  
M1320\_STUS\_PRBLM\_PRSR\_ULCR  
M1350\_LESION\_OPEN\_WND  
M1410\_RESPTX\_OXYGEN  
M1410\_RESPTX\_AIRPRESS  
M1410\_RESPTX\_NONE  
M1410\_RESPTX\_VENTILATOR  
M1501\_SYMTM\_HRT\_FAILR\_PTNTS  
M1511\_HRT\_FAILR\_CARE\_PLAN\_CHG  
M1511\_HRT\_FAILR\_CLNCL\_INTRVTN  
M1511\_HRT\_FAILR\_ER\_TRTMT  
M1511\_HRT\_FAILR\_NO\_ACTN  
M1511\_HRT\_FAILR\_PHYSN\_CNTCT  
M1511\_HRT\_FAILR\_PHYSN\_TRTMT  
M1615\_INCNTNT\_TIMING  
M1750\_REC\_PSYCH\_NURS  
M1880\_CRNT\_PREP\_LT\_MEALS  
M1890\_CRNT\_PHONE\_USE  
M1900\_PRIOR\_ADLIADL\_AMBLTN  
M1900\_PRIOR\_ADLIADL\_HSEHOLD  
M1900\_PRIOR\_ADLIADL\_SELF  
M1900\_PRIOR\_ADLIADL\_TRNSFR  
M2040\_PRIOR\_MGMT\_INJCTN\_MDCTN  
M2040\_PRIOR\_MGMT\_ORAL\_MDCTN  
M2102\_CARE\_TYPE\_SRC\_ADVCY  
M2102\_CARE\_TYPE\_SRC\_EQUIP  
M2102\_CARE\_TYPE\_SRC\_IADL  
M2110\_ADL\_IADL\_ASTNC\_FREQ  
M2250\_PLAN\_SMRY\_DBTS\_FT\_CARE  
M2250\_PLAN\_SMRY\_DPRSN\_INTRVTN

## Data Submission Specifications for the OASIS Item Set (V2.30.1)

### Detailed Data Specifications Report

#### Section: Patient History and Diagnoses

M2250\_PLAN\_SMRY\_FALL\_PRVNT  
M2250\_PLAN\_SMRY\_PAIN\_INTRVTN  
M2250\_PLAN\_SMRY\_PRSULC\_PRVNT  
M2250\_PLAN\_SMRY\_PRSULC\_TRTMT  
M2250\_PLAN\_SMRY\_PTNT\_SPECF  
M2310\_ECR\_CRDC\_DSRTHM  
M2310\_ECR\_CTHTR\_CMPLCTN  
M2310\_ECR\_DHYDRTN\_MALNTR  
M2310\_ECR\_DVT\_PULMNRY  
M2310\_ECR\_GI\_PRBLM  
M2310\_ECR\_HRT\_FAILR  
M2310\_ECR\_INJRY\_BY\_FALL  
M2310\_ECR\_MENTL\_BHVRL\_PRBLM  
M2310\_ECR\_MI\_CHST\_PAIN  
M2310\_ECR\_OTHR\_HRT\_DEASE  
M2310\_ECR\_RSPRTRY\_INFCTN  
M2310\_ECR\_RSPRTRY\_OTHR  
M2310\_ECR\_STROKE\_TIA  
M2310\_ECR\_UNCNTLD\_PAIN  
M2310\_ECR\_UTI  
M2310\_ECR\_WND\_INFCTN\_DTRORTN  
M2430\_HOSP\_CRDC\_DSRTHM  
M2430\_HOSP\_CTHTR\_CMPLCTN  
M2430\_HOSP\_DHYDRTN\_MALNTR  
M2430\_HOSP\_DVT\_PULMNRY  
M2430\_HOSP\_GI\_PRBLM  
M2430\_HOSP\_HRT\_FAILR  
M2430\_HOSP\_HYPOGLYC  
M2430\_HOSP\_INJRY\_BY\_FALL  
M2430\_HOSP\_MED  
M2430\_HOSP\_MENTL\_BHVRL\_PRBLM  
M2430\_HOSP\_MI\_CHST\_PAIN  
M2430\_HOSP\_OTHER  
M2430\_HOSP\_OTHR\_HRT\_DEASE  
M2430\_HOSP\_PAIN  
M2430\_HOSP\_RSPRTRY\_INFCTN  
M2430\_HOSP\_RSPRTRY\_OTHR  
M2430\_HOSP\_SCHLD\_TRTMT  
M2430\_HOSP\_STROKE\_TIA  
M2430\_HOSP\_UK  
M2430\_HOSP\_UR\_TRACT  
M2430\_HOSP\_WND\_INFCTN

## Data Submission Specifications for the OASIS Item Set (V2.30.1)

### Detailed Data Specifications Report

#### Section: Patient History and Diagnoses

Item ID: M1060\_HEIGHT\_A

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Height (in inches)	Asmt		Number	2	1555-1556

#### Item Subsets

Active: 01,03  
Inactive: 04,05,06,07,08,09,XX

#### Item Values

Value	LOINC Code	Value Text
50		Minimum value
80		Maximum value
-		Not assessed (no information)

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3090	Format	Fatal	VALUES OF NUMERIC ITEMS Only the values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item. The submitted value must be greater than or equal to the minimum value listed in the table and less than or equal to the maximum value listed in the table, or it must match one of the remaining special values (if any) that are listed in the table. The length of the submitted value must not exceed the allowed maximum length for the item. Signed numbers (with a leading plus or minus sign) will not be accepted.
-3100	Format	Fatal	FORMATTING OF POSITIVE INTEGER NUMERIC ITEMS Only positive integer values and the special values (if any) that are listed in the "Item Values" table of the Detailed Data Specifications Report will be accepted for this item. Leading zeroes may be included or omitted from the submitted value as long as the resulting length of the string does not exceed the allowed maximum length for the item. A decimal point and decimal values are not allowed. A sign will not be accepted. The following examples are allowable if the value to be submitted is equal to [1] and the maximum length is equal to 2: [1], [01]. The following values are NOT allowed and will lead to a fatal error: [1.], [1.0], [01.], [01.0], [1.1], [01.1], [1.01], [+1], [-2], [+1.3], [-4.5].

#### Supplemental Information

Info ID	Type	Text
-9190	Information	Rounding of Integer Items: This item should be rounded to the nearest integer. If the value in the tenths decimal place is equal to 0 through 4, round the value down to the nearest integer (i.e., discard the fractional portion of the number). If the value in the tenths decimal place is equal to 5 through 9, round the value up to the next largest integer.

## Data Submission Specifications for the OASIS Item Set (V2.30.1)

### Detailed Data Specifications Report

#### Section: Patient History and Diagnoses

##### Changes for Version

Type	ID	Description
Item	M1060_HEIGHT_A	[V2.30.0]-Revised minimum and maximum item values.
Format	-3090	[V2.30.0]-Removed mappings to the following deleted items: M1313_NW_WS_PRSULC_NSTG_CVRG_E M1313_NW_WS_PRSULC_NSTG_DRSG_D M1313_NW_WS_PRSULC_NSTG_TSUE_F M1313_NW_WS_PRSULC_STG2_A M1313_NW_WS_PRSULC_STG3_B M1313_NW_WS_PRSULC_STG4_C
Format	-3100	[V2.30.0]-Removed mappings to the following deleted items: M1313_NW_WS_PRSULC_NSTG_CVRG_E M1313_NW_WS_PRSULC_NSTG_DRSG_D M1313_NW_WS_PRSULC_NSTG_TSUE_F M1313_NW_WS_PRSULC_STG2_A M1313_NW_WS_PRSULC_STG3_B M1313_NW_WS_PRSULC_STG4_C

# Data Submission Specifications for the OASIS Item Set (V2.30.1)

## Detailed Data Specifications Report

### Section: Patient History and Diagnoses

Item ID: M1060\_WEIGHT\_B

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Weight (in pounds)	Asmt		Number	3	1557-1559

#### Item Subsets

Active: 01,03  
Inactive: 04,05,06,07,08,09,XX

#### Item Values

Value	LOINC Code	Value Text
065		Minimum value
440		Maximum value
-		Not assessed (no information)

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3090	Format	Fatal	VALUES OF NUMERIC ITEMS Only the values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item. The submitted value must be greater than or equal to the minimum value listed in the table and less than or equal to the maximum value listed in the table, or it must match one of the remaining special values (if any) that are listed in the table. The length of the submitted value must not exceed the allowed maximum length for the item. Signed numbers (with a leading plus or minus sign) will not be accepted.
-3100	Format	Fatal	FORMATTING OF POSITIVE INTEGER NUMERIC ITEMS Only positive integer values and the special values (if any) that are listed in the "Item Values" table of the Detailed Data Specifications Report will be accepted for this item. Leading zeroes may be included or omitted from the submitted value as long as the resulting length of the string does not exceed the allowed maximum length for the item. A decimal point and decimal values are not allowed. A sign will not be accepted. The following examples are allowable if the value to be submitted is equal to [1] and the maximum length is equal to 2: [1], [01]. The following values are NOT allowed and will lead to a fatal error: [1.], [1.0], [01.], [01.0], [1.1], [01.1], [1.01], [+1], [-2], [+1.3], [-4.5].

#### Supplemental Information

Info ID	Type	Text
-9190	Information	Rounding of Integer Items: This item should be rounded to the nearest integer. If the value in the tenths decimal place is equal to 0 through 4, round the value down to the nearest integer (i.e., discard the fractional portion of the number). If the value in the tenths decimal place is equal to 5 through 9, round the value up to the next largest integer.



## Data Submission Specifications for the OASIS Item Set (V2.30.1)

### Detailed Data Specifications Report

#### Section: Patient History and Diagnoses

##### Changes for Version

Type	ID	Description
Item	M1060_WEIGHT_B	[V2.30.0]-Revised minimum and maximum item values.
Format	-3090	[V2.30.0]-Removed mappings to the following deleted items: M1313_NW_WS_PRSULC_NSTG_CVRG_E M1313_NW_WS_PRSULC_NSTG_DRSG_D M1313_NW_WS_PRSULC_NSTG_TSUE_F M1313_NW_WS_PRSULC_STG2_A M1313_NW_WS_PRSULC_STG3_B M1313_NW_WS_PRSULC_STG4_C
Format	-3100	[V2.30.0]-Removed mappings to the following deleted items: M1313_NW_WS_PRSULC_NSTG_CVRG_E M1313_NW_WS_PRSULC_NSTG_DRSG_D M1313_NW_WS_PRSULC_NSTG_TSUE_F M1313_NW_WS_PRSULC_STG2_A M1313_NW_WS_PRSULC_STG3_B M1313_NW_WS_PRSULC_STG4_C