

## OASIS-BASED OUTCOME MEASURES

### Home Health Quality Measures – Outcomes

#### Notes:

- Risk Adjustment:** Some outcome measures are risk adjusted, including all that are currently reported on HH Compare. The risk adjustment methodology, using a predictive model developed specifically for each measure, compensates for differences in the patient population served by different home health agencies.
- “Quality Episode” Definition:** Quality episodes are used in the calculation of the quality measures. Quality episodes are not the same as payment episodes. A quality episode begins with either a SOC or ROC and ends with a transfer, death, or discharge for a patient regardless of the length of time between the start and ending events. This is relevant for OASIS-based measures.
- “Home Health Stay” Definition:** A home health stay is a sequence of home health payment episodes separated from other home health payment episodes by at least 60 days. This is relevant for claims-based measures. Note: The annual update to the claims-based measures for October 2019 includes stays through December 31, 2018. The annual update to the claims-based measures for October 2020 includes stays through December 31, 2019.
- Generic Exclusions:** For OASIS-based measures, in addition to the denominator criteria listed on this table, the denominator excludes patients who 1) have a home care payment source other than Medicare (traditional fee-for-service, Medicare (HMO/managed care/Advantage plan), Medicaid (traditional fee-for-service), or Medicaid (HMO/managed care), 2) are less than 18 years, 3) are receiving pre- and/or post-partum maternity services, or 4) are receiving personal care only.
- Quality of Patient Care star rating:** An asterisk (\*) next to the measure name indicates the measure is included in the Quality of Patient Care star rating algorithm.

## OASIS-BASED OUTCOME MEASURES

Type	Measure Title	HH Compare	NQF Status	Risk Adjusted	Measure Description	Numerator	Denominator	Measure-specific Exclusions	OASIS-D Item(s) Used
End Result Outcome - Functional	Stabilization in Grooming	No	Not endorsed	No	Percentage of home health quality episodes during which patients improved or stayed the same in ability to groom self.	Number of home health quality episodes where the value recorded on the discharge assessment indicates the same or less impairment in grooming themselves at discharge than at start (or resumption) of care.	Number of home health quality episodes ending with a discharge during the reporting period, other than those covered by generic or measure-specific exclusions.	Home health quality episodes for which the patient, at start/resumption of care, was totally unable to groom self, episodes that end with inpatient facility transfer or death, or patient is nonresponsive.	(M1800) Grooming (M1700) Cognitive Functioning (M1710) When Confused (M1720) When Anxious
End Result Outcome - Functional	Improvement in Upper Body Dressing	No	Not endorsed	Yes	Percentage of home health quality episodes during which patients improved in ability to dress upper body.	Number of home health quality episodes where the value recorded on the discharge assessment indicates less impairment in dressing their upper body at discharge than at start (or resumption) of care.	Number of home health quality episodes ending with a discharge during the reporting period, other than those covered by generic or measure-specific exclusions.	Home health quality episodes for which the patient, at start/resumption of care, was able to dress upper body without assistance or supervision, episodes that end with inpatient facility transfer or death, or patient is nonresponsive.	(M1810) Current Ability to Dress Upper Body (M1700) Cognitive Functioning (M1710) When Confused (M1720) When Anxious

<sup>1</sup> This measure will be removed from the Outcome Report, Outcome Tally Report, and Review and Correct Report in 2020 and will be removed from Home Health Compare in April 2020.

<sup>2</sup> This measure will be removed from the Outcome Report and Outcome Tally Report in January 2020, the Review and Correct Report in June 2020, and Home Health Compare in January 2021.

<sup>3</sup> This measure is calculated from an item only available on OASIS-C2. Starting with OASIS-D, this measure will be replaced with “Changes in Skin Integrity Post-Acute Care: Pressure Ulcer/Injury.” Measure results will be frozen after December 2018, but still available on Home Health Compare until the measure is replaced.

## OASIS-BASED OUTCOME MEASURES

Type	Measure Title	HH Compare	NQF Status	Risk Adjusted	Measure Description	Numerator	Denominator	Measure-specific Exclusions	OASIS-D Item(s) Used
End Result Outcome - Functional	Improvement in Lower Body Dressing	No	Not endorsed	Yes	Percentage of home health quality episodes during which patients improved in ability to dress lower body.	Number of home health quality episodes where the value recorded on the discharge assessment indicates less impairment in dressing their lower body at discharge than at start (or resumption) of care.	Number of home health quality episodes ending with a discharge during the reporting period, other than those covered by generic or measure-specific exclusions.	Home health quality episodes for which the patient, at start/resumption of care, was able to dress lower body without assistance or supervision, episodes that end with inpatient facility transfer or death, or patient is nonresponsive.	(M1820) Current Ability to Dress Lower Body (M1700) Cognitive Functioning (M1710) When Confused (M1720) When Anxious
End Result Outcome - Functional	Improvement in Bathing*	Yes	Endorsed (0174)	Yes	Percentage of home health quality episodes during which the patient got better at bathing self.	Number of home health quality episodes where the value recorded on the discharge assessment indicates less impairment in bathing at discharge than at start (or resumption) of care.	Number of home health quality episodes ending with a discharge during the reporting period, other than those covered by generic or measure-specific exclusions.	Home health quality episodes for which the patient, at start/resumption of care, was able to bath self independently, episodes that end with inpatient facility transfer or death, or patient is nonresponsive.	(M1830) Bathing (M1700) Cognitive Functioning (M1710) When Confused (M1720) When Anxious
End Result Outcome - Functional	Stabilization in Bathing	No	Not endorsed	No	Percentage of home health quality episodes during which the patient improved or stayed the same in the ability to bathe.	Number of home health quality episodes where the value recorded on the discharge assessment indicates the same or less impairment in bathing at discharge than at start (or resumption) of care.	Number of home health quality episodes ending with a discharge during the reporting period, other than those covered by generic or measure-specific exclusions.	Home health quality episodes for which the patient, at start/resumption of care, was totally dependent in bathing, episodes that end with inpatient facility transfer or death, or patient is nonresponsive.	(M1830) Bathing (M1700) Cognitive Functioning (M1710) When Confused (M1720) When Anxious
End Result Outcome - Functional	Improvement in Toilet Transferring	No	Not endorsed	Yes	Percentage of home health quality episodes during which patients improved in ability to get to and from and on and off the toilet.	Number of home health quality episodes where the value recorded on the discharge assessment indicates less impairment in getting to and from and on and off the toilet at discharge than at start (or resumption) of care.	Number of home health quality episodes ending with a discharge during the reporting period, other than those covered by generic or measure-specific exclusions.	Home health quality episodes for which the patient, at start/resumption of care, was able to get to and from and on and off the toilet without assistance or supervision, episodes that end with inpatient facility transfer or death, or patient is nonresponsive.	(M1840) Toilet Transferring (M1700) Cognitive Functioning (M1710) When Confused (M1720) When Anxious
End Result Outcome - Functional	Stabilization in Toilet Transferring	No	Not endorsed	No	Percentage of home health quality episodes during which patients improved or stayed the same in ability to get to and from and on and off the toilet.	Number of home health quality episodes where the value recorded on the discharge assessment indicates the same or less impairment in getting to and from and on and off the toilet at discharge than at start (or resumption) of care.	Number of home health quality episodes ending with a discharge during the reporting period, other than those covered by generic or measure-specific exclusions.	Home health quality episodes for which the patient, at start/resumption of care, was totally unable to get to and from or on and off the toilet, episodes that end with inpatient facility transfer or death, or patient is nonresponsive.	(M1840) Toilet Transferring (M1700) Cognitive Functioning (M1710) When Confused (M1720) When Anxious
End Result Outcome - Functional	Stabilization in Toileting Hygiene	No	Not endorsed	No	Percentage of home health quality episodes during which patients improved or stayed the same in ability to manage toileting hygiene.	Number of home health quality episodes where the discharge assessment indicates the same or less impairment in toileting hygiene at discharge than at start/resumption of care.	Number of home health quality episodes ending with a discharge during the reporting period, other than those covered by generic or measure-specific exclusions.	Home health quality episodes for which the patient, at start/resumption of care, was totally unable to maintain toileting hygiene or supervision, episodes that end with inpatient facility transfer or death, or patient is nonresponsive.	(M1845) Toileting Hygiene (M1700) Cognitive Functioning (M1710) When Confused (M1720) When Anxious

<sup>1</sup> This measure will be removed from the Outcome Report, Outcome Tally Report, and Review and Correct Report in 2020 and will be removed from Home Health Compare in April 2020.

<sup>2</sup> This measure will be removed from the Outcome Report and Outcome Tally Report in January 2020, the Review and Correct Report in June 2020, and Home Health Compare in January 2021.

<sup>3</sup> This measure is calculated from an item only available on OASIS-C2. Starting with OASIS-D, this measure will be replaced with "Changes in Skin Integrity Post-Acute Care: Pressure Ulcer/Injury." Measure results will be frozen after December 2018, but still available on Home Health Compare until the measure is replaced.

## OASIS-BASED OUTCOME MEASURES

Type	Measure Title	HH Compare	NQF Status	Risk Adjusted	Measure Description	Numerator	Denominator	Measure-specific Exclusions	OASIS-D Item(s) Used
End Result Outcome - Functional	Improvement in Bed Transferring*	Yes	Endorsed (0175)	Yes	Percentage of home health quality episodes during which the patient improved in ability to get in and out of bed.	Number of home health quality episodes where the value recorded on the discharge assessment indicates less impairment in bed transferring at discharge than at start (or resumption) of care.	Number of home health quality episodes ending with a discharge during the reporting period, other than those covered by generic or measure-specific exclusions.	Home health quality episodes for which the patient, at start/resumption of care, was able to transfer independently, episodes that end with inpatient facility transfer or death, or patient is nonresponsive.	(M1850) Transferring (M1700) Cognitive Functioning (M1710) When Confused (M1720) When Anxious
End Result Outcome - Functional	Stabilization in Bed Transferring	No	Not endorsed	No	Percentage of home health quality episodes during which the patient improved or stayed the same in ability to get in and out of bed.	Number of home health quality episodes where the value recorded on the discharge assessment indicates the same or less impairment in bed transferring at discharge than at start (or resumption) of care.	Number of home health quality episodes ending with a discharge during the reporting period, other than those covered by generic or measure-specific exclusions.	Home health quality episodes for which the patient, at start/resumption of care, was totally unable to transfer in and out of bed, episodes that end with inpatient facility transfer or death, or patient is nonresponsive.	(M1850) Transferring (M1700) Cognitive Functioning (M1710) When Confused (M1720) When Anxious
End Result Outcome - Functional	Improvement in Ambulation- Locomotion*	Yes	Endorsed (0167)	Yes	Percentage of home health quality episodes during which the patient improved in ability to ambulate.	Number of home health quality episodes where the value recorded on the discharge assessment indicates less impairment in ambulation/locomotion at discharge than at start (or resumption) of care.	Number of home health quality episodes ending with a discharge during the reporting period, other than those covered by generic or measure-specific exclusions.	Home health quality episodes for which the patient, at start/resumption of care, was able to ambulate independently, episodes that end with inpatient facility transfer or death, or patient is nonresponsive.	(M1860) Ambulation/ Locomotion (M1700) Cognitive Functioning (M1710) When Confused (M1720) When Anxious
End Result Outcome - Functional	Improvement in Management of Oral Medications*	Yes	Endorsed (0176)	Yes	Percentage of home health quality episodes during which the patient improved in ability to take their medicines correctly (by mouth).	Number of home health quality episodes where the value recorded on the discharge assessment indicates less impairment in taking oral medications correctly at discharge than at start (or resumption) of care.	Number of home health quality episodes ending with a discharge during the reporting period, other than those covered by generic or measure-specific exclusions.	Home health quality episodes for which the patient, at start/resumption of care, was able to take oral medications correctly without assistance or supervision, episodes that end with inpatient facility transfer or death, or patient is nonresponsive, or patient has no oral medications prescribed.	(M2020) Management of Oral Medications (M1700) Cognitive Functioning (M1710) When Confused (M1720) When Anxious
End Result Outcome - Functional	Stabilization in Management of Oral Medications	No	Not endorsed	No	Percentage of home health quality episodes during which the patient improved or stayed the same in ability to take their medicines correctly (by mouth).	Number of home health quality episodes where the value recorded on the discharge assessment indicates the same or less impairment in taking oral medications correctly at discharge than at start (or resumption) of care.	Number of home health quality episodes ending with a discharge during the reporting period, other than those covered by generic or measure-specific exclusions.	Home health quality episodes for which the patient, at start/resumption of care, was totally dependent in taking oral medications, episodes that end with inpatient facility transfer or death, or patient is nonresponsive, or patient has no oral medications prescribed.	(M2020) Management of Oral Medications (M1700) Cognitive Functioning (M1710) When Confused (M1720) When Anxious
End Result Outcome - Health	Improvement in Dyspnea*	Yes	Not endorsed	Yes	Percentage of home health quality episodes during which the patient became less short of breath or dyspneic.	Number of home health quality episodes where the discharge assessment indicates less dyspnea at discharge than at start (or resumption) of care.	Number of home health quality episodes ending with a discharge during the reporting period, other than those covered by generic or measure-specific exclusions.	Home health quality episodes for which the patient, at start/resumption of care, was not short of breath at any time, episodes that end with inpatient facility transfer or death.	(M1400) When is the patient dyspneic?

<sup>1</sup> This measure will be removed from the Outcome Report, Outcome Tally Report, and Review and Correct Report in 2020 and will be removed from Home Health Compare in April 2020.

<sup>2</sup> This measure will be removed from the Outcome Report and Outcome Tally Report in January 2020, the Review and Correct Report in June 2020, and Home Health Compare in January 2021.

<sup>3</sup> This measure is calculated from an item only available on OASIS-C2. Starting with OASIS-D, this measure will be replaced with "Changes in Skin Integrity Post-Acute Care: Pressure Ulcer/Injury." Measure results will be frozen after December 2018, but still available on Home Health Compare until the measure is replaced.

## OASIS-BASED OUTCOME MEASURES

Type	Measure Title	HH Compare	NQF Status	Risk Adjusted	Measure Description	Numerator	Denominator	Measure-specific Exclusions	OASIS-D Item(s) Used
End Result Outcome - Health	Improvement in Pain Interfering with Activity* <sup>1</sup>	Yes <sup>1</sup>	Endorsed (0177)	Yes	Percentage of home health quality episodes during which the patient's frequency of pain with activity or movement improved.	Number of home health quality episodes where the value recorded on the discharge assessment indicates less frequent pain with activity or movement at discharge than at start (or resumption) of care.	Number of home health quality episodes ending with a discharge during the reporting period, other than those covered by generic or measure-specific exclusions.	Home health quality episodes for which the patient, at start/resumption of care, had no pain reported, episodes that end with inpatient facility transfer or death, or patient is nonresponsive.	(M1242) Frequency of Pain Interfering with Activity (M1700) Cognitive Functioning (M1710) When Confused (M1720) When Anxious
End Result Outcome - Health	Improvement in Status of Surgical Wounds <sup>2</sup>	Yes <sup>2</sup>	Not Endorsed	Yes	Percentage of home health quality episodes during which the patient demonstrates an improvement in the condition of surgical wounds.	Number of home health quality episodes where the patient has a better status of surgical wounds at discharge compared to start (resumption) of care.	Number of home health quality episodes ending with a discharge during the reporting period, other than those covered by generic or measure-specific exclusions.	Home health quality episodes for which the patient, at start/resumption of care, did not have any surgical wounds or had only a surgical wound that was unobservable or fully epithelialized, episodes that end with inpatient facility transfer or death.	(M1340) Does this patient have a Surgical Wound? (M1342) Status of Most Problematic (Observable) Surgical Wound
End Result Outcome - Health	Percent of Residents or Patients with Pressure Ulcers that are New or Worsened <sup>3</sup>	Yes <sup>3</sup>  (Will be replaced with Changes in Skin Integrity measure October 2020)	Endorsed	Yes	Percentage of quality episodes in which the patient has one or more Stage 2-4 pressure ulcers present at discharge that are new or worsened since the beginning of the quality episode.	Home health quality episodes for which the response on the discharge assessment indicates one or more new or worsened Stage 2-4 pressure ulcers compared to start (or resumption) of care. This is determined by the following responses on the EOC [2] assessments for the quality episode: M1313A[2] > 0, or M1313B[2] > 0, or M1313C[2] > 0	Home health quality episodes ending with a discharge from the agency during the reporting period (M0100[2] = 09), except for those meeting the exclusion criteria.  Note: Episodes with skipped responses ('^') are included in the denominator.	Home health quality episodes for which the discharge assessment lacks a useable response: M1313A [2] = '^', and M1313B [2] = '^', and M1313C [2] = '^'	(M0100) Reason for Assessment (M1313) Worsening in Pressure Ulcer Status since SOC/ROC
End Result Outcome - Health	Changes in Skin Integrity Post-Acute Care: Pressure Ulcer/Injury	October 2020	Not Endorsed	Yes	Percentage of quality episodes in which the patient has one or more Stage 2-4 pressure ulcers, or an unstageable ulcer/injury, present at discharge that are new or worsened since the beginning of the quality episode.	The number of completed quality episodes for patients whose assessment at discharge indicates one or more new or worsened Stage 2-4 or unstageable pressure ulcers/injuries compared to the start or resumption of care assessment	Number of home health quality episodes ending with a discharge during the reporting period, other than those covered by generic or measure-specific exclusions.	Episodes that end in a death at home or transfer to an inpatient facility.  Episodes without an assessment completed at the start or resumption of care and an assessment completed at discharge  Episodes without a usable response (which includes a valid skip) for M1311A, M1311B, M1311C, M1311D, M1311E or M1311F on the discharge assessment.	(M1311A) Stage 2 pressure ulcers (M1311B) Stage 3 pressure ulcers (M1311C) Stage 4 pressure ulcers (M1311D) Unstageable pressure ulcers/injuries due to non-removable dressing/device (M1311E) Unstageable pressure ulcers due to slough/eschar (M1311F) Deep tissue injury

<sup>1</sup> This measure will be removed from the Outcome Report, Outcome Tally Report, and Review and Correct Report in 2020 and will be removed from Home Health Compare in April 2020.

<sup>2</sup> This measure will be removed from the Outcome Report and Outcome Tally Report in January 2020, the Review and Correct Report in June 2020, and Home Health Compare in January 2021.

<sup>3</sup> This measure is calculated from an item only available on OASIS-C2. Starting with OASIS-D, this measure will be replaced with "Changes in Skin Integrity Post-Acute Care: Pressure Ulcer/Injury." Measure results will be frozen after December 2018, but still available on Home Health Compare until the measure is replaced.

## OASIS-BASED OUTCOME MEASURES

Type	Measure Title	HH Compare	NQF Status	Risk Adjusted	Measure Description	Numerator	Denominator	Measure-specific Exclusions	OASIS-D Item(s) Used
End Result Outcome - Health	Improvement in Bowel Incontinence	No	Not endorsed	Yes	Percentage of home health quality episodes during which patient's bowel control improves.	Number of home health quality episodes where the patient has less frequent bowel incontinence at discharge compared to start (resumption) of care.	Number of home health quality episodes ending with a discharge during the reporting period, other than those covered by generic or measure-specific exclusions.	Home health quality episodes for which the patient, at start/resumption of care, was continent, OR bowel incontinence was unknown, episodes that end with inpatient facility transfer or death, or patient is nonresponsive.	(M1620) Bowel Incontinence Frequency (M1700) Cognitive Functioning (M1710) When Confused (M1720) When Anxious
End Result Outcome - Health	Improvement in Confusion Frequency	No	Not endorsed	Yes	Percentage of home health quality episodes during which patients are confused less often.	Number of home health quality episodes where the discharge assessment indicates the patient is confused less often at discharge than at start (or resumption) of care.	Number of home health quality episodes ending with a discharge during the reporting period, other than those covered by generic or measure-specific exclusions.	Home health quality episodes for which the patient, at start/resumption of care, was not confused at any time, episodes that end with inpatient facility transfer or death, or patient is nonresponsive.	(M1700) Cognitive Functioning (M1710) When Confused (M1720) When Anxious
End Result Outcome - Health	Percent of Residents Experiencing One or More Falls with Major Injury	January 2021	Not endorsed in HH	No	Percentage of quality episodes in which the patient experiences one or more falls with major injury (defined as bone fractures, joint dislocations, and closed-head injuries with altered consciousness, or subdural hematoma) during the home health episode.	Number of quality episodes in which the patient experienced one or more falls that resulted in major injury during the episode of care.	Number of home health quality episodes ending with a discharge during the reporting period, other than those covered by generic or measure-specific exclusions.	Episodes during which the occurrence of falls was not assessed.  Episodes where the assessment indicates that a fall occurred AND the number of falls with major injury was not assessed.	(J1800) Any falls since SOC/ROC (J1900) Number of falls since SOC/ROC
Utilization Outcome	Discharged to Community (OASIS based)	No	Not endorsed	Yes	Percentage of home health episode after which patients remained at home.	Number of home health episodes where the assessment completed at the discharge indicates the patient remained in the community after discharge.	Number of home health quality episodes ending with a discharge or transfer to inpatient facility during the reporting period, other than those covered by generic or measure-specific exclusions.	Home health quality episodes that end in patient death.	(M0100) Reason for Assessment (M2420) Discharge Disposition

<sup>1</sup> This measure will be removed from the Outcome Report, Outcome Tally Report, and Review and Correct Report in 2020 and will be removed from Home Health Compare in April 2020.

<sup>2</sup> This measure will be removed from the Outcome Report and Outcome Tally Report in January 2020, the Review and Correct Report in June 2020, and Home Health Compare in January 2021.

<sup>3</sup> This measure is calculated from an item only available on OASIS-C2. Starting with OASIS-D, this measure will be replaced with "Changes in Skin Integrity Post-Acute Care: Pressure Ulcer/Injury." Measure results will be frozen after December 2018, but still available on Home Health Compare until the measure is replaced.

## CLAIMS-BASED OUTCOME MEASURES

Type	Measure Title	HH Compare	NQF Status	Risk Adjusted	Measure Description	Numerator	Denominator	Measure-specific Exclusions	OASIS-D Item(s) Used
Utilization Outcome	Acute Care Hospitalization During the First 60 Days of Home Health (Claims-based)*	Yes	Endorsed (0171)	Yes	Percentage of home health stays in which patients were admitted to an acute care hospital during the 60 days following the start of the home health stay.	Number of home health stays for patients who have a Medicare FFS claim for an unplanned admission to an acute care hospital in the 60 days following the start of the home health stay.	Number of home health stays that begin during the 12-month observation period.	Home health stays that begin with a Low Utilization Payment Adjustment (LUPA) claim.  Home health stays in which the patient receives service from multiple agencies during the first 60 days.  Home health stays for patients who are not continuously enrolled in fee-for-service Medicare for the 6 months prior to the home health stay  Home health stays for patients who are not continuously enrolled in fee-for-service Medicare for the 60 days following the start of the home health stay or until death.	None – based on Medicare FFS claims
Utilization Outcome	Emergency Department Use without Hospitalization During the First 60 days of Home Health (Claims-based)	Yes	Endorsed (0173)	Yes	Percentage of home health stays in which patients used the emergency department but were not admitted to the hospital during the 60 days following the start of the home health stay.	Number of home health stays for patients who have a Medicare FFS claim for outpatient emergency department use and no claims for acute care hospitalization in the 60 days following the start of the home health stay.	Number of home health stays that begin during the 12-month observation period.	Home health stays that begin with a Low Utilization Payment Adjustment (LUPA) claim.  Home health stays in which the patient receives service from multiple agencies during the first 60 days.  Home health stays for patients who are not continuously enrolled in fee-for-service Medicare for the 6 months prior to the home health stay.  Home health stays for patients who are not continuously enrolled in fee-for-service Medicare for the 60 days following the start of the home health stay or until death.	None – based on Medicare FFS claims

<sup>1</sup> This measure will be removed from the Outcome Report, Outcome Tally Report, and Review and Correct Report in 2020 and will be removed from Home Health Compare in April 2020.

<sup>2</sup> This measure will be removed from the Outcome Report and Outcome Tally Report in January 2020, the Review and Correct Report in June 2020, and Home Health Compare in January 2021.

<sup>3</sup> This measure is calculated from an item only available on OASIS-C2. Starting with OASIS-D, this measure will be replaced with “Changes in Skin Integrity Post-Acute Care: Pressure Ulcer/Injury.” Measure results will be frozen after December 2018, but still available on Home Health Compare until the measure is replaced.

## CLAIMS-BASED OUTCOME MEASURES

Type	Measure Title	HH Compare	NQF Status	Risk Adjusted	Measure Description	Numerator	Denominator	Measure-specific Exclusions	OASIS-D Item(s) Used
Utilization Outcome	Discharge to Community (Claims-based)	Yes	Not Endorsed	Yes	<p>Percentage of home health stays in which patients were discharged to the community and do not have an unplanned admission to an acute care hospital or LTCH in the 31 days and remain alive in the 31 days following discharge to community.</p> <p>The term "community," for this measure, is defined as home/self-care, without home health services, based on Patient Discharge Status Codes 01 and 81 on the Medicare FFS claim.</p>	Number of home health stays for patients who have a Medicare FFS claim with Patient Discharge Status codes 01 and 81, do not have an unplanned admission to an acute care hospital or LTCH in the 31-day post-discharge observation window, and who remain alive during the post-discharge observation window.	Number of home health stays that begin during the 2-year observation period.	<p><b>Denominator Exclusions:</b> Excludes claims for patients who are:</p> <ul style="list-style-type: none"> <li>Under 18 years of age</li> <li>Discharged to a psychiatric hospital</li> <li>Discharged against medical advice</li> <li>Discharged to disaster alternative care sites or federal hospitals</li> <li>Discharged to court/law enforcement</li> <li>Discharged to hospice</li> <li>Patient was enrolled in hospice during the post-discharge observation window</li> <li>Not continuously enrolled in Parts A and B FFS Medicare for the 12 months prior to the PAC admission date, and at least 31 days after post-acute discharge date, or are ever enrolled in Part C Medicare Advantage during this period</li> <li>Experience a short-term acute care stay or psychiatric stay for non-surgical treatment of cancer in the 30 days prior to PAC admission</li> <li>Discharged to another home health agency</li> <li>Baseline nursing facility residents that return to their nursing home as a place of residence</li> </ul>	None – based on Medicare FFS claims

<sup>1</sup> This measure will be removed from the Outcome Report, Outcome Tally Report, and Review and Correct Report in 2020 and will be removed from Home Health Compare in April 2020.

<sup>2</sup> This measure will be removed from the Outcome Report and Outcome Tally Report in January 2020, the Review and Correct Report in June 2020, and Home Health Compare in January 2021.

<sup>3</sup> This measure is calculated from an item only available on OASIS-C2. Starting with OASIS-D, this measure will be replaced with "Changes in Skin Integrity Post-Acute Care: Pressure Ulcer/Injury." Measure results will be frozen after December 2018, but still available on Home Health Compare until the measure is replaced.

## CLAIMS-BASED OUTCOME MEASURES

Type	Measure Title	HH Compare	NQF Status	Risk Adjusted	Measure Description	Numerator	Denominator	Measure-specific Exclusions	OASIS-D Item(s) Used
Outcome: Cost/Resource Use	Medicare Spending Per Beneficiary - Post-Acute Care (MSPB-PAC) Home Health Measure (Claims based)	Yes	Not Endorsed	Yes	<p>The assessment of the Medicare spending of a home health agency's MSPB-PAC HH episodes, relative to the Medicare spending of the national median home health agency's MSPB-PAC HH episodes across the same performance period.</p> <p>Note: An MSPB-PAC HH measure score of less than 1 indicates that a given home health agency's resource use is less than that of the national median home health agency during the same performance period.</p>	<p>The numerator is called the MSPB-PAC Amount. This is the average observed over expected (as predicted through risk adjustment) Medicare spending for a home health agency's MSPB-PAC HH's episodes, multiplied by the national average MSPB-PAC HH spending.</p> <p>MSPB-PAC HH episodes include the Medicare spending for Parts A and B services during the episode window, subject to certain exclusions for clinically unrelated services. These exclusions are for services that are clinically unrelated to post-acute care treatment or services over which home health agencies may have limited to no influence (e.g., routine management of certain preexisting chronic conditions).</p> <p>The episode window consists of a treatment period (days 1-60 of the home health Medicare FFS claim, or day 1 to discharge for a claim subject to a PEP adjustment) and an associated services period (day 1 of the home health claim through to 30 days after the end of the treatment period).</p>	<p>The denominator is the episode-weighted national median MSPB-PAC Amount across all home health agencies for the two-year observation period.</p>	<p>Episodes triggered by a claim outside the 50 states, D.C., Puerto Rico, and U.S. territories</p> <p>Episodes where the claim(s) constituting the attributed HHA's treatment have a standard allowed amount of zero or where the standard allowed amount cannot be calculated</p> <p>Episodes where the patient is not continuously enrolled in Medicare FFS for the 90 days before the episode trigger (lookback period) through to the end of the episode window, or is enrolled in Part C for any part of this period. This includes cases where the beneficiary dies during this period.</p> <p>Episodes in which a patient has a primary payer other than Medicare during the 90-day lookback period or episode window</p> <p>Episodes where the claim(s) constituting the attributed HHA's treatment include a non-PPS related condition code</p> <p>Episodes triggered by a RAP claim</p> <p>Episodes with outlier residuals below the 1<sup>st</sup> percentile or above the 99<sup>th</sup> percentile of the residual distribution</p>	None – based on Medicare FFS claims

<sup>1</sup> This measure will be removed from the Outcome Report, Outcome Tally Report, and Review and Correct Report in 2020 and will be removed from Home Health Compare in April 2020.

<sup>2</sup> This measure will be removed from the Outcome Report and Outcome Tally Report in January 2020, the Review and Correct Report in June 2020, and Home Health Compare in January 2021.

<sup>3</sup> This measure is calculated from an item only available on OASIS-C2. Starting with OASIS-D, this measure will be replaced with "Changes in Skin Integrity Post-Acute Care: Pressure Ulcer/Injury." Measure results will be frozen after December 2018, but still available on Home Health Compare until the measure is replaced.

## CLAIMS-BASED OUTCOME MEASURES

Type	Measure Title	HH Compare	NQF Status	Risk Adjusted	Measure Description	Numerator	Denominator	Measure-specific Exclusions	OASIS-D Item(s) Used
Utilization Outcome	Potentially Preventable 30-Day Post-Discharge Readmission Measure (Claims based)	Yes	Not Endorsed	Yes	Percentage of home health stays in which patients who had an acute inpatient discharge within the 30 days before the start of their home health stay and were admitted to an acute care hospital or LTCH for unplanned, potentially preventable readmissions in the 30-day window beginning two days after home health discharge.	Number of home health stays for patients who have a Medicare FFS claim for unplanned, potentially preventable readmissions in the 30-day window beginning two days after home health discharge.	Number of home health stays that begin during the 3-year observation period for patients who had an acute inpatient hospital discharge within the 30 days prior to the start of the HH stay and were discharged to the community from HH.	<b>Denominator Exclusions:</b> Excludes claims for patients who: Are under the age of 18 years Died during the home health stay Did not have a short-term acute-care stay within 30 days prior to a HH admission date Are transferred at the end of a stay to another HHA or short-term acute care hospital Are not continuously enrolled in Parts A and B FFS Medicare for the 12 months prior to the post-acute admission date, and at least 31 days after the post-acute discharge date, or are ever enrolled in Part C Medicare Advantage during this period Are not discharged to the community Are discharged against medical advice (AMA) The prior short-term acute-care stay was for nonsurgical treatment of cancer Are transferred to a federal hospital from the HHA	None – based on Medicare FFS claims

<sup>1</sup> This measure will be removed from the Outcome Report, Outcome Tally Report, and Review and Correct Report in 2020 and will be removed from Home Health Compare in April 2020.

<sup>2</sup> This measure will be removed from the Outcome Report and Outcome Tally Report in January 2020, the Review and Correct Report in June 2020, and Home Health Compare in January 2021.

<sup>3</sup> This measure is calculated from an item only available on OASIS-C2. Starting with OASIS-D, this measure will be replaced with “Changes in Skin Integrity Post-Acute Care: Pressure Ulcer/Injury.” Measure results will be frozen after December 2018, but still available on Home Health Compare until the measure is replaced.