

# Home Health Quality Reporting Program Case Study

## OASIS-C2 DISCHARGE ASSESSMENT



November 16–17, 2016  
InterContinental Dallas  
Addison, TX

### M1311. Current Number of Unhealed Pressure Ulcers at Each Stage

(M1311) Current Number of Unhealed Pressure Ulcers at Each Stage	Enter Number
<b>A1. Stage 2:</b> Partial thickness loss of dermis presenting as a shallow open ulcer with red pink wound bed, without slough. May also present as an intact or open/ruptured blister. <b>Number of Stage 2 pressure ulcers</b> [If 0 at FU/DC Go to M1311B1]	<input type="text"/>
<b>A2. Number of <u>these</u> Stage 2 pressure ulcers that were present at most recent SOC/ROC</b> – enter how many were noted at the time of most recent SOC/ROC	<input type="text"/>
<b>B1. Stage 3:</b> Full thickness tissue loss. Subcutaneous fat may be visible but bone, tendon, or muscle is not exposed. Slough may be present but does not obscure the depth of tissue loss. May include undermining and tunneling. <b>Number of Stage 3 pressure ulcers</b> [If 0 at FU/DC Go to M1311C1]	<input type="text"/>
<b>B2. Number of <u>these</u> Stage 3 pressure ulcers that were present at most recent SOC/ROC</b> – enter how many were noted at the time of most recent SOC/ROC	<input type="text"/>
<b>C1. Stage 4:</b> Full thickness tissue loss with exposed bone, tendon, or muscle. Slough or eschar may be present on some parts of the wound bed. Often includes undermining and tunneling. <b>Number of Stage 4 pressure ulcers</b> [If 0 at FU/DC Go to M1311D1]	<input type="text"/>
<b>C2. Number of <u>these</u> Stage 4 pressure ulcers that were present at most recent SOC/ROC</b> – enter how many were noted at the time of most recent SOC/ROC	<input type="text"/>
<b>D1. Unstageable: Non-removable dressing:</b> Known but not stageable due to non-removable dressing/device <b>Number of unstageable pressure ulcers due to non-removable dressing/device</b> [If 0 at FU/DC Go to M1311E1]	<input type="text"/>
<b>D2. Number of <u>these</u> unstageable pressure ulcers that were present at most recent SOC/ROC</b> – enter how many were noted at the time of most recent SOC/ROC	<input type="text"/>

continued on page 2



## M1311. Current Number of Unhealed Pressure Ulcers at Each Stage (continued)

<b>E1. Unstageable: Slough and/or eschar:</b> Known but not stageable due to coverage of wound bed by slough and/or eschar <b>Number of unstageable pressure ulcers due to coverage of wound bed by slough and/or eschar</b> [If 0 at FU/DC Go to M1311F1]	<input style="width: 40px; height: 25px;" type="text"/>
<b>E2. Number of <u>these</u> unstageable pressure ulcers that were present at most recent SOC/ROC</b> – enter how many were noted at the time of most recent SOC/ROC	<input style="width: 40px; height: 25px;" type="text"/>
<b>F1. Unstageable: Deep tissue injury:</b> Suspected deep tissue injury in evolution <b>Number of unstageable pressure ulcers with suspected deep tissue injury in evolution</b> [ If 0 - Go to M1322 (at Follow up), Go to M1313 (at Discharge)]	<input style="width: 40px; height: 25px;" type="text"/>
<b>F2. Number of <u>these</u> unstageable pressure ulcers that were present at most recent SOC/ROC</b> – enter how many were noted at the time of most recent SOC/ROC	<input style="width: 40px; height: 25px;" type="text"/>
<b>[Omit "A2, B2, C2, D2, E2 and F2" on SOC/ROC]</b>	

## M1313. Worsening in Pressure Ulcer Status Since SOC/ROC

**(M1313) Worsening in Pressure Ulcer Status since SOC/ROC:**

**Instructions for a-c:** Indicate the number of current pressure ulcers that were **not present or were at a lesser stage** at the most recent SOC/ROC. If no current pressure ulcer at a given stage, enter 0.

	Enter Number
a. Stage 2	<input style="width: 40px; height: 25px;" type="text"/>
b. Stage 3	<input style="width: 40px; height: 25px;" type="text"/>
c. Stage 4	<input style="width: 40px; height: 25px;" type="text"/>
<b>Instructions for e:</b> For pressure ulcers that are Unstageable due to slough/eschar, report the number that are new or were at a Stage 1 or 2 at the most recent SOC/ROC.	
d. Unstageable – Known or likely but Unstageable due to non-removable dressing.	<input style="width: 40px; height: 25px;" type="text"/>
e. Unstageable – Known or likely but Unstageable due to coverage of wound bed by slough and/or eschar.	<input style="width: 40px; height: 25px;" type="text"/>
f. Unstageable – Suspected deep tissue injury in evolution.	<input style="width: 40px; height: 25px;" type="text"/>

## M1620. Bowel Incontinence Frequency

### (M1620) Bowel Incontinence Frequency:

Enter Code <input type="text"/>	0	Very rarely or never has bowel incontinence
	1	Less than once weekly
	2	One to three times weekly
	3	Four to six times weekly
	4	On a daily basis
	5	More often than once daily
	NA	Patient has ostomy for bowel elimination
	UK	Unknown [ <i>Omit "UK" option on FU, DC</i> ]

## M2005. Medication Intervention:

### (M2005) Medication Intervention: Did the agency contact and complete physician (or physician-designee) prescribed/recommended actions by midnight of the next calendar day each time potential clinically significant medication issues were identified since the SOC/ROC?

Enter Code <input type="text"/>	0	No
	1	Yes
	9	NA – There were no potential clinically significant medication issues identified since SOC/ROC or patient is not taking any medications